Highlights from this issue

doi:10.1136/sextrans-2014-051551

Jackie A Cassell, *Editor*

The third National Survey of Sexual Attitudes and Lifestyles (Natsal) was long awaited and finally hit the British press just before World AIDS Day 2013. You can access a fascinating range of data in six open access Lancet papers, accessible through www.natsal.ac.uk. The sexual health research and clinical communities are however only too well aware of the complex pitfalls we face in this particularly sensitive field of behavioural research. So we are delighted to publish perhaps the most important papers by the Natsal team—an account of their methods Phelps *et al*¹ a exploration of how bias in Natsal has changed over the three decennial surveys Prah *et al*² and a fascinating editorial by Mercer, Wellings and Johnson³ describing its development and origins in earlier surveys. Many clinicians, as well as researchers, use questionnaires and surveys in their working lives. This suite of papers, along with the growing archive of past and present Natsal questions, provides an immense resource for those who need to find valid ways of measuring the sexual behaviour of populations. Gone are the days when everyone designed his or her own survey – good research, on any scale, needs to build on the methods that have been painstakingly developed by groups like the Natsal team.

Vaginal microbiology emerges as an important theme this month. The transmissibility of candidal infection among women who have sex with women is a clinical question many of us need to address. Muzny and colleagues⁴ present a mixed methods study exploring predictors of candida and of concordance within couples with some surprising results. Another paper by Guédou⁵ assesses the associations of intermediate vaginal flora (IVF) and of bacterial vaginosis (BV). The authors suggest that we might learn more by comparing normal vaginal flora with both BV and IVF, than by focussing predominantly on BV.

As ever, HIV testing is a popular topic. Guidelines do not automatically result in

a change of practice, and this month Elmahdi and colleagues present a systematic review of the implementation of HIV testing guidelines in the UK.⁶ Disappointingly they conclude that adherence to guidelines is poor outside the sexual health and antenatal clinics, and that this is related to low levels of provider offer. As yet we lack effective surveillance of testing, and this is urgently needed if we are to reduce rates of late diagnosis. A rather different approach to HIV testing is proposed in a Spanish paper, where Fernández-Balbuena and colleagues⁷ report the results of a street testing initiative aimed at reaching individuals who had never tested.

“Point of care” tests remain a topic of interest, though I find it hard to resist the temptation to point out that Gram stains, dark ground microscopy and wet mounts for *Trichomonas vaginalis* are point of care tests (POCT). It is indisputable that the new generation of POCT have a different role, and our readers will find Turner *et al*’s exploration of POCT for gonorrhoea and chlamydia instructive.⁸ An editorial⁹ by Alec Miners reflects on these interesting questions.

This issue also presents important papers on behavioural risk in men who have sex with men (MSM),^{10–11} the epidemiology and prevention of STI and HIV in Africa.^{12–15} Do please share your thoughts at @sti_bmj, via the website or consider proposing a blog to our blog-master via leslieginlewes@yahoo.co.uk

Competing interests None.

Provenance and peer review Commissioned; Not peer reviewed.

REFERENCES

- 1 Erens B, Phelps A, Clifton S, *et al*. Methodology of the third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). *Sex Transm Infect* 2014;90:84–9.
- 2 Prah P, Copas AJ, Mercer CH, *et al*. Consistency in reporting sensitive sexual behaviours in Britain: change in reporting bias in the second and third National Surveys of Sexual Attitudes and Lifestyles (Natsal-2 and Natsal-3). *Sex Transm Infect* 2014;90:90–3.
- 3 Mercer CH, Wellings K, Johnson AM. What’s new about Natsal-3? *Sex Transm Infect* 2014;90:80–1.
- 4 Muzny CA, Rivers CA, Parker CJ, *et al*. Lack of evidence for sexual transmission of genital *Candida* species among women who have sex with women: a mixed methods study. *Sex Transm Infect* 2014;90:165–70.
- 5 Guédou FA, Van Damme L, Deese J, *et al*. Intermediate vaginal flora and bacterial vaginosis are associated with the same factors: findings from an exploratory analysis among female sex workers in Africa and India. *Sex Transm Infect* 2014;90:161–4.
- 6 Elmahdi R, Gerver SM, Gomez Guillen G, *et al*. Low levels of HIV test coverage in clinical settings in the UK: a systematic review of adherence to 2008 guidelines. *Sex Transm Infect* 2014;90:119–24.
- 7 Fernández-Balbuena S, de la Fuente L, Hoyos J, *et al*. Highly visible street-based HIV rapid testing: is it an attractive option for a previously untested population? A cross-sectional study. *Sex Transm Infect* 2014;90:112–18.
- 8 Turner KME, Round J, Horner P, *et al*. An early evaluation of clinical and economic costs and benefits of implementing point of care NAAT tests for *Chlamydia trachomatis* and *Neisseria gonorrhoea* in genitourinary medicine clinics in England. *Sex Transm Infect* 2014;90:104–11.
- 9 Miners A. Is nucleic acid amplification point-of-care testing for chlamydia and gonorrhoea cost-effective? *Sex Transm Infect* 2014;90:82.
- 10 Li J, McDaid LM. Alcohol and drug use during unprotected anal intercourse among gay and bisexual men in Scotland: what are the implications for HIV prevention? *Sex Transm Infect* 2014;90:125–32.
- 11 Saxton PJW, Dickson NP, Hughe AJ. Location-based HIV behavioural surveillance among MSM in Auckland, New Zealand 2002–2011: condom use stable and more HIV testing. *Sex Transm Infect* 2014;90:133–8.
- 12 Kwenza ZA, Mwanza JJ, Bukusi EA, *et al*. Across-sectional survey of prevalence and correlates of couple sexual concurrency among married couples in fishing communities along Lake Victoria in Kisumu, Kenya. *Sex Transm Infect* 2014;90:139–44.
- 13 Sanders EJ, Wahome E, Okuku HS, *et al*. Evaluation of WHO screening algorithm for the presumptive treatment of asymptomatic rectal gonorrhoea and chlamydia infections in at-risk MSM in Kenya. *Sex Transm Infect* 2014;90:94–9.
- 14 Tobian AAR, Gaydos C, Gray RH, *et al*. Male circumcision and *Mycoplasma genitalium* infection in female partners: a randomised trial in Rakai, Uganda. *Sex Transm Infect* 2014;90:150–4.
- 15 Low AJ, Konate I, Nagot N, *et al*. *Neisseria gonorrhoeae* and *Chlamydia trachomatis* infection in HIV-1-infected women taking antiretroviral therapy: a prospective cohort study from Burkina Faso. *Sex Transm Infect* 2014;90:100–3.