



BMA PROFESSIONAL DIVISION PUBLICATIONS

A Code of Practice for the Safe Use and Disposal of Sharps

Essential reading for all medical practitioners, students and nursing staff, this code of practice provides a single source of advice on the relative risks of sharps at different points of use from handling to disposal, and offers concrete advice on ways in which to prevent sharps injuries. The report also sets out proposals for improving standards of education for all health care staff.

UK £4.95/Abroad £5.95 (BMA members £4.25 or £5.25)

A Code of Practice for the Sterilisation of Instruments and Control of Cross Infection

This report gives clear guidance on sterilisation procedures, including pre-cleaning and hand washing, methods of decontamination, protective clothing, clinical waste, staff training and maintenance of equipment. There is also a useful reference and resource section.

UK £4.95/Abroad £5.95 (BMA members £4.25 or £5.25)

Available to BMA members only:

The BMA Guide to Living with Risk

Winner of the Science Book Prize, 1988

This Guide illuminates the dangers of diet, alcohol and smoking; hazards at work and play, in the home and while travelling; the perils of energy production, chemicals, natural disasters... and even medical treatment. It also discusses our perception of risk, how to determine acceptable levels and how potential perils can be measured, managed and minimized.

UK £4.99/Abroad £5.99

Infection Control

The BMA has produced this book because infection is something which everyone wishes to avoid. With its wealth of data, vivid graphics and authoritative text, this guide should be necessary reading for all those involved in infection control, particularly students and teachers, nurses, doctors and other health care professionals, food producers, environmental health officers and scientists.

UK £8.95/Abroad £10.95

Available from: PROFESSIONAL & SCIENTIFIC PUBLICATIONS, PO Box 295, London WC1H 9TE, medical booksellers or the BMJ bookshop in BMA House

Please send me the following BMA Professional Division publications:

I enclose _____ BMA Membership No _____

Please make cheques payable to
Professional & Scientific Publications

Debit my credit card (please tick box)

Visa American Express Mastercard

Card No _____

Card expiry date _____

Signature _____

NAME _____

ADDRESS _____

_____ POSTCODE _____

Please send me a BMJ book catalogue

MSSVD

The Medical Society for the Study of Venereal Diseases

President: Dr J R W Harris

St Mary's Hospital, London W2 1NY

The object of the Society is to bring together those interested or engaged in the diagnosis, treatment, and community medical aspects of sexually transmitted diseases. The Society meets regularly in London at the Royal Society of Medicine for the reading of papers, discussions, and presentation of cases. An out-of-London meeting is held in the Spring. Annual subscription for membership of the Society is £50.

Applications for membership are welcome and forms can be obtained from the Honorary Secretary, Dr M J Godley, Florey Unit, Royal Berkshire Hospital, Reading RG1 5AN.

1992 SCIENTIFIC PROGRAMME

at the Royal Society of Medicine,
1 Wimpole Street, London W1M 8AE

6.30 for 7 pm (unless otherwise stated)


Members and Guests welcome

24 April 1992

The Harrison Lecture
to be given by
DR J D ORIEL at the
Royal College of
Physicians,
11 St Andrews Place,
Regents Park,
London NW1

18-21 June 1992

**Spring Meeting,
Dublin, Eire**
Local Organiser:
Dr F Mulcahy



When getting back
to the clinic becomes
a little difficult

Warticon is a highly effective treatment for male genital warts situated in the preputial space.^{1,2,3}

It can be applied by the patient, in his own home, twice daily for three days, following an initial visit to a GUM clinic.


Warticon therefore relieves the patient, and the clinic, of the time and effort of regular attendance for treatment.¹

Warticon[®]
podophyllotoxin 0.5% w/v

Simple enough for self-application in
male genital warts

 **Perstorp Pharma**

Further information is available from: Perstorp Pharma Ltd, Intec 2, Wade Road, Basingstoke, Hants RG24 ONE Tel: (0256) 477868

 and Warticon are registered trademarks

ABBREVIATED PRESCRIBING INFORMATION

Warticon: Podophyllotoxin 0.5 w/v. **Presentation:** An acid ethanolic solution of 0.5% w podophyllotoxin. **Uses:** For the treatment of penile warts (condylomata acuminata), located in the preputial space. **Dosage and Administration:** The affected area should be washed and dried prior to application. Using the applicator provided, the warts should be painted twice daily for 3 days. The treated area should be allowed to dry. Treatment may be repeated after 7 days. Maximum single dose of 30 loops per application for a home treatment (50 loops under medical supervision). When lesions are greater in area than 4cm², it is recommended that treatment takes place under the direct supervision of medical staff. **Contraindications, Warning etc:** Open wounds, hypersensitivity to podophyllotoxin. In the event of the preparation entering the eye, the eye should be thoroughly bathed in water. **Side effects:** Local irritation may occur. In the majority of cases the reactions are mild. **Overdosage:** No overdosages have been reported. No specific antidote known. Following accidental spillage, wash the affected area with soap and water. In the event of accidental ingestion give emetic or stomach washout. Treatment should be symptomatic. **Pharmaceutical Precaution:** Store at room temperature. **Package Quantities:** Bottles containing Warticon 3ml. Plastic applicators are also enclosed in each pack. Each loop will carry 5 Warticon Solution. **Legal Category:** POM. **Basic NHS Cost:** 3 ml £16.00. **Product Licence Number:** PL 3863/0007.

REFERENCES

1. Pickering RW. Br J Sex Med 1989; 16: 320-324.
2. Lassus A, et al. Eur J Sex Trans Dis 1984; 2: 31-33.
3. von Krogh G. In Derm in Five Continents. Proceedings of the XVII World Congress of Dermatology 1987: 317-326.

SEND FOR YOUR
FREE SAMPLE COPY

Journal of Medical Ethics

Journal of the Institute of Medical Ethics

EDITOR: RAANAN GILLON

THE JOURNAL OF MEDICAL ETHICS

is a leading international journal in the field of medical ethics. It publishes interdisciplinary articles on ethical aspects of health care. Contributions to the journal originate in many countries and disciplines, and all undergo rigorous assessment. In addition to publishing original articles it provides a forum for reasoned debate on ethical issues. Case conferences, editorials, book reviews, correspondence and news and notes are also included. Occasional series focus on teaching medical ethics, experiences of medico-moral dilemmas ("At the Coalface") and medical ethics in literature.

RECENT AND FORTHCOMING ARTICLES:

- **The reversibility of death**
David Cole with a reply from David Lamb
- **Debate-Involving patients in do not resuscitate decisions**
Erich Loewy
- **Telling the truth**
Jennifer Jackson
- **Literature and medicine**
Robin Downie
- **Cost effectiveness analysis. Is it ethical?**
Alan Williams
- **Paying for health**
Sir Douglas Black

Annual Subscription 1992:
£69, USA (Only): \$121

To Order Your Subscription or Sample Copy
Please Complete the Order Form Below:
Student Rates available.
Please contact the publisher

BMJ JOURNALS

Order Form

JOURNAL OF MEDICAL ETHICS

ISSN: 0306-6800

PUBLICATION: Quarterly

SUBSCRIPTION RATE: £69
\$121 (USA ONLY)

Please tick

- Please enter my subscription, start date _____
- Please send me a sample copy
- Please send me *Instructions to Authors*
- I enclose a cheque for _____
(Payable to British Medical Journal)
- I wish to pay by credit card.

American Express/Visa(Barclaycard)/Mastercard
(Delete as appropriate)

SJ

Card Number

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

MasterCard users should add the numbers appearing above their name

Expiry date _____

Signature _____

(Your signature is essential, especially when paying by credit card)

Name (Capitals) _____

Address _____

_____ Date _____

Send orders to: **BMJ Publishing Group, BMA House, Tavistock Square, London. WC1H 9JR.**
or **BMJ Publishing Group, Box No 560B, Kennebunkport, Maine 04046 (Direct Orders Only)**

CIA software—well written and “user-friendly”

Confidence Interval Analysis (CIA) is a computer program that takes the sweat out of calculating confidence intervals. Devised by Martin Gardner, professor of medical statistics, MRC Environmental Epidemiology Unit, University of Southampton. The program is menu driven with easy access to each chapter and to the method required within each chapter. Topics covered include calculating confidence intervals for:

- means and their differences
- proportions and their differences
- regression and correlation
- relative risks and odds ratios
- survival analyses
- non-parametric analyses

For each method relevant intermediate statistics and the required confidence interval are produced on the screen. Complete with its own manual, the program may also be used in conjunction with the book *Statistics with Confidence* (see below), which provides numerous worked examples. The software is available for IBM compatibles on either a 5¼" or a 3½" disk.

“... well written, “user-friendly” ... an invaluable companion to the book and recommended highly.”

British Journal of Anaesthesia

“... highly recommended to doctors (and statisticians). *CIA* ... will save a lot of time and pain.”

British Medical Journal

“... an efficient and precisely focused piece of software.”

Applied Statistics

Price: £65.00. Educational establishments, research institutes, and the NHS—£45.95. Prices include VAT in the UK and air mail despatch abroad.



Over 10,000 copies sold worldwide

“... a welcome addition to the bookshelves ... as it is very practical in its approach ...”

The Pharmaceutical Journal

“The great value of this book is that it presents, in an easily understood form, the methods which will be needed in most situations.”

Journal of Epidemiology and Community Health

“... I found this book admirably suited to its purpose.”

Clinical Practice and Physiological Measurement

“This book is strongly recommended for all those who are involved in medical research and the preparation of papers for publication.”

The Medical Journal of Australia

UK £7.95; Abroad £9.50 (BMA members £7.45 or £9.00) including postage, by air abroad



ORDER FORM

BRITISH MEDICAL JOURNAL, PO Box 295, London WC1H 9TE, any leading bookseller, or the BMJ bookshop in BMA House.

Please send me _____ copy/ies of *Confidence Interval Analysis (CIA)*

£65.00 (full price) £45.95 (educational establishments, research institutes, and the NHS).

Size of disk required 5¼" disk 3½" disk (please tick relevant box)

Please send me _____ copy/ies of *Statistics with Confidence – Confidence intervals and statistical guidelines*

I enclose _____ (please make cheques payable to **British Medical Journal**)

Debit my credit card American Express Mastercard Visa Card No. _____

Card Expiry Date _____ Signature _____

BMA Membership No. (where applicable) _____


NAME (BLOCK LETTERS PLEASE) _____

ADDRESS _____

POSTCODE _____

Your patients rely on you...

To provide the most accurate diagnosis and effective treatment, you need the most current, comprehensive information available. This journal will help you deal with the panic...anxiety...and often misinformation of the patients coming to you concerning sexually transmitted disease.



Identify those at risk

Diagnose infected patients

Provide facts and advice for those who feel threatened

Treat your patients with the most effective therapies


Your source is **Sexually Transmitted Diseases**


Published bi-monthly, *Sexually Transmitted Diseases* brings you the most up-to-date information on sexually transmitted diseases and related topics. Original articles keep you abreast of the latest advances in diagnosis and treatment, patient education, public health issues, etiology and pathology. Newly identified syndromes and disease entities are covered in each issue, along with notes from the CDC and NIH, case reports, and AVDA News.

Subscribe to the resource you can rely on for the latest, most authoritative information on STDs!

No-Risk Guarantee!

If you're not completely satisfied, you may cancel your subscription at any time and receive a refund for all unmailed issues.



 Call us today TOLL FREE
1-800-638-3030 (U.S. except AK)
or FAX your order 301-824-7390.

Published bi-monthly
Annual subscription rates:
Individual \$100.00 (U.S.) - \$115.00 (Other countries)
Institution \$145.00 (U.S.) - \$180.00 (Other countries)

Published by

J. B. Lippincott

A Wolters Kluwer Company




Journals Division
J. B. Lippincott
227 East Washington Square
Philadelphia, PA 19106-3780
USA

...and you can rely on Sexually Transmitted Diseases

Journal of the American Venereal Disease Association
Julius Schachter, PhD, Editor

Prescribing information *Indications and dosage:* Systemic candidiasis: 400mg on the first day followed by 200-400mg once daily. Cryptococcosis, including meningitis: 400mg on the first day followed by 200-400mg once daily. Maintenance therapy to prevent relapse of cryptococcal meningitis in patients with AIDS: 100-200mg daily. Oropharyngeal candidiasis: 50-100mg once daily for 7-14 days or longer in immunocompromised patients. Other mucosal candidal infections: 50-100mg once daily for 14-30 days. Vaginal candidiasis: single 150mg dose. Prevention of fungal infections in neutropenic patients following cytotoxic chemotherapy or radiotherapy: 50-100mg once daily whilst patients are predisposed to such infections. Use in the elderly - as above except for those renally impaired - see data sheet. Use in children - not recommended. *Administration:* Diflucan may be administered either orally or by intravenous infusion at a rate of approximately 5-10ml/min. The dosages for the two routes are equivalent. *Contra-indications:* Hypersensitivity to fluconazole or related triazoles, pregnancy and women of childbearing potential unless adequate contraception is employed. *Warnings:* Lactation - not recommended. Renal impairment: dosage reduction may be necessary, see data sheet. *Drug interactions:* Monitor patients on concurrent anticoagulants, oral sulphonylureas, phenytoin or cyclosporin, rifampicin or theophylline. *Side-effects:* Nausea, abdominal discomfort, diarrhoea, flatulence and anaphylaxis. *Package Quantities and Basic NHS cost:* 50mg capsule, calendar pack of 7, £16.61 (PL 57/0289); 200mg capsule, calendar pack of 7, £66.42 (PL 57/0317); 150mg capsule, pack of 1, £7.12 (PL 57/0290); Powder for Oral Suspension, 35ml after reconstitution with water: Bottle of 50mg/5ml, £16.61 (PL 57/0343), Bottle of 200mg/5ml, £66.42 (PL 57/0344); Bottles of 25ml and 100ml containing Diflucan 2mg/ml intravenous infusion - 25ml (50mg) bottle, £7.32; 100ml (200mg) bottle, £29.28 (PL 57/0315). Hospital prices are available on request. *References* 1. Data on file, Pfizer Ltd. 2. Brammer, K.W. (1990), *Haematology and Blood Transfusion*, 33, 546-550. 3. Samonis, G. *et al.* (1990), *Reviews of Infectious Diseases*, 12(3), S369-S373. 4. Data on file, Pfizer Ltd. 5. Buxton, M.J. *et al.* (1991), *Journal of Infection*, 23, 17-31. Further information on request. Pfizer Limited, Sandwich, Kent



It takes a
good antifungal
routine
to break the
vicious cycle
of Candida.

DIFLUCAN* is a highly effective antifungal agent with activity against a wide range of common invasive fungal infections.¹ It should be considered as a first-line treatment in suspected or proven candidal or cryptococcal infections. DIFLUCAN also provides effective prophylactic therapy in neutropenic patients and in patients with solid tumours.^{2,3}

DIFLUCAN has a good safety profile and is well tolerated in both its oral and intravenous forms.⁴ Since DIFLUCAN is generally better tolerated than I.V. amphotericin B, patients require less hospital care and can be treated on an outpatient basis thus facilitating a substantial reduction in costs.⁵

Diflucan* ORAL/I.V. Counters invasive fungal infection.
fluconazole *Trade Mark