

Appendix 1. Number of events recorded and exposure time to calculate incidence for first repeat tests and STI (*Chlamydia trachomatis* and/or *Neisseria gonorrhoea*) at first repeat test in target groups attending two Dutch STI clinics (South Limburg 2006-2009 and 2010-2013 and Amsterdam 2010-2013)

Period	Clinic	Target-group	Number of events	Exposure time (person-years)
<b>Re-tests</b>				
2006-2009	South Limburg	swinger	597	864.04
2006-2009	South Limburg	MSM	435	1822.66
2006-2009	South Limburg	man	864	10458.06
2006-2009	South Limburg	woman	1521	12935.18
2010-2013	South Limburg	swinger	987	1732.75
2010-2013	South Limburg	MSM	887	2931.94
2010-2013	South Limburg	man	1067	12904.13
2010-2013	South Limburg	woman	2092	16396.36
2010-2013	Amsterdam	swinger	470	972.46
2010-2013	Amsterdam	MSM	6499	16675.38
2010-2013	Amsterdam	man	6513	46505.28
2010-2013	Amsterdam	woman	11405	56275.24
<b>STI</b>				
2006-2009	South Limburg	swinger	51	410.33
2006-2009	South Limburg	MSM	58	402.99
2006-2009	South Limburg	man	75	909.88
2006-2009	South Limburg	woman	159	1501.5
2010-2013	South Limburg	swinger	73	674.31
2010-2013	South Limburg	MSM	129	718.35
2010-2013	South Limburg	man	157	1101.9
2010-2013	South Limburg	woman	276	2036.58
2010-2013	Amsterdam	swinger	52	429.85
2010-2013	Amsterdam	MSM	1170	5429.6
2010-2013	Amsterdam	man	976	6600.3
2010-2013	Amsterdam	woman	1257	10557.89