BRITISH JOURNAL OF VENEREAL DISEASES

to one sex or the other—to undergo examination and/or treatment by a specialist. If that was the feeling, would the meeting consider instructing the Secretary to write to the Chief Medical Officer of the Ministry of Health saying that at a discussion on this subject that kind of feeling was expressed?

Colonel OSMOND and Dr. NABARRO supported such action.

Dr. SHANSON said that this subject was suitable for a special meeting.

Lt.-Col. FAIRFIELD raised the question of malicious accusation. The subject was surrounded by difficulties of that kind. She hoped discussion on the subject would be ventilated.

THE PRESIDENT said that he was not thinking of detailed proposals. Of course "malicious accusation" came into one's mind. But there was a fair amount of feeling expressed that if the position could be safeguarded in some way it might be very useful to ask for some measure of compulsion.

Squadron-Leader MACGREGOR said that he had been working in a large garrison town in Lancashire where there had been a large number of cases, and it had been impossible to control the infection on the women's side. There must be several hundreds of women in that town who were apparently healthy but in fact contagious. He had approached the medical officer of health with a view to getting some kind of co-operation, but the only kind of co-operation appeared to be to call in the police and put the people in prison. That was not really the kind of co-operation those present would want.

THE PRESIDENT said that he thought there was not enough unanimity as yet to justify an instruction to the Secretary to write in the way he had suggested, but he thought he could himself say that there was a strong feeling—even a very strong feeling—in favour of the proposal.

IX

CORRESPONDENCE

DEAR SIR,—I have recently read with great interest the paper on "Blood-Dyscrasia" in the BRITISH JOURNAL OF VENEREAL DISEASES, January–April, 1941, and in particular the section dealing with the sulpharsphenamines and their several suggested formulæ. As I have conducted a large amount of research work on these products may I be permitted to offer one or two observations.

In the first place work in these laboratories and in France seems to show that certain sulpharsphenamines (*e.g.*, sulfarsenol) are mixtures of the compound represented by formula E with sodium formaldehyde-bisulphite. This latter substance is stated to be comparatively non-toxic.

In view of the remarks regarding the brands in which both amino-groups were closed might I record that I have repeatedly attempted to prepare the mono-substituted compound (formula D), but in

CORRESPONDENCE

every case the resulting product was only partially soluble in water, giving a cloudy solution which cleared on adding a trace of NaOH. In my experience it is not possible to prepare a compound represented by formula D suitable for clinical use. I am of the opinion that the incomplete solubility of these substances is due to the incomplete combination of 606 with the formaldehyde/bisulphite with resultant precipitation of some 606. I enclose representative specimens of the results of my experiments in this direction. These were prepared by treating each molecule of 606 with 1.5 mols. of formald./bisulph., the extra $\frac{1}{2}$ mol. being necessary in my experience for the preparation of even normal sulpharsphenamines.

The percentage of arsenic which would be present in the compounds represented by formulæ D, E and F is also of some importance and research here and elsewhere indicates that normal sulpharsphenamine is either the — NNN¹-substituted product (F) or a mixture of E with about one molecule of sodium formaldehyde bisulphite. The B.P gives the percentage of As as 18–21 and hence on this alone normal sulpharsphenamine cannot be represented by formulæ D and E as the following table shows. These calculations are made on the pure substance with 5% H₂O, this being an average amount of humidity present in normal sulpharsphenamines.

Col. Burke's Formula	Substituting Chains	% As in Pure Substance with 5% H ₂ O
D . .	One—N	30%
E . .	Two—NN ₁	23.8%
F . .	Three—NNN ₁	20%

As the paper indicates the formula for sulpharsphenamine seems to be in some doubt, but in computing this I think it essential to take into account the percentage of As. allowed by the authorities and desirable from a practical manufacturing viewpoint.

I should be extremely grateful for comments on my observations and thank you in anticipation.

Yours, etc.,
E. A. LUM, Ph.C., M.P.S

SULFARSENOL LABORATORIES LTD.,
ALPERTON, MIDDLESEX.

ERRATUM

On page 114 of the January–April, 1941, number, at the end of line 26 *for* essay *read* assay.