Summary and Conclusions

The ecology of gonorrhoea and the methods used for its control are discussed. It is normally an infection of the promiscuous and is most frequent in the large cities, where immigrants and itinerants congregate and fail to establish stable sexual relationships. The socio-economic factors are complex, but the influence of prostitution and alcohol is clear. The asymptomatic nature of the infection in the female and the persistence of a "reservoir" of gonorrhoea in a small but promiscuous section of the female population are the major causes of the failure of our attempts at control.

This failure, the rising incidence of gonorrhoea, and the threat of penicillin resistance call urgently for research with a biological approach which might, by making possible the immunization of carefully selected groups, eventually lead to the eradication of gonorrhoea.

We are indebted to Dr. R. A. Leader, Medical Officer of Health, for the data about the Ipswich Clinic.

REFERENCES

- Anderson, D. O., and Nelson, A. J. (1954). *Canad. publ. Hlth J.*, 45, 381.
 Bender, E. (1937). *Munch. med. Wschr.*, 84, 1062.
 British Co-operative Clinical Group (1956). *Brit. J. vener. Dis.*, 32, 21.
 — (1959). *Ibid.*, 35, 111.
 Clark, E. Gurney (1954). *Ibid.*, 30, 191.
 Cradock-Watson, J. E., Shooter, R. A., and Nicol, C. S. (1958). *Brit. med. J.*, 1, 1091.
 Curtis, F. R., and Wilkinson, A. E. (1958). *Brit. J. vener. Dis.*, 34, 70.
 Gjessing, H. C. (1956). *Ibid.*, 32, 86.
 Hall, J. St. E. (1957). *Ibid.*, 33, 158.
 Härö, A. G., and Pätälä, R. (1957). *Ibid.*, 33, 70.
 Home Office and Scottish Home Department (1957). "Report of the Committee on Homosexual Offences and Prostitution", Part IV, p. 115. Cmmd. 247. H.M.S.O., London.
 Hookings, C. E., and Graves, L. M. (1957). *Brit. J. vener. Dis.*, 33, 40.
 Keighley, E. (1957). *Ibid.*, 33, 105.
 King, A. J. (1958). *Lancet*, 1, 651.
 Laird, S. M. (1946). *J. roy. sanit. Inst.*, 66, 193.
 — (1957). *Brit. J. vener. Dis.*, 33, 172.
 — (1958). *Ibid.*, 34, 137.
Lancet (1958). 2, 788.
 Lewes, D. (1948). *Med. Press*, 220, 145.
 Medical Research Council (1945). *Monthly Bull. Minist. Hlth Lab. Serv.*, 4, 85.
 Ministry of Health (1956). "Report of the C.M.O. for 1955", Part II, "On the State of Public Health", p. 64. Cmmd. 16. H.M.S.O., London.
 — (1958). "Report of the C.M.O. for 1957", Part II, "On the State of Public Health", p. 282. Cmmd. 559. H.M.S.O., London (see *Brit. J. vener. Dis.*, 1959, 35, 57).
 Morton, R. S. (1958). *Brit. J. vener. Dis.*, 34, 81.
 Moore, J. E. (1957). *J. chron. Dis.*, 6, 280.
 Nicol, C. S. (1954). *Brit. J. vener. Dis.*, 30, 170.
 — (1956). *Ibid.*, 32, 27.
 Reyn, A., Korner, B., and Bentzon, M. W. (1958). *Ibid.*, 34, 227.
 Tauber, H., and Garson, W. (1957). *Proc. Soc. exp. Biol. (N.Y.)*, 95, 669.
 Thomson, G. M. (1956). *Brit. J. vener. Dis.*, 32, 82.
 Watt, L. (1958). *Ibid.*, 34, 9.
 W.H.O. (1954). *Epidem. vital Statist. Repts.*, 7, 237.
 — (1958). *Ibid.*, 11, 259.
 W.H.O. Seminar on Venereal Diseases, Tokyo (1958). *Lancet*, 1, 899.

CORRESPONDENCE

TO THE EDITOR OF THE *British Journal of Venereal Diseases*.

Dear Sir.—I should like to call your attention to what I feel is a mis-statement of fact in the article by Bailey and Bishop in the *British Journal of Venereal Diseases* (1959), 35, 8. The statement is as follows: "... a Donovan body, found characteristically in the cytoplasm of white blood cells, particularly the large mono-nuclear leucocytes."

To my knowledge the Donovan body of granuloma inguinale has never been demonstrated in any circulating white blood cells. The organisms parasitize large mononuclear tissue (endothelial) cells and may be demonstrated by tissue spread preparations or histologic section. Pund and Green-

blatt feel that the parasitized tissue cell found in histologic sections is as pathognomonic for granuloma inguinale as the Sternberg-Reid cell is for Hodgkin's disease.

It is hoped that this note may in some measure serve to rectify and clarify a possible misconception concerning the Donovan body of granuloma inguinale.

Yours faithfully,

GEORGE R. CANNEFAX,
Principal Serologist

VENEREAL DISEASE EXPERIMENTAL LABORATORY
Box 1049,
CHAPEL HILL,
NORTH CAROLINA, U.S.A.

June 29, 1959