


# IMUNOVIR<sup>TM</sup>

inosine pranobex

the immunopotentiator




Cures  
90%  
of genital  
warts

when used with podophyllin  
or carbon dioxide laser



Effectively  
treats  
genital  
herpes



Accelerates  
healing of  
herpes  
labialis

the body's ally against



**Prescribing Information**

**Principal Action:** Imunovir is an agent demonstrating anti-viral activity and possessing immunopotentiating action in viral diseases. **Dosage:** Herpes simplex: two tablets q.d.s. for 7 to 14 days. Genital warts: two tablets t.d.s. for 14 to 28 days. (See Indications). **Presentation:** Each tablet contains 500 mg inosine pranobex. **Indications:** Management of mucocutaneous infections due to herpes simplex virus (type I and/or type II) and management of genital warts when used with podophyllin or carbon dioxide laser. **Contra-indications:** None known. **Precautions:** Patients with renal impairment, a history of gout or

hyperuricaemia. **Pregnancy.** **Side effects:** Rare and usually of a mild and transitory nature. Only commonly associated adverse effect is transient raised uric acid levels. **Overdose:** No experience. Treatment should be restricted to symptomatic and supportive measures. **Product Licence No.:** 0748/0049. **Basic N.H.S. Price:** 100 £37.24.

Edwin Burgess,  
A Division of Scanpharm Ltd.,  
Longwick Road, Princes Risborough,  
Aylesbury, Bucks HP17 9RR.

©Trademark of the Licensor, Newport Pharmaceuticals Int. Inc.

# 1 IS ENOUGH



BAYER

**3-day action against thrush  
in a single tablet**

**Canesten<sup>®</sup> 1**  
clotrimazole

*"Treatment of vaginal candidosis with a single 500-mg clotrimazole pessary [Canesten 1] was found to be as effective as previous treatment regimens of longer duration."*

Br J Ven Dis 1982;58:124-6.

**Prescribing information:** Presentation: Canesten 1 is available as a single 500mg vaginal tablet with applicator. **Dosage:** A single vaginal tablet to be inserted preferably at night. **Side effects:** Rarely patients may experience transient local mild burning or irritation. **Basic NHS Cost:** 1x 500mg vaginal tablet with applicator: £2.58. **Product Licence Number:** Vaginal Tablets 500mg, PL0010-0083.



Further information is available from:  
Bayer UK Limited Pharmaceutical Division  
Bayer House Strawberry Hill  
Newbury Berkshire RG13 1JA  
Telephone: Newbury (0635) 39000

\*Registered trade mark of Bayer, Germany

# M S S V D

## The Medical Society for the Study of Venereal Diseases

*President:* Dr J D Oriel  
University College Hospital, London WC1E 6AU

The object of the Society is to bring together those interested or engaged in the diagnosis, treatment, and community medical aspects of sexually transmitted diseases. The Society meets regularly in London for the reading of papers, discussions, and presentation of cases. An out-of-London meeting is held in the Spring.

Annual subscription for membership of the Society is £50 for all members. Applications for membership are very welcome and forms can be obtained from the Honorary Secretary, Dr M A Waugh, Department of Genito-Urinary Medicine, The General Infirmary, Great George Street, Leeds LS1 3EX.

**Please note – all correspondence regarding MSSVD to Hon. Sec.**

### PROGRAMME 1986 – 1987

Royal Society of Medicine,  
1 Wimpole Street, London W1M 8AE

**A G M 31st October 1986 6.45pm**  
followed by Short Papers.

**28 November 1986**  
Ordinary General Meeting 7 pm.  
New methods of diagnosis of cervical  
and vaginal conditions

1. Dr Dulcie Coleman, St Mary's Hospital, London. The diagnosis of Sexually Transmitted Diseases in women as seen by the Cytologist.
2. Professor C Easmon, St Mary's Hospital, London – Non-specific vaginitis.
3. Dr G Evans, University of Leeds – Candidiasis.

**30th January 1987**  
Ordinary General Meeting 7 pm.  
Rape and Child Sexual Abuse

1. Dr R E I Roberts, Manchester – Rape, How the Physician handles it.
2. Det Chief Superintendent Thelma Wagstaff, London – Rape: The management by the police of rape victims.
3. Dr Jane Wynne & Dr C Hobbs, Leeds – Child Sexual Abuse.

4. Dr Greta Forster, London – A study of STD in rape victims.

**27th February 1987**  
Ordinary General Meeting 7 pm.  
Short Clinical Cases

**27th March 1987**  
Ordinary General Meeting 7 pm.  
Recent Advances in Syphilis.

1. Dr T Riordan, Manchester – Screening Tests: Evaluation in low prevalence screening.
2. Dr H Young, Edinburgh – Screening Tests: evaluation in clinical practice and high risk groups.
3. Dr C Penn, Birmingham – Research into Treponematoses.

**24th April 1987**  
Presidential Address 7 pm.

**14-17th May 1987**  
Spring Meeting of MSSVD with corresponding  
Dutch and Belgian Societies, Antwerp, Belgium.

# New **Tetralysal**<sup>®</sup> **300** lymecycline

## At the forefront of anti-chlamydial therapy

■ **Proven high efficacy  
against NGU and  
mixed urethritis<sup>1,2</sup>**

■ **Excellent record of  
gastrointestinal<sup>3</sup>  
and oesophageal<sup>3,4</sup>  
tolerance**

■ **No reported  
photosensitivity<sup>5</sup>**

■ **Simple b.d. dosage**

■ **Economical**



**References.** 1. Ghosen V et al. Proc Int Symp Rome, Oct 1979. (Farmitalia Carlo Erba S.p.A., Milan 1980). pp 83-85. 2. Wallin J et al. Proc Int Symp Rome, Oct 1981. (Farmitalia Carlo Erba S.p.A., Milan 1982). pp 91-94. 3. Kollberg L. Proc Int Symp Rome, Oct 1979 (op cit). pp 69-76. 4. Carlborg BI, Densert O, Lindqvist CK. Proc Int Symp Rome, Oct 1981 (op cit). pp 105-109. 5. Bjellerup M, Ljunggren B. J Invest Dermatol 1985; 84: 262-264.

**Prescribing Information.** Name of Product: Tetralysal<sup>®</sup> 300. Presentation: Tetralysal<sup>®</sup> 300 is available as white, hard gelatin capsules containing 408mg of lymecycline BP equivalent to 300mg tetracycline base. **Uses:** All conditions where tetracycline therapy is indicated, including non-gonococcal urethritis of chlamydial origin and other chlamydial infections such as trachoma. **Dosage and Administration:** The usual recommended dose is 1 capsule bd. If higher doses are required 3-4 capsules may be given over 24 hours. In the management of sexually transmitted disease both partners should be treated. **Contra-Indications, Warnings, etc:** Tetralysal<sup>®</sup> 300 should not be administered to pregnant women or children below the age of 8 years, nor to patients with overt renal insufficiency or those hypersensitive to tetracyclines. The absorption of tetracyclines may be affected by the simultaneous administration of antacids and iron preparations. **Basic NHS Price:** Bottles of 20 and 100 capsules at £2.46 and £12.30. **Product Licence Number:** 3433/0044.

Further information is available on request from:



**FARMITALIA CARLO ERBA LTD**  
Italia House, 23 Grosvenor Road, St. Albans, Herts AL1 3AW. Tel: 0727 40041.

## STATISTICS IN PRACTICE

STATISTICS AND ETHICS IN MEDICAL RESEARCH *Douglas G Altman*

STATISTICS IN QUESTION *Sheila M Gore*

No doctor can afford to ignore statistics: most modern medical research uses statistics. This important and authoritative book, which is a collection of articles that have appeared in the BMJ, provides clear information on designing studies, applying statistical techniques, and interpreting studies that use statistics. It can be easily understood by those with no statistical training and should be read by all those who want to keep abreast of new developments.

Price: Inland £8.95

Overseas £11.00, USA \$19.00

(including air mail postage overseas)

**Order your copy now**

From: The Publisher, British Medical Journal,  
BMA House, Tavistock Square,  
London WC1H 9JR  
or any leading bookseller

BRITISH POSTGRADUATE  
MEDICAL FEDERATION  
University of London

## Colposcopy of Sexually Transmitted Diseases

30/31 October 1986

This course is aimed to demonstrate the value of colposcopy in the diagnosis and management of sexually transmitted diseases. Particular attention will be focused on human papilloma virus infection and other factors related to the development of cervical dysplasia and carcinoma.

The course will take place at the Charing Cross Hospital, and is non-residential. The course fee which includes catering is £80.00. Application forms are available from: Courses Department, British Postgraduate Medical Federation, 33 Millman Street, London WC1N 3EJ. Telephone: 01-831 6222, extension 38 or 39.

## Genitourinary Medicine

## 'CORDEX' SELF-BINDING CASES

FOR EASY REFERENCE

'Cordex' self-binding cases are available to hold one volume (6 issues) of your *Genitourinary Medicine*. Each case is handsomely bound with a colour to complement the journal. Spring nylon cords, to carry the journals, slide freely along the spine of the binder. The name of the journal is gold-blocked on the spine. Date labels are also provided.

Price: Inland £5.00; Abroad £7.50; USA \$11.00, including postage (air mail abroad) and packing.

**Payment must be enclosed with order**

ORDER NOW FROM The Subscription Manager, GENITOURINARY MEDICINE,  
BMA House, Tavistock Square, London WC1H 9JR.