


Some
**Chlamydia
EIA tests
aren't sure**



Wellcozyme is

Wellcozyme™ Chlamydia is a new EIA test that gives you greater confidence in the detection of Chlamydia.

Developed by Wellcome Diagnostics, the assay incorporates monoclonal antibodies for direct antigen detection making it highly specific and easy to use.

Excellent Performance – A trial* comparing Wellcozyme Chlamydia to a leading alternative EIA, has shown the Wellcozyme test's specificity and sensitivity to be superior. Sensitivity of 92.3% with specificity of 99.1% on initial screening, coupled to the availability of a neutralisation assay for confirmation of positives ensures greater confidence in results.

Speed – simultaneous sample and conjugate incubation results in just one wash step improving efficiency and convenience.

Flexibility – the eight well strip format makes Wellcozyme Chlamydia equally suitable for both high or low volume use.

Total system – in addition to the Chlamydia assay, a specimen collection pack and neutralisation assay are also available.



Wellcome

Wellcome Diagnostics – for real confidence in STD testing.

FOR FURTHER DETAILS CONTACT YOUR LOCAL REPRESENTATIVE: Australia Wellcome Diagnostics Australia Ltd (02) 736 0666 • Belgium NV Wellcome SA (053) 85 25 11 • France Laboratoires Wellcome SA (1) 40 77 16 20 • Germany Deutsche Wellcome GmbH (05139) 804181 • Holland Wellcome Nederland BV (030) 457511 • Ireland (Rep of) Wellcome Ireland Ltd (01) 520 833 • Italy Wellcome Italia SpA (06) 911 801 • Kenya Wellcome Kenya Ltd (02) 59 2193 • New Zealand Wellcome New Zealand Ltd (09) 276 1877 • Portugal Laboratorios Wellcome de Portugal Limitada (01) 418 71 24 • Spain Wellcome Diagnosticos SA (1) 673 7385 • Taiwan Burroughs Wellcome (Far East) Ltd (02) 71 12 731 • Far East Region Wellcome (Singapore) Pte Ltd 265 4922 • Middle East Region Wellcome Arabian Gulf, United Arab Emirates (06) 598 184 • Scandinavian Region The Wellcome Foundation Ltd, Sweden (08) 768 07 85 • United Kingdom (and all other countries) Wellcome Diagnostics Ltd (0322) 77711

™ Wellcozyme is a trademark of the Wellcome Foundation Limited * Data on file.

CHLAM01



IN VAGINAL THRUSH, THEIR NEEDS ARE NOT IDENTICAL

ABRIDGED PRESCRIBING INFORMATION: Presentation *Candesten 10% VC* is available as a single pre-filled applicator containing 5 g of 10% clotrimazole vaginal cream. **Uses** Candidal vaginitis. **Dosage and Administration** *Adults* Insert the contents of the pre-filled applicator intravaginally, preferably at night. *Children* As this product is used with an applicator, paediatric usage is not recommended. **Contraindications** Hypersensitivity to clotrimazole. **Side Effects** Rarely patients may experience local mild burning or irritation immediately after inserting the cream. Hypersensitivity reaction may occur. **Use in Pregnancy** In animal studies clotrimazole has not been associated with teratogenic effects but following oral administration of high doses to rats there was evidence of foetotoxicity. The relevance of this effect to topical application in humans is not known. However, clotrimazole has been used in pregnant patients for over a decade without attributable adverse effects. It is therefore recommended that clotrimazole should be used in pregnancy only when considered necessary

by the clinician. If used during pregnancy extra care should be taken when using the applicator to prevent the possibility of mechanical trauma. **Accidental Oral Ingestion** In the event, routine measures such as gastric lavage should be performed as soon as possible after ingestion. **Pharmaceutical Precautions** Do not store above 25°C. **Legal Category** POM. **Basic NHS Price** £3.43 per 5g pre-filled applicator. **Product Licence Number** PL 0010 0136. **Reference** *Genitourinary Medicine* 1990; 62: 404.

Baypharm 

Further information available from:
Bayer UK Limited, Pharmaceutical Business Group,
Bayer House, Strawberry Hill,
Newbury, Berkshire RG13 1JA

* Registered Trademark of Bayer AG.
† Bayer UK Limited, December 1989.
Bayer, Baypharm, * and † are trademarks of Bayer AG.



Even women as similar as twins can have very different needs when it comes to vaginal thrush.

While many women are content with the convenience and efficacy of a single-dose pessary, others may need a cream.

Canesten 10% VC is the only single-dose cream for vaginal thrush.

It is specially formulated for cases where vaginal

soreness or dryness is a problem, and for those who simply prefer a cream.¹


Canesten 10% VC. It gives you — and your patients — a soothing alternative when treating vaginal thrush.

Canesten[®]
clotrimazole

vaginal cream

SINGLE-DOSE CREAM, THE SOOTHING ALTERNATIVE

New Indications. New Presentations. New Hope.




The new indications for Diflucan are *systemic candidiasis*, *mucosal candidiasis* and *cryptococcosis* including *cryptococcal meningitis*.

The new dosage forms are a 200mg capsule and two I.V. presentations, one of 200mg and one of 50mg.

These new forms have performed impressively in clinical trials with a clinical response of 94% in mucosal candidiasis,¹ 79% in systemic candidiasis² and about 80% in cryptococcal meningitis.³

This level of success was accompanied by a high degree of patient toleration in trials involving 700 patients.⁴

Diflucan. New hope in the fight against fungal infection in critically ill and immunocompromised patients.



Diflucan^{*} ORAL/I.V.

fluconazole *Trade mark

Counters invasive fungal infection

Prescribing Information ▼

Indications and dosage: Systemic candidiasis: 400mg on the first day followed by 200-400mg once daily. Cryptococcosis, including meningitis: 400mg on the first day followed by 200-400mg once daily. Maintenance therapy to prevent relapse of cryptococcal meningitis in patients with AIDS: at least 100mg daily. Oropharyngeal candidiasis: 50-100mg once daily for 7-14 days or longer in immunocompromised patients. Other mucosal candidal infections: 50-100mg once daily for 14-30 days. Vaginal candidiasis: single 150mg dose. Use in the elderly — as above except for those renally impaired — see data sheet. Use in children — not recommended. Administration: Diflucan may be administered either orally or by intravenous infusion at a rate of approximately 5-10ml/min. The dosages for the two routes are equivalent. **Contra-indications:** Hypersensitivity to fluconazole or related triazoles, pregnancy and women of childbearing potential unless adequate contraception is employed. **Warnings:** Lactation: Not recommended. Renal impairment: dosage reduction may be necessary, see data sheet. **Drug interactions:** Monitor patients on concurrent anticoagulants, oral sulphonylureas or phenytoin. **Side-effects:** Nausea, abdominal discomfort, diarrhoea and flatulence. **Package Quantities and Basic NHS Cost:** 50mg capsule, calendar pack of 7, £16.61 (PL57/0289) 200mg capsule, calendar pack of 7, £66.42 (PL 57/0317); 150mg capsule, pack of 1, £7.12 (PL 57/0290); Bottles of 25ml and 100ml containing Diflucan 2mg/ml intravenous infusion — 25ml (50mg) bottle £7.32; 100ml (200mg) bottle, £29.28 (PL 57/0315). Hospital prices are available on request. Further information on request.

References 1-2. Data on file, Pfizer Ltd. 3. Dupont, B. Symposium Abstracts. Dorado, Puerto Rico. Oct. 8-9, 1988;22. 4. Data on file, Pfizer Ltd.





**Think
about
it**

You make a clinical diagnosis. Do you ever consider the thought processes by which you arrived at it? Medical students and practitioners are often concerned with examples of diagnostic logic, but seldom consider them in the context of a general philosophy. Is diagnostic logic out on a limb, or is it based on the same principles as logic in general?

In *Logic in Medicine* doctors and philosophers combine to provide a coherent system of diagnostic logic with a broader view of the science and art of reasoning.

LOGIC IN MEDICINE

Price: Inland £5.95; Abroad £7.50
BMA members: Inland £5.45; Abroad £7.00
(including postage, by air abroad)

Payment must be enclosed with order.

ORDER YOUR COPY NOW FROM
British Medical Journal, PO Box 295, London WC1H 9TE
or any leading medical bookseller

MSSVD

The Medical Society for the Study of Venereal Diseases

President: Dr M A Waugh,
The General Infirmary at Leeds, Leeds, LS1 3EX

The object of the Society is to bring together those interested or engaged in the diagnosis, treatment, and community medical aspects of sexually transmitted diseases. The Society meets regularly in London at the Royal Society of Medicine for the reading of papers, discussions, and presentation of cases. An out-of-London meeting is held in the Spring. Annual subscription for membership of the Society is £50.

Applications for membership are welcome and forms can be obtained from the Honorary Secretary, Dr M J Godley, Florey Unit, Royal Berkshire Hospital, Reading RG1 5AN.


Please note—all correspondence regarding MSSVD to Hon Sec save all changes of address to Hon Treasurer Dr J S Bingham, Middlesex Hospital, London WIN 8AA.

Meetings 1990-91

Royal Society of Medicine, 1 Wimpole Street,
London W1M 8AE
6.30 pm for 7.00 pm (unless otherwise stated)

Members and guests welcome

- | | |
|-----------------------|---|
| 12 October 1990 | ANNUAL GENERAL MEETING
Short papers presented by junior members (submissions to Hon Sec by 30th September 1990) |
| 30 November 1990 | Chlamydial disease
An animal model of salpingitis
Ms M Tuffrey, Medical Research Centre, London
Pelvic inflammatory disease: results of St Mary's studies
Dr P E Munday, St Mary's Hospital, London
"Cloak and dagger": chlamydia trachomatis infection and the general surgeon
Mr D Shanahan, St Peter's Hospital, Chertsey |
| 11 January 1991 | HIV infection
Street health education among injecting drug users and sex industry workers
Mr T Rhodes, Birkbeck College, University of London
The management of HIV infection with particular reference to intravenous drug users
Dr Roy Robertson, Muirhouse General Practice, Edinburgh
HIV infection and pregnancy
Dr F D Johnstone, Dept of Obstetrics & Gynaecology, University of Edinburgh |
| 8 February 1991 | Imaging in Genitourinary Medicine
Pelvic organ imaging by transvaginal ultrasound
Dr L M Macdonald, St Thomas' Hospital, London
Imaging from bladder neck down
Dr D Rickards, The Middlesex Hospital, London
Abdominal imaging in Genitourinary Medicine
Dr W Lees, The Middlesex Hospital, London |
| 8 March 1991 | HPV and Neoplasia
Genital papillomaviruses-keratinocyte/pathogen interactions
Dr M Stanley, Dept of Pathology, Cambridge University
HPV and oral neoplasia
Professor C Scully, Dept of Oral Medicine, Surgery & Pathology, Bristol
HPV and anal neoplasia
Mr J M A Northover, St Mark's Hospital, London |
| 12 April 1991 | Presidential Address:
Through a glass darkly: reflections on genitourinary medicine
Dr M A Waugh, The General Infirmary at Leeds |
| 30 May to 2 June 1991 | SPRING MEETING
Heidelberg, West Germany
Local organiser:
Professor D Petzoldt |




Non-specialists overwhelmed by too many systematic descriptions of individual disease will welcome the new approach of *ABC of Dermatology*. Here the history, clinical appearance, and pathology of a few common key conditions are discussed and then as a basis for comparison with other skin diseases. Also dealing in detail with allergic reactions, autoimmunity, acne, and infections, this handbook is **fully illustrated in colour**, providing a clear guide to assessment and treatment as well as an understanding of the histological changes underlying the clinical presentations.

Price: Inland £10.95; Abroad £13.00. BMA members: Inland £9.95; Abroad £12.00 *including postage, by air abroad.*

Please enclose payment with order or send us full details of your ACCESS, AMERICAN EXPRESS or VISA credit card.

ORDER FROM: **BRITISH MEDICAL JOURNAL**, PO Box 295, London WC1H 9TE
or any leading medical bookseller

Two new titles from the BMJ's series of books of general interest by medical writers



Not a Moment to Lose by Sir David Smithers

Sir David Smithers, former president of the British Institute of Radiology and of the Royal College of Radiologists, was for 30 years professor of radiotherapy at the Royal Marsden Hospital. But that is only half the story. He is also a man who believes that "one should aspire to be a realist but retain a sense of wonder, a rationalist who is prepared to jump to conclusions, and a critical visionary who remains sensible of the humour of the human situation". Recounting how he has lived according to these principles, David Smithers describes, in addition to his medical career, his experiences as a broadcaster, traveller, rose grower, and observer of human nature.

Inland £14.95; Abroad £17.50. BMA members: Inland £13.95; Abroad £16.50

One Man's Medicine by Professor Archie Cochrane with Max Blythe

Archie Cochrane was one of Britain's most influential thinkers on health care and the quality of health services. His 30 years' association with the Rhondda Fach—and his work there on reducing the suffering inflicted on whole communities by pneumoconiosis—is almost legendary. Ironically, this was nearly overshadowed later in his life by the spectacular success of his Rock Carling monograph *Effectiveness and Efficiency*, which proved to be a seminal work and influenced thinking about the assessment of medical treatment and procedures throughout the world.


What kind of man was he, and what led him to such a career? In *One Man's Medicine* (written in collaboration with Max Blythe) Archie Cochrane recalls with candour and perception the dilemmas and disasters that beset his early ambitions for a career in clinical medicine and research; his undergoing psychoanalysis with Theodor Reik in Germany in the early 1930s; his support for the republicans in Spain; and his four years as a prisoner of war in Salonica (for which he usually blamed Evelyn Waugh).

A rich and rewarding book, *One Man's Medicine* sums up the life and opinions of a remarkable man.

Inland £14.95; Abroad £19.00 BMA members: Inland £13.95; Abroad £18.00

Together with the Nuffield Provincial Hospitals Trust, the BMJ has reprinted *Effectiveness and Efficiency*. This new edition also includes a brief note written by Archie Cochrane reflecting upon the monograph some two years after its publication, and the obituary written with such honesty by himself.

Inland £9.95; Abroad £12.50 BMA members: Inland £8.95; Abroad £11.50




Crown copyright

The x-ray service of the Medical Research Council's Pneumoconiosis Research Unit visiting Tylorstown pithead in 1950.

ORDER FORM

British Medical Journal, PO Box 295,
London WC1H 9TE, England or any leading bookseller

Please send me the following books:



- Not a Moment to Lose**
 One Man's Medicine
 Effectiveness and Efficiency

Prices to include postage, by air abroad

I enclose BMA Membership No.

Please make cheques payable to British Medical Journal or debit my credit card (*please tick box*)

VISA AMERICAN EXPRESS MASTERCARD

NAME
Please print name and address clearly

CARD NUMBER

ADDRESS

Card expiry date

POST CODE

Signature

Please send me a details of previous Memoir Club books