



How do you...

Persuade a government to ban tobacco advertising?




Campaign against dumping of toxic waste?

Energise the fight against AIDS?

In *The Fight for Public Health*, Simon Chapman and Deborah Lupton show how lobbying through media advocacy can be a powerful tool in mobilising public support and getting public health legislation passed. Illustrated with photographs and crammed with compelling examples from around the world, this lively and entertaining guide:

- Describes what advocacy is
- Shows how public opinion has influenced public health policy in the past
- Includes an A-Z of strategies for gaining media attention.



"This splendid book moves the art of media advocacy a giant step forward. Chapman and Lupton's counsel leapfrogs continents; it will be as welcome and applicable in London and Washington as in Sydney."

Michael Pertschuk, Director, The Advocacy Institute, Washington, DC

ISBN 0 7279 0849 9
200 Pages October 1994
UK £19.95; Overseas £22.00
(BMA members £18.95; £21.00)

BMJ
Publishing Group

ORDER FORM

Available from: BMJ Publishing Group, P.O. Box 295, London WC1H 9TE (Tel: 071 383 6185/6245), medical booksellers or the BMJ bookshop in BMA House

Please send me _____ copy/ies of
THE FIGHT FOR PUBLIC HEALTH

Name _____
(Print Clearly)

Address _____

Postcode _____

BMA Membership No. _____

Cheque enclosed (made payable to British Medical Journal) £ _____
Debit my AMERICAN EXPRESS/VISA/MASTERCARD

Card No. _____ Exp _____

Signature _____

Please send me a BMJ PUBLISHING GROUP CATALOGUE

In the USA contact American College of Physicians, tel: 800 523 1546; in Australia contact AMA Services (WA) PTY Ltd, Tel: 389 8288

Statistically speaking, you're better off with a BMJ book...


NEW REVISED EDITION

Medical Statistics on Personal Computers

R A Brown, J Swanson Beck

How do you get the best out of the software available for analysing statistical data on PC's? This practical guide has been completely revised and updated and includes new chapters on survival analysis, statistical power calculations, writing up statistical analyses for medical papers, and useful notes on packages available.

UK £10.95; Overseas £13.00
(BMA members £9.95; £12.00)
160 pages Second edition April 1994



Statistics in Practice

Sheila M Gore, Douglas G Altman

This authoritative book clearly and simply explains how to design studies, apply statistical techniques, and interpret studies using statistics


UK £9.95; Overseas £11.00
(BMA members £7.95; £10.00) 107 pages 1982

Statistics at Square One

T D V Swinscow

The classic "beginner's guide", providing step by step instruction on the tools of the statistician such as: standard deviation, X² tests, non-parametric tests, and correlation.

UK £4.95; Overseas £6.00
(BMA members £4.45; £5.50)
94 pages Eighth edition 1983



Statistics with Confidence

Martin J Gardner, Douglas G Altman

For everyone using statistical methods to present their findings, this book gives the reasons for using confidence intervals, followed by detailed methods of calculation, including numerous worked examples and specially compiled tables.

UK £9.95; Overseas £11.00 (BMA members £8.95; £10.00)
156 pages 1989

Confidence Interval Analysis (CIA)

Martin J Gardner, Stephen B Gardner, Paul D Winter

This microcomputer disk with manual takes the sweat out of calculating confidence intervals. The program can be used alone or with *Statistics with Confidence*.

Software is available for IBM compatibles on either 5 1/4 or a 3 1/2 inch disk.

UK £65.00 Educational establishments, research institutes, and the NHS: £45.95 (inc. VAT) 82 pages 1989



ORDER FORM BMJ Publishing Group, PO Box 295, London WC1H 9TE (Tel: 071 383 6185/6245)

Qty	Book Title	Amount

Prices include postage by air abroad Please send me a BMJ Publishing Group catalogue Total £

Name _____

Address _____ Postcode _____

Cheque enclosed (made payable to British Medical Journal) £ _____ Membership No. _____

Debit my AMERICAN EXPRESS/VISA/MASTERCARD Expiry Date _____

Card No. Signature _____

BMJ Books are also available from major booksellers or the BMJ bookshop in BMA House. Book tokens accepted.



Your resource...

Sexually Transmitted Diseases is your resource for the most current, comprehensive information available on all aspects of sexually transmitted disease. Its unique, multidisciplinary perspective provides insight into the latest advances in the field.


- **Diagnosis and Treatment**
- **Etiology ■ Pathology**
- **Epidemiology ■ Microbiology**
- **Public Health and Behavior**

Published bi-monthly, *Sexually Transmitted Diseases* brings you original articles on newly identified syndromes, new investigations into the mechanism of disease, descriptions of clinical experiences and reports on therapeutic trials. Features include notes from the CDC, NIH and ASHA, case reports and AVDA news.

Subscribe to the resource you can rely on for the latest, most authoritative information on STDs!


for the latest information on *Sexually Transmitted Diseases*

Journal of the American Venereal Disease Association
Julius Schachter, PhD, Editor



No-Risk Guarantee!

If you're not completely satisfied, you may cancel your subscription at any time and receive a refund for all unmailed issues.



Call us today TOLL FREE
1-800-777-2295 or FAX your
order 1-301-824-7390

Published bi-monthly

Annual subscription rates:

Individual \$135.00 (U.S.) - \$145.00 (Other countries)

Institution \$187.00 (U.S.) - \$225.00 (Other countries)

Published by

J. B. Lippincott

A **Wolters Kluwer** Company

Journals Division

J. B. Lippincott

227 East Washington Square

Philadelphia, PA 19106-3780



On reflection, no other treatment looks so convenient

Many women with genital warts would welcome the convenience and dignity of treating themselves at home.


New Warticon Fem makes self-treatment practical by the simple inclusion of a mirror in every pack.

Proven to be effective¹ and well tolerated² when used in this way,

Warticon Fem is now a clear first choice treatment.

NEW
Warticon
fem
Podophyllotoxin 0.5% w/v

Clearly simple enough for
self-application in female genital warts




ABBREVIATED PRESCRIBING INFORMATION Warticon, Warticon Fem: Podophyllotoxin 0.5% w/v. **Presentation:** An acidic ethanolic solution of 0.5% w/v podophyllotoxin. **Uses:** For the topical treatment of condyloma acuminata affecting the penis or the female external genitalia. **Dosage and Administration:** The affected area should be thoroughly washed with soap and water, and dried prior to application. Using the applicator provided, the warts should be painted twice daily for 3 days. The treated area should be allowed to dry. If residual warts persist, this 3-day treatment may be repeated, at weekly intervals, if necessary, for a total of 4 weeks of treatment. The majority of patients will not require in excess of 30 loops for each application, however a maximum of 50 loops per application (equivalent to 250µl of Warticon Solution) may be applied. Where lesions are greater in area than 4cm², it is recommended that treatment takes place under the direct supervision of medical staff. **Contra-Indications, Warnings, etc:** Open wounds following surgical procedures should not be treated with podophyllotoxin. Hypersensitivity to podophyllotoxin is a contra-indication. Avoid contact with the eyes. In the event of the preparation entering the eye, the eye should be thoroughly bathed in water. **Side effects:** Local irritation may occur on the second or third day of application associated with the start of wart necrosis. In the majority of cases the reactions are mild. Tenderness, smarting, erythema, superficial epithelial ulceration and balanoposthitis have been reported. Local irritation decreases after treatment. Use in **Pregnancy:** Do not use during pregnancy or lactation. **Overdosage:** There have been no reported overdosages with Warticon Solution. No specific antidote is known. Following accidental spillage, wash the skin well with soap and water. In the event of accidental ingestion give emetic or stomach washout. Treatment should be symptomatic and in severe oral overdose ensure the airway is clear and give fluids, check and correct electrolyte balance, monitor blood gases and liver function. Blood count should be monitored for at least five days. **Pharmaceutical Precautions:** Product should be stored at room temperature. **Legal Category:** POM. **Package Quantities:** Each bottle contains 3ml of Warticon Solution. Plastic applicators are also enclosed in each pack. Each loop will carry a volume of approximately 5µl Warticon Solution. Warticon Fem also contains a mirror to facilitate accurate application. **Basic NHS Cost:** Warticon 3ml £14.50, Warticon Fem 3ml £14.50. **Product Licence Number:** PL3863/0007 **Date of Preparation:** March 1994.

 Perstorp Pharma

Further information is available from: Perstorp Pharma Ltd, Intec 2, Wade Road, Basingstoke, Hants RG24 8NE. Tel: 0256 477868.

REFERENCES 1. Baker D. A. et al. *Obstet Gynecol* 1990; 76: 656-9. 2. Kinghorn G. R. et al. 1993; In press.

 and Warticon are registered trademarks.