

Author index

- Abdellati S** see Crucitti T *et al*
Abreu T see Lambert JS *et al*
Adler MW A survey of STI policies and programmes in Europe, 171
 Sexual health—health of the nation, 85
Alami K see Cowan FM *et al*
Alary M see Vickerman P *et al*
Alary M et al. Sexually transmitted infections in male clients of female sex workers in Benin: risk factors and reassessment of the leucocyte esterase dipstick for screening of urethral infections, 388
Aldeen T et al. Urine based screening for asymptomatic/undiagnosed genital chlamydial infection in young people visiting the accident and emergency department is feasible, acceptable, and can be epidemiologically helpful, 229
Allan PS see Narouz N *et al*
Allen S see Goldsack NR *et al*
Amon JJ The HIV/AIDS epidemic in Ukraine: stable or still exploding?, 263
Anagonou S see Alary M *et al*
Andersen B see Østergaard L *et al*
Andrade M see Lambert JS *et al*
Andree M see Steuerwald U *et al*
Andrews NJ see Balogun MA *et al*
Anemona A see Clift S *et al*
Anis E see Green MS *et al*
Aouad RE see Cowan FM *et al*
Apoala A et al. Central pontine myelinolysis complicating treatment of multicentric Castleman's disease and Kaposi's sarcoma in a patient with AIDS, 179
Apoala A, Walzman M Annual meeting of the Midland branch of the MSSVD, Hilton National Hotel, East Midlands Airport, 20–21 September 2002, 168
Aral SO see Stoner BP *et al*
Arenas-Pinto A et al. Lactic acidosis in HIV infected patients: a systematic review of published cases, 340
Armstrong B et al. Shared care in the management of genital *Chlamydia trachomatis* infection in primary care, 369
Arslan A see Molano M *et al*
Asboe D see Winston A *et al*
Ashley RL see Rodríguez AC *et al*
Ashton M et al. An outbreak no longer: factors contributing to the return of syphilis in Greater Manchester, 291
Avonts D see Verhoeven V *et al*
Azadian B see Winston A *et al*

Babiker A see Stephenson J *et al*
Baganizi E see Alary M *et al*
Bailey JV et al. Sexual behaviour of lesbians and bisexual women, 147
Ballard RC see Lai W *et al*
Balogun MA et al. A national survey of genitourinary medicine clinic attenders provides little evidence of sexual transmission of hepatitis C virus infection, 301
Bandyopadhyay D, Sen S Perianal verrucous epidermal naevus mimicking perianal warts, 424
Barbosa R see Lambert JS *et al*
Barreto A see de Hulsters B *et al*
Barricarte A see de Sanjose S *et al*
Barton S see Lacey CJN *et al*
Barton SE see Sharma S *et al*
Bastos R see de Hulsters B *et al*
Bédard E see Alary M *et al*
Beck A et al. Psychosocial predictors of HIV/STI risk behaviours in a sample of homosexual men, 142
Berch L see Quiros-Roldan E *et al*
Bernier F see Alary M *et al*
Bhatia R et al. Coexistent cranial tuberculomas and tuberculosis of the cervix in a postmenopausal woman, 496
Bhigjee A see Patel V *et al*
Bhuyan KK see Desai VK *et al*
Bigrigg A see Melville C *et al*
Bill P see Patel V *et al*

Binger A see Lister NA *et al*
Birch CJ et al. Detection of varicella zoster virus in genital specimens using a multiplex polymerase chain reaction, 298
Black S see Stephenson JM *et al*
Bloomfield PJ et al. Repeat chlamydia screening by mail, San Francisco, 28
Boag F see Winston A *et al*
Bollinger R see Risbud A *et al*
Bondarovsky M see Lambert JS *et al*
Bosch FX see de Sanjose S *et al*
Botha J see Harries CS *et al*
Bouchard C see Jang D *et al*
Bowden FJ Was the Papanicolaou smear responsible for the decline of *Trichomonas vaginalis*?, 263
Boyle GJ Issues associated with the introduction of circumcision into a non-circumcising society, 427
Bradbeer C, Mears A STI services in the United Kingdom: how shall we cope?, 435
Bramham L see Rogstad KE *et al*
Bratti C see Rodríguez AC *et al*
Brewer T see Weisbord JS *et al*
Brook MG see Cassell JA *et al*
 see Miller R *et al*
Brook MG et al. Which factors affect access to STD care? A comparison of a hospital based clinic and an outreach service, 347
Brown CB see Parekh V and Brown CB
Brown DW see Cowan FM *et al*
Burk RD see Rodríguez AC *et al*
Butler C et al. Are all genital *Chlamydia trachomatis* infections pathogenic? A study in men, 349
Buve A see Crucitti T *et al*
Byren I see Lacey CJN *et al*

Cadman L see Waller J *et al*
Calza L see Manfredi R *et al*
Cannon MJ see Solomon L *et al*
Cao WL see Zheng HP *et al*
Carlin EM see Goold PC and Carlin EM
Carlisle C see Pimenta JM *et al*
Carne CA STI services in the United Kingdom: a way forward, 439
Carne CA et al. Variation in clinical practice in genitourinary medicine clinics in the United Kingdom, 240
Carosi G see Quiros-Roldan E *et al*
Casagrande T see Teicher E *et al*
Casari S see Quiros-Roldan E *et al*
Casin I see Janier M *et al*
Cassell J see Darroch J *et al*
Cassell JA see Kufeji O *et al*
Cassell JA et al. Maintaining patient access to GUM clinics: is it compatible with appointments?, 11
 Partner notification in primary care, 264
 Treating sexually transmitted infections in primary care: a missed opportunity?, 134
Castellsagué X see Rodríguez AC *et al*
Castilla J see Marincovich B *et al*
Castle PE see Rodríguez AC *et al*
Catchpole M see Pimenta JM *et al*
Catchpole M et al. Chlamydia screening in the United Kingdom, 3
Catton MC see Birch CJ *et al*
Cawley D, Nandwani R Raising awareness of UK GUM clinic activities, 264
Changalucha J see Clift S *et al*
 see Orrath KK *et al*
 see Terris-Prestholt F *et al*
Chapelle S see Verhoeven V *et al*
Chen CY see Lai W *et al*
Chen SC-A see Holland J *et al*
Chernesky M see Jang D *et al*
Chhit M see Wong ML *et al*
Chiodo F see Manfredi R *et al*

- Cho Y-H et al.** Syphilis prevalence has rapidly decreased in South Korea, **323**
- Claeysens M** see Mak R et al
- Clark P** see Ashton M et al
- Clarke J, Lee JD** Primary human parvovirus B19 infection in an HIV infected patient on highly active antiretroviral therapy, **336**
- Clarke SM, Mulcahy FM** What's new for injection drug users with HIV infection?, **80**
- Clift S et al.** Variations of HIV and STI prevalences within communities neighbouring new goldmines in Tanzania: importance for intervention design, **307**
- Connolly C** see Patel V et al
- Copas A** see Stephenson J et al
- Copas AJ** see Smith R et al
see Stephenson JM et al
- Costa TP** see Lambert JS et al
- Cowan FM et al.** Seroepidemiological study of herpes simplex virus types 1 and 2 in Brazil, Estonia, India, Morocco, and Sri Lanka, **286**
- Crosby R** see Melville J et al
see Mettey A et al
- Crosby RA** see Holtgrave DR and Crosby RA
- Crucitti T et al.** Comparison of culture and different PCR assays for detection of *Trichomonas vaginalis* in self collected vaginal swab specimens, **393**
- Cunningham A** see Page J et al
- Daniels D** see Miller R et al
- Darroch J et al.** Sex differences in the experience of testing positive for genital chlamydia infection: a qualitative study with implications for public health and for a national screening programme, **372**
- Das S, Miller RF** Lymphocytic interstitial pneumonitis in HIV infected adults, **88**
- Dave SS** Male circumcision in Britain: findings from a national probability sample survey, **499**
- Davidson OR** see Stephenson JM et al
- Davis MMD** see Stephenson JM et al
- de Hulsters B et al.** Geographical focusing: an intervention to address increased risk for sexually transmitted diseases during repatriation and resettlement in post-war Mozambique, **77**
- de Oliveira SA** see Cowan FM et al
- de Sanjose S et al.** Clearance of HPV infection in middle aged men and women after 9 years' follow up, **348**
- de Vlas SJ** see Orroth KK et al
- del Romero J** see Marincovich B et al
- Desai N, Mathur M** Selective transmission of multidrug resistant HIV to a newborn related to poor maternal adherence, **419**
- Desai VK et al.** Prevalence of sexually transmitted infections and performance of STI syndromes against aetiological diagnosis, in female sex workers of red light area in Surat, India, **111**
- Dewsnap C** see Butler C et al
- Dhar J** see Herieka E and Dhar J
- Diclemente R** see Melville J et al
- DiClemente RJ** see Mettey A et al
- Dithmer-Schreck D** see Melville J et al
- Dogra S, Kumar B** Circumcision in genital warts—let us not forget!, **265**
- Donovan L** see Balogun MA et al
- Dore G** see Hellard M et al
- Druce JD** see Birch CJ et al
- Dubois J** see Jang D et al
- Duddy MJ** see Apoola A et al
- Dy BC** see Wong ML et al
- Dyck EVan** see Crucitti T et al
- Easterbrook P** see Mohsen AH and Easterbrook P
- Eastick K** see Simms I et al
- Edwards S** see Arenas-Pinto A et al
see Pearl D et al
- Edwards SG** see Haddow LJ et al
see Prime KP et al
- Ellertson C** see Turner AN et al
- Erbelding EJ** see Mehta SD et al
see Wendel KA et al
- Erens B** see Dave SSet al
- Essex M** see Kebaabetswe P et al
- Ethier KA** see Ickovics JR et al
- Ethier KA et al.** Adolescent women underestimate their susceptibility to sexually transmitted infections, **408**
- Evangelou G** see Butler C et al
- Faillace T** see Cowan FM et al
- Fairley C** see Hellard M et al
- Fairley CK** see Hocking J et al
see Lister NA et al
see Miller GC et al
- Falk L et al.** Tetracycline treatment does not eradicate *Mycoplasma genitalium*, **318**
- Farquhar C** see Bailey JV et al
- Fehler HG** see Lai W et al
- Feldblum PJ et al.** Don't overlook condoms for HIV prevention, **268**
- Fenton KA** see Simms I et al
see Dave SS et al
- Ferrier S** see Green J et al
- Fisk PG** see Lacey CJN et al
- Fisman DN et al.** Estimating the costs and benefits of screening monogamous, heterosexual couples for unrecognised infection with herpes simplex virus type 2, **45**
- Foley E** see Carne CA et al
- Folgosa E** see de Hulsters B et al
- Forrest S** see Waller J et al
- Forster G** see Miller R et al
- Fox PA** Interactive continuing medical education (CME) and its influence on the working practices of genitourinary clinicians, **350**
- Franceschi S** see Molano M et al
- Fransen L** see de Hulsters B et al
- Fredlund H** see Falk L et al
- French RS** see Cowan FM et al
- Frost E** see Alary M et al
see Jang D et al
- Gandacu D** see Green MS et al
- Gangakhedkar R** see Risbud A et al
- García S** see Marincovich B et al
see Turner AN et al
- García PJ, Holmes KK** STD trends and patterns of treatment for STD by physicians in private practice in Peru, **403**
- Garland S** see Williams H et al
- Garland SM** see Hocking J et al
- Gavyole A** see Clift S et al
- Gaydos C** see Zenilman JM et al
- Gaydos CA** see Wendel KA et al
- George B** see Smith R et al
- Geraldo N** see Alary M et al
- Ghanem M** see Ross JDC et al
- Ghate M** see Risbud A et al
- Ghosh A** see Pimenta JM et al
- Gibb DM** see Sharland M et al
- Gilleran G** see Ross JDC et al
- Gilling-Smith C** see Sharma S et al
- Gleave T** see Pimenta JM et al
- Gloyd S** see Sopheab H et al
- Gnintoungbé CAB** see Alary M et al
- Gokhale R** see Simms I et al
- Goldie SJ** see Fisman DN et al
- Gold sack NR et al.** Adult respiratory distress syndrome as a severe immune reconstitution disease following the commencement of highly active antiretroviral therapy, **337**
- Goodall RL** see Lacey CJN et al
- Goold PC, Carlin EM** Chlamydia testing before termination of pregnancy, **352**
- Goossens H** see Verhoeven V et al
- Gopal R** see Cowan FM et al
- Gopalan S** see Bhatia R et al
- Gopalan S** see Sharma M et al
- Gorbach PM** see Sopheab H et al
- Grabber JM** see Solomon L et al
- Grant AD** see Arenas-Pinto A et al
- Gray J** see Strauss S et al
- Gray RH** see Orroth KK et al
- Green J** see Brook MG et al
- Green J et al.** Determinants of disclosure of genital herpes to partners, **42**
- Green MS et al.** The fall and rise of gonorrhoea incidence in Israel: an international phenomenon?, **116**
- Grosskurth H** see Orroth KK et al
see Riedner G et al

- Grotto I** see Green MS *et al*
Gulati K see Sharma M *et al*
Gumodoka B see Terris-Prestholt F *et al*
- Haddow LJ** *et al*. Patients lost to follow up: experience of an HIV clinic, **349**
Haghdooost A see Aldeen T *et al*
Halpern M see Lambert JS *et al*
Hamšiková E see Tachezy R *et al*
Handsfield HH see Stoner BP *et al*
Harindra V see Pimenta JM *et al*
Harries CS *et al*. STI case management at a South African teaching hospital, **498**
Harrison A see Harries CS *et al*
Hart GJ see Stephenson JM *et al*
Havránková A see Tachezy R *et al*
Hawkins D see Winston A *et al*
Hay P see Aldeen T *et al*
 see Riedner G *et al*
 see Simms I *et al*
Hayes R see Riedner G *et al*
 see Terris-Prestholt F *et al*
Hayes RJ see Orroth KK *et al*
Hayward A see Cassell JA *et al*
 see Kufeji O *et al*
Hellard M *et al*. Risk factors leading to *Cryptosporidium* infection in men who have sex with men, **412**
Herieka E, Dhar J Female genital mutilation in the Sudan: survey of the attitude of Khartoum university students towards this practice, **220**
Hernando V see Marincovich B *et al*
Herrero R see Rodríguez AC *et al*
Herring A see Simms I *et al*
Herring AJ see Palmer HM *et al*
Hetheron J see Green J *et al*
Hewitt G see Pimenta JM *et al*
Higgins SP see Palmer HM *et al*
Hildesheim A see Rodríguez AC *et al*
Hill G, Denniston GC HIV and circumcision: new factors to consider, **495**
Hillis S see Tikhonova L *et al*
Hocking J see Hellard M *et al*
Hocking J *et al*. Improving response rates for self collected urine samples, **346**
Hoek JARvanden see Welte R *et al*
Hoelscher M see Riedner G *et al*
Hoffmann O see Riedner G *et al*
Hogben M see McCree DH *et al*
Holland J *et al*. Vulvovaginal carriage of yeasts other than *Candida albicans*, **249**
Holmes KK see Stoner BP *et al*
 see Garcia PJ and Holmes KK
Holtgrave DR see Mettrey A *et al*
Holtgrave DR, Crosby RA Social capital, poverty, and income inequality as predictors of gonorrhoea, syphilis, chlamydia and AIDS case rates in the United States, **62**
Holton JL see Prime KP *et al*
Hook III, EW see Fisman DN *et al*
Hopwood J see Pimenta JM *et al*
 see Stephenson J *et al*
Howard M see Jang D *et al*
Htun Y see Lai W *et al*
Huengsberg M see Apoola A *et al*
Hughes G see Simms I *et al*
Hughes JP see Stoner BP *et al*
Hughes P see Orroth KK *et al*
Hurtig A-K see Simms I *et al*
Huxter W Commissioning HIV services, **84**
- Ickovics JR** see Ethier KA *et al*
Ickovics JR *et al*. High postpartum rates of sexually transmitted infections among teens: pregnancy as a window of opportunity for prevention, **469**
Ieven M see Verhoeven V *et al*
Imrie J see Stephenson JM *et al*
Inamadar AC, Palit A Perforating chancre: any cause-effect relation with HIV infection?, **262**
Isaac A, Pillay D New drugs for treating drug resistant HIV-1, **176**
Ison CA see Kulkarni K *et al*
 see Martin IMC and Ison CA
Izarzugaza I see de Sanjose S *et al*
Izquierdo A see de Sanjose S *et al*
- Jackson N** see Pimenta JM *et al*
James N see Cassell JA *et al*
Jang D *et al*. Correlation between culture testing of swabs and ligase chain reaction of first void urine from patients recently treated for *Chlamydia trachomatis*, **237**
Janier M *et al*. Pharyngeal gonorrhoea: the forgotten reservoir, **345**
Janzen N see Steuerwald U *et al*
Jeevankumar B see Karthikeyan K *et al*
Jensen JS see Falk L *et al*
Johnson AM see Cassell JA *et al*
 see Dave SS *et al*
Jolley D see Hocking J *et al*
Joly JR see Alary M *et al*
Jones EL see Apoola A *et al*
Jones K see Miller R *et al*
Joshi S see Risbud A *et al*
Jossou P see Alary M *et al*
- Kalichman SC, Rompa D** HIV treatment adherence and unprotected sex practices in people receiving antiretroviral therapy, **59**
Kalichman SC, Simbayi LC HIV testing attitudes, AIDS stigma, and voluntary HIV counselling and testing in a black township in Cape Town, South Africa, **442**
Kamali A see Orroth KK *et al*
Kane R, Wellings K Staff training in integrated sexual health services, **354**
Kanga Z see Clift S *et al*
Kaňka J see Tachezy R *et al*
Kanno M, Sobel JD Late recurrence of resistant *Trichomonas vaginalis* vaginitis: relapse or re-infection?, **260**
Karim SSA see Myer L *et al*
Karthikeyan K *et al*. Cutaneous larva migrans of the penis, **500**
Keabaabetswe P *et al*. Male circumcision: an acceptable strategy for HIV prevention in Botswana, **214**
Kell P see Carne CA *et al*
Kent CK see Bloomfield PJ *et al*
Kershaw T see Ethier KA *et al*
Kershaw TS see Ickovics JR *et al*
Khandwala BR see Desai VK *et al*
Kim HO see Cho Y-H *et al*
Kim ME see Ku JH *et al*
Kinghorn GR see Lacey CJN *et al*
 see Rogstad KE *et al*
Kingston MA see Palmer HM *et al*
Kinn S see Armstrong B *et al*
Klausner JD see Bloomfield PJ *et al*
Kocsis A see Green J *et al*
Korenromp EL see Orroth KK *et al*
Kosambiya JK see Desai VK *et al*
Kovacs GT see Williams H *et al*
Kretzschmar M see Welte R *et al*
Kros S see Wong ML *et al*
Ku JH *et al*. Circumcision practice patterns in South Korea: community based survey, **65**
Kufeji O *et al*. Who is being tested for genital chlamydia in primary care?, **234**
Kulkarni K *et al*. Expression of the cytolethal distending toxin in a geographically diverse collection of *Haemophilus ducreyi* clinical isolates, **294**
Kumar B see Dogra S and Kumar B
Kumaranayake L see Terris-Prestholt F *et al*
- Lacey CJN** *et al*. Randomised controlled trial and economic evaluation of podophylotoxin solution, podophylotoxin cream, and podophyllin in the treatment of genital warts, **270**
Lafia E see Alary M *et al*
Laga M see Crucitti T *et al*
Lai W *et al*. Increasing relative prevalence of HSV-2 infection among men with genital ulcers from a mining community in South Africa, **202**
Lambert JS *et al*. A pilot study to evaluate the safety and feasibility of the administration of AZT/3TC fixed dose combination to HIV infected pregnant women and their infants in Rio de Janeiro, Brazil, **448**
Lammens C see Verhoeven V *et al*

- Lassau F** see Janier M *et al*
- Lau JTF** *et al*. Effects of two telephone survey methods on the level of reported risk behaviours, **325**
- Lawrence JSS** see McCree DH *et al*
- Lee J-B** see Cho Y-H *et al*
- Lee JD** see Clarke J and Lee JD
- Lee M-G** see Cho Y-H *et al*
- Lee NK** see Ku JH *et al*
- Lee O** see Holland J *et al*
- Lee W** see Williams H *et al*
- Leng HB** see Sopheab H *et al*
- Leroux-Roels G** see Mak R *et al*
- Lewis DA** Chancroid: clinical manifestations, diagnosis, and management, **68**
- Lewis DA** see Kulkarni K *et al*
- Lewis JB** see Ethier KA *et al*
see Ickovics JR *et al*
- Liddon NC** see McCree DH *et al*
- Lighton L** see Ashton M *et al*
- Lipman MCI** see Goldsack NR *et al*
- Lisekie F** see Terris-Prestholt F *et al*
- Lister NA** *et al*. A novel research approach in sex on premises venues (SOPV): objective measure of sexual behaviour and low level intrusion to patrons, **78**
- Liu H** see Lai W *et al*
- Lockman S** see Kebaabetswe P *et al*
- Lombard C** see Myer L *et al*
- Lowbury R** see Rogstad KE *et al*
- Lowndes CM** see Alary M *et al*
- Lubek I** see Wong ML *et al*
- Lyall S** see Sharma M *et al*
- Lyamuya E** see Riedner G *et al*
- Mabey D** see Tanksale VS *et al*
see Terris-Prestholt F *et al*
see Vickerman P *et al*
see Pépin J and Mabey D
- Maboko L** see Riedner G *et al*
- MacGregor L** see Birch CJ *et al*
- Machado ES** see Lambert JS *et al*
- Mahony J** see Jang D *et al*
- Mak R** *et al*. Hepatitis B vaccination for sex workers: do outreach programmes perform better?, **157**
- Mallinson H** see Pimenta JM *et al*
see Simms I *et al*
- Manavi K** see Young H *et al*
- Mandal D** see Ashton M *et al*
- Mandalia S** see Winston A *et al*
- Mandevu R** see Kebaabetswe P *et al*
- Manfredi R** *et al*. Emerging of dual AIDS associated neoplastic diseases in the era of highly active antiretroviral therapy, **345**
- Manji H** see Pearl D *et al*
- Marincovich B** *et al*. Absence of hepatitis C virus transmission in a prospective cohort of heterosexual serodiscordant couples, **160**
- Markos AR** Chaperoning in genitourinary medicine: supporting patients and protecting doctors, **498**
- Markos AR** Self obtained samples for genitourinary infections, **171**
- Marks C** see Page J *et al*
- Martin IMC, Ison CA** Detection of mixed infection of *Neisseria gonorrhoeae*, **56**
- Mason M** see Shaw C *et al*
- Mathur M** see Desai N and Mathur M
- Maw R** see Carne CA *et al*
see Lacey CJN *et al*
- Mayaud P** see Cowan FM *et al*
- McCaffery K** see Waller J *et al*
- McCree DH** *et al*. National survey of doctors' actions following the diagnosis of a bacterial STD, **254**
- McCulloch B** see Miller GC *et al*
- McDermott R** see Miller GC *et al*
- McFadyen ML** see Harries CS *et al*
- McGarrigle C** see Balogun MA *et al*
- McGill SM** see Power R *et al*
- McKelvey D** see Ashton M *et al*
- McLean L** see Pimenta JM *et al*
- McMillan A** see Young H *et al*
- McNally I** see Beck A *et al*
- Mears A** see Bradbeer C and Mears A
- Mehendale S** see Risbud A *et al*
- Meheus A** see Verhoeven V *et al*
- Mehta SD** *et al*. Gonorrhoea reinfection in heterosexual STD clinic attendees: longitudinal analysis of risks for first reinfection, **124**
Spending money to save money, **4**
- Meijer CJLM** see de Sanjose S *et al*
see Molano M *et al*
- Melville C** *et al*. Impact of the Sexually Transmitted Infections Foundation course on the knowledge of family planning nurses and doctors, **346**
- Melville J** *et al*. Psychosocial impact of serological diagnosis of herpes simplex virus type 2: a qualitative assessment, **280**
- Menezes S** see Tanksale VS *et al*
- Mercer C** see Stephenson JM *et al*
see Dave SS *et al*
- Mercer CH** see Cassell JA *et al*
- Mercey DE** see Haddow LJ *et al*
- Mettey A** *et al*. Associations between internet sex seeking and STI associated risk behaviours among men who have sex with men, **466**
- Miller GC** *et al*. Predictors of the prevalence of bacterial STI among young disadvantaged Indigenous people in north Queensland, Australia, **332**
- Miller R** In flagrante delicto?, **339**
- Miller R** see Pearl D *et al*
see Ward H and Miller R
- Miller R** *et al*. Chaperoning in genitourinary medicine clinics, **74**
- Miller RF** see Apoola A *et al*
see Das S and Miller RF
see Prime KP *et al*
- Miller WC** see Zenilman JM *et al*
- Mindel A** see Page J *et al*
- Mittal A** High frequency of antibodies to syphilis and HIV in hepatitis C virus positive blood donors may reflect its sexual transmission in this region, **170**
- Mimbando D** see Riedner G *et al*
- Mogwe S** see Kebaabetswe P *et al*
- Mohsen AH, Easterbrook P** Hepatitis C testing in HIV infected patients, **76**
- Molano M** *et al*. Prevalence and determinants of *Chlamydia trachomatis* infections in women from Bogota, Colombia, **474**
- Møller JK** see Østergaard L *et al*
- Morel P** see Janier M *et al*
- Moretti F** see Quiros-Roldan E *et al*
- Morré SA** see Molano M *et al*
- Morse SA** see Lai W *et al*
- Mudaliar V** see Apoola A *et al*
- Mugeye K** see Terris-Prestholt F *et al*
- Mukenge-Tshibaka L** see Alary M *et al*
- Mulcahy FM** see Clarke SM and Mulcahy FM
- Mullan HM, Munday PE** The acceptability of the introduction of a type specific herpes antibody screening test into a genitourinary medicine clinic in the United Kingdom, **129**
- Muller R** see Miller GC *et al*
- Munday PE** see Mullan HM and Munday PE
- Muñoz N** see Molano M *et al*
- Muñoz N** see de Sanjose S *et al*
- Murphy S** see Cassell JA *et al*
see Green J *et al*
- Myer L** *et al*. Impact of on-site testing for maternal syphilis on treatment delays, treatment rates, and perinatal mortality in rural South Africa: a randomised controlled trial, **208**
- Myers L** see Darroch J *et al*
- Nandwani R** see Cawley D and Nandwani R
see Melville C *et al*
- Narouz N** *et al*. Genital herpes serotesting: a study of the epidemiology and patients' knowledge and attitude among STD clinic attenders in Coventry, UK, **35**
- Nascimento CM** see de Sanjose S *et al*
- Ndeki L** see Clift S *et al*
see Terris-Prestholt F *et al*
- Neumann HAM** see Nieuwenhuis RF *et al*
- Nevrekar P** see Tanksale VS *et al*
- Newham JA** see Balogun MA *et al*
- Niccolai L** see Ethier KA *et al*
- Niccolai LM** see Ickovics JR *et al*
- Nichombe F** see Riedner G *et al*

- Nicolson DJ** Television coverage of AIDS and transmission of the AIDS virus, **170**
- Nieuwenhuis RF et al.** Unusual presentation of early lymphogranuloma venereum in an HIV-1 infected patient: effective treatment with 1 g azithromycin, **453**
- Nogueira SA** see Lambert JS et al
- Noursadeghi M** see Pearl D et al
- Noya A** see de Hulsters B et al
- Nygård-Kibur M** see Cowan FM et al
- Ojwiya A** see Orroth KK et al
- Olesen F** see Østergaard L et al
- O'Mahony C** Don't get even, get angry!, **169**
Take a chance, **261**
The right island, **72**
- Orroth KK et al.** Comparison of STD prevalences in the Mwanza, Rakai, and Masaka trial populations: the role of selection bias and diagnostic errors, **98**
- Ossewaarde JM** see Nieuwenhuis RF et al
- Østergaard L et al.** Managing partners of people diagnosed with *Chlamydia trachomatis*: a comparison of two partner testing methods, **358**
- Owen C** see Bailey JV et al
- Page J et al.** Is HSV serology useful for the management of first episode genital herpes?, **276**
- Pakianathan MR** see Prime KP et al
- Palit A** see Inamadar AC and Palit A
- Palmer HM et al.** Use of PCR in the diagnosis of early syphilis in the United Kingdom, **479**
- Paranjape R** see Risbud A et al
- Parekh V, Brown CB** Follow up of patients who have been recently sexually assaulted, **349**
- Park YH** see Ku JH et al
- Parry JV** see Balogun MA et al
- Patel V** see Tanksale VS et al
- Patel V et al.** Cytokine profiles in HIV seropositive patients with tuberculous meningitis, **75**
- Patrick D** see Jang D et al
- Pearl D et al.** Lower motor neuron syndrome and HIV infection, **351**
- Peeling RW** see Vickerman P et al
- Pen S** see Wong ML et al
- Pépin J, Mabey D** Sexually transmitted infections in Africa: single dose treatment is now affordable, **432**
- Pereira M** see Risbud A et al
- Perez M** see Lambert JS et al
- Perkins E** see Pimenta JM et al
- Petrak J** see Beck A et al
- Pillay D** see Isaac A and Pillay D
- Pimenta JM et al.** Opportunistic screening for genital chlamydial infection. I: Acceptability of urine testing in primary and secondary healthcare settings, **16**
Opportunistic screening for genital chlamydial infection. II: Prevalence among healthcare attenders, outcome, and evaluation of positive cases, **22**
- Posso H** see Molano M et al
- Postma MJ** see Welte R et al
- Power R et al.** A qualitative study of the psychosocial implications of lipodystrophy syndrome on HIV positive individuals, **137**
- Prabhakar S** see Bhatia R et al
- Prime KP et al.** Polymyositis masquerading as mitochondrial toxicity, **417**
- Prince M** see Smith R et al
- Pugh S** see Kufuji O et al
- Puoti M** see Quiros-Roldan E et al
- Quiros-Roldan E et al.** Polymorphic immune restoration syndrome after effective HAART, **171**
- Ramalingam S** see Cowan FM et al
- Ramsay ME** see Balogun MA et al
- Randall S** see Pimenta JM et al
- Raposo M** see Marincovich B et al
- Rbai M** see Cowan FM et al
- Read T** see Birch CJ et al
- Reeves WC** see Solomon L et al
- Reyes M** see Solomon L et al
- Riedner G et al.** Baseline survey of sexually transmitted infections in a cohort of female bar workers in Mbeya Region, Tanzania, **382**
- Risbud A et al.** Lack of evidence for sexual transmission of hepatitis C virus in patients attending STD clinics in Pune, India, **425**
- Robinson A** see Catchpole M et al
- Robinson AJ** see Sherrard J and Robinson AJ
- Robinson NJ** see Cowan FM et al
- Rodríguez C** see Marincovich B et al
- Rodríguez AC et al.** A population based study of herpes simplex virus 2 seroprevalence in rural Costa Rica, **460**
- Rogers PA** see Pimenta JM et al
see Simms I et al
- Rogers SM** see Zenilman JM et al
- Rogstad KE** Chaperoning in genitourinary medicine clinics, **422**
- Rogstad KE et al.** Use of a leaflet to replace verbal pretest discussion for HIV: effects and acceptability, **243**
- Rompa D** see Kalichman SC and Rompa D
- Rompalo AM** see Mehta SD et al
see Wendel KA et al
- Ronderos M** see Molano M et al
- Ross DA** see Clift S et al
- Ross J** see Apoola A et al
- Ross JDC et al.** Reducing the risk of gonorrhoea in black Caribbean men: can we identify risk factors?, **119**
- Rotchford K** see Myer L et al
- Rowen D** see Carne CA et al
- Rusizoka M** see Riedner G et al
- Ryan C** see Tikhonova L et al
- Sadiq ST** see Smith R et al
- Sahasrabhojane M** see Tanksale VS et al
- Sahota P** see Bhatia R et al
- Salakhov E** see Tikhonova L et al
- Salazar L** see Melville J et al
- Saláková M** see Tachezy R et al
- Sander J** see Steuerwald U et al
- Sander S** see Steuerwald U et al
- Scaravilli F** see Prime KP et al
- Schiffman M** see Rodríguez AC et al
- Scholar L** see Jang D et al
- Scoular A** see Armstrong B et al
see Shaw C et al
- Seifert C** see Page J et al
- Sellors J** see Jang D et al
- Semprini AE** see Sharma S et al
- Sen S** see Bandyopadhyay D and Sen S
- Serwadda D** see Orroth KK et al
- Sethi S** see Sharma M et al
- Shadrick J** see Green J et al
- Shah KV** see de Sanjose S et al
- Shahmanesh M** see Mehta SD et al
- Shakarishvili A** see Tikhonova L et al
- Shann S, Wilson J** Treatment of *Candida glabrata* using topical amphotericin B and flucytosine, **265**
- Shann S, Wilson J** Treatment of neurosyphilis with ceftriaxone, **415**
- Shapiro RL** see Keabaabetswe P et al
- Sharland M et al.** Advances in the prevention and treatment of paediatric HIV infection in the United Kingdom, **53**
- Sharma M et al.** Seroprevalence of reproductive tract infections in women in northern India—a relatively low prevalence area, **497**
- Sharma S et al.** View 1: Assisted conception in couples with HIV infection, **185**
- Shaw C et al.** Group B streptococcus carriage and vulvovaginal symptoms: causal or casual? A case-control study in a GUM clinic population, **246**
- Shedde D** see Bhatia R et al
- Sherrard J, Robinson AJ** The MSSVD, the National Sexual Health and HIV strategy for England and genitourinary medicine education, **166**
- Shukla R** see Bhatia R et al
- Simbayi LC** see Kalichman SC and Simbayi LC
- Simms I et al.** Associations between *Mycoplasma genitalium*, Chlamydia trachomatis, and pelvic inflammatory disease, **154**
- Simms I et al.** Diagnosis of pelvic inflammatory disease: time for a rethink, **491**
- Simms I et al.** Surveillance of sexually transmitted infections in primary care, **174**
- Sinka K** see Haddow LJ et al
- Slack R** see Cassell JA et al
see Kufuji O et al

- Smith A** see Lister NA *et al*
Smith IP see Weisbord JS *et al*
Smith JR see Sharma S *et al*
Smith JS see Rodríguez AC *et al*
Smith R *et al*. Poor sensitivity and consistency of microscopy in the diagnosis of low grade non-gonococcal urethritis, **487**
Sniffen S see Melville J *et al*
Sobel JD see Kanno M and Sobel JD
Solomon L *et al*. Epidemiology of recurrent genital herpes simplex virus types 1 and 2, **456**
Sonnex C see Strauss S *et al*
Sopheab H *et al*. Rural sex work in Cambodia: work characteristics, risk behaviours, HIV, and syphilis, **e2**
Sopwith W see Ashton M *et al*
Southwick K see Tikhonova L *et al*
Sridharan G see Cowan FM *et al*
Steiner KC see Bloomfield PJ *et al*
Steiner MJ see Feldblum PJ *et al*
Stephen H see Strauss S *et al*
Stephenson J *et al*. Recent pilot studies of chlamydia screening, **352**
Stephenson JM *et al*. Is use of antiretroviral therapy among homosexual men associated with increased risk of transmission of HIV infection?, **7**
Steuerwald U *et al*. Syphilis specific antibodies in newborn infants in Lower Saxony, Germany 1993–2001, **351**
Stümpfle R *et al*. Superior mesenteric artery syndrome in an HIV positive patient, **262**
Stoner BP *et al*. Avoiding risky sex partners: perception of partners' risks v partners' self reported risks, **197**
Strauss S *et al*. Contamination of environmental surfaces by genital human papillomaviruses (HPV): a follow up study, **426**
Sunil-Chandra NP see Cowan FM *et al*
Szarewski A see Waller J *et al*

Tabrizi S see Hocking J *et al*
Tabrizi SN see Williams H *et al*
Tachezy R *et al*. Prospective study on cervical neoplasia: presence of HPV DNA in cytological smears precedes the development of cervical neoplastic lesions, **191**
Tafur LA see de Sanjose S *et al*
Talbot M Monosymptomatic hypochondriacal psychosis, **425**
Tanksale VS *et al*. The reliability of a structured examination protocol and self administered vaginal swabs: a pilot study of gynaecological outpatients in Goa, India, **251**
Tanner S see Brook MG *et al*
Tariq A see Ross JDC *et al*
Tate HL see Power R *et al*
Taylor C see Power R *et al*
Taylor J see Page J *et al*
Taylor-Robinson D Investigating the microbial aetiology of pelvic inflammatory disease, **424**
Taylor GP View 2: Assisted conception in couples with HIV infection, **189**
Tehe A see Crucitti T *et al*
Teicher E *et al*. Enhanced risk of HIV sexual transmission during structured treatment interruption, **74**
Temple A see Catchpole M *et al*
Tennvall GR see Lacey CJN *et al*
Teo CG see Balogun MA *et al*
Terris-Prestholt F *et al*. Is antenatal syphilis screening still cost effective in sub-Saharan Africa, **375**
Thakor HG see Desai VK *et al*
Thappa DM see Karthikeyan K *et al*
Thior I see Kebaabetswe P *et al*
Thomas K see Simms I *et al*
Thomas S see Turner AN *et al*
Tideman RL see Page J *et al*
Tikhonova L *et al*. Congenital syphilis in the Russian Federation: magnitude, determinants, and consequences, **106**
Tobin J see Pimenta JM *et al*
Todd J see Riedner G *et al*
 see Terris-Prestholt F *et al*
Torti C see Quiros-Roldan E *et al*
Traen A see Mak R *et al*
Trepka MJ see Weisbord JS *et al*
Tripathy S see Risbud A *et al*
Tsui HY see Lau JTF *et al*
Tudor-Williams G see Sharland M *et al*

Turner AN *et al*. Diagnosis and treatment of presumed STIs at Mexican pharmacies: survey results from a random sample of Mexico City pharmacy attendants, **224**
Turner CF see Zenilman JM *et al*

Ukoununne OC see Green J *et al*
Umrigar DD see Desai VK *et al*
Underhill G see Pimenta JM *et al*
Uusküla A see Cowan FM *et al*

van Damme P see Mak R *et al*
van den Brule AJC see Molano M *et al*
van der Meijden WI see Nieuwenhuis RF *et al*
van Renterghem L see Mak R *et al*
van Royen P see Verhoeven V *et al*
Verhoeven V *et al*. Chlamydial infection: an accurate model for opportunistic screening in general practice, **313**
 First, do not harm: also an issue in NAA assay diagnostics for chlamydial infection, **76**
Vickerman P *et al*. Sensitivity requirements for the point of care diagnosis of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* in women, **363**
Vickers M see Stephenson J *et al*
Viscidi R see Rodríguez AC *et al*
Vittecoq D see Teicher E *et al*
Vonka V see Tachezy R *et al*
Vuytsteke B see Crucitti T *et al*

Wade AH see Narouz N *et al*
Wagstaffe S see Narouz N *et al*
Wald A see Melville J *et al*
Walker AS see Smith R *et al*
Waller J *et al*. Awareness of human papillomavirus among women attending a well woman clinic, **320**
Walsh J see Stümpfle R *et al*
Walzman M see Apoola A and Walzman M
Wang QS see Lau JTF *et al*
Warburton F see Simms I *et al*
Ward H, Miller R Taking up the reins, **2**
Ward H, Weber J Validity and utility of screening tests for STIs, **356**
Wardle J see Waller J *et al*
Watson-Jones D see Clift S *et al*
Watson-Jones D see Terris-Prestholt F *et al*
Watts C see Vickerman P *et al*
Wawer MJ see Orroth KK *et al*
Weber J see Ward H and Weber J
Weiderpass E see Molano M *et al*
Weisbord JS *et al*. Prevalence of and risk factors for hepatitis C virus infection among STD clinic clientele in Miami, Florida, **e1**
Weiss H see Terris-Prestholt F *et al*
Weller IV see Arenas-Pinto A *et al*
Wellings K see Kane R and Wellings K
 see Dave SS *et al*
Welsh MJ see Feldblum PJ *et al*
Welte R *et al*. A population based dynamic approach for estimating the cost effectiveness of screening for *Chlamydia trachomatis*, **426**
Wendel KA *et al*. Use of urine polymerase chain reaction to define the prevalence and clinical presentation of *Trichomonas vaginalis* in men attending an STD clinic, **151**
Weström L see Simms I *et al*
Wetherall NT see Solomon L *et al*
White RG see Orroth KK *et al*
Whittaker D see Bailey JV *et al*
Whittington W see Melville J *et al*
Whittington WLH see Stoner BP *et al*
Wilkinson D see Myer L *et al*
Williams H *et al*. Adolescence and other risk factors for *Chlamydia trachomatis* genitourinary infection in women in Melbourne, Australia, **31**
Williams IG see Stephenson JM *et al*
Willis J see Hellard M *et al*
Wilson J see Shann S and Wilson J
 see Shann S and Wilson J
Wilson P see Armstrong B *et al*
Winston A *et al*. Is increased surveillance for asymptomatic syphilis in an HIV outpatient department worthwhile?, **257**
Wong ML *et al*. Social and behavioural factors associated with condom use among direct sex workers in Siem Reap, Cambodia, **163**

Worm A-M see Østergaard L *et al*

Wright AR see Stümpfle R *et al*

Wu XZ see Zheng HP *et al*

Yang LG see Zheng HP *et al*

Young H *et al*. Evaluation of ligase chain reaction for the non-cultural detection of rectal and pharyngeal gonorrhoea in men who have sex with men, **484**

Young ML see Holland J *et al*

Zenilman JM see Mehta SD *et al*

Zenilman JM *et al*. LCR testing for gonorrhoea and chlamydia in population surveys and other screenings of low prevalence populations: coping with decreased positive predictive value, **94**

Zhang G see Weisbord JS *et al*

Zheng HP *et al*. Antimicrobial susceptibility of *Neisseria gonorrhoeae* strains isolated in Guangzhou, China, 1996–2001, **399**

Zuma K see Myer L *et al*