Supplementary material 3: Studies excluded after full text assessment.

| Author, year | Title | Journal | doi | Reason for exclusion |
|----------------------------|---|--|------------------------------------|--|
| Abdel Salam, 2020 | Frequency of Mycoplasma genitalium, Mycoplasma hominis and Ureaplasma urealyticum among Females Patients Attending Gynecology and Obstetrics Clinics at Ain shams University hospital | Journal of Pure and Applied Microbiology | 10.22207/JPAM.14.2.39 | Population (did not report data from PrEP users) |
| Abusarah, 2013 | Molecular detection of potential sexually transmitted pathogens in semen and urine specimens of infertile and fertile males | Diagnostic Microbiology and Infectious Disease | 10.1016/j.diagmicrobio.2013.05.018 | Population (did not report data from PrEP users) |
| Adelantado, 2019 | Macrolide-Resistant Mycoplasma genitalium in Southeastern Region of the Netherlands, 2014-2017 | Emerging Infectious Diseases | 10.3201/eid2511.190912 | Population (did not report data from PrEP users) |
| Adelantado, 2019 | Prevalence of Mycoplasma genitalium infection and antibiotic resistance in Navarra (North Spain) | Sexually Transmitted Infections | 10.1136/sextrans-2019-054083 | Population (did not report data from PrEP users) |
| Agger, 2014 | Epidemiologic Factors and Urogenital Infections Associated With Preterm Birth in a Midwestern U.S. Population | Obstetrics and Gynecology | 10.1097/aog.0000000000000470 | Population (did not report data from PrEP users) |
| Agyarko-Poku, 2011 | Aetiological agents of infective vaginal discharge among women attending a STD clinic in Kumasi, Ghana | Sexually Transmitted Infections | 10.1136/sextrans-2011-050108.501 | Population (did not report data from PrEP users) |
| Agyarko-Poku, 2013 | Prevalence of mycoplasma genitalium among women attending sexually transmitted infection clinic in Kumasi, Ghana | Sexually Transmitted Infections | 10.1136/sextrans-2013-051184.0689 | Population (did not report data from PrEP users) |
| Ahaus, 2022 | Changes in the user profiles of HIV pre-exposure prophylaxis (PrEP) before and after PrEP reimbursement | Journal of Infection and Public Health | 10.1016/j.jiph.2022.07.012 | Outcome |
| Ajani, 2019 | Genital chlamydia trachomatis and mycoplasma genitalium among infertile women in university college hospital, Ibadan | Sexually Transmitted Infections | 10.1136/sextrans-2019-sti.540 | Population (did not report data from PrEP users) |
| Alakija, 2013 | Risk factors for mycoplasma genitalium among female sex workers in Nairobi, Kenya | Sexually Transmitted Infections | 10.1136/sextrans-2013-051184.0575 | Population (did not report data from PrEP users) |
| Alfarraj, 2017 | Isolation of Mycoplasma genitalium from endocervical swabs of infertile women | Saudi Medical Journal | 10.15537/smj.2017.5.18820 | Population (did not report data from PrEP users) |
| Allan-Blitz, 2018 | Prevalence of Mycoplasma genitalium and Azithromycin-resistant Infections among Remnant Clinical Specimens, Los Angeles | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000000829 | Population (did not report data from PrEP users) |
| Alvarez Rodríguez, 2013 | Results: Of the First HIV prevalence and risk behaviour study among female sex workers, Belize, 2012 | Sexually Transmitted Infections | 10.1136/sextrans-2013-051184.0566 | Population (did not report data from PrEP users) |
| Andersson, 2021 | Are Swedish swingers a risk group for sexually transmitted infections? | International Journal of STD and AIDS | 10.1177/0956462420973108 | Population (did not report data from PrEP users) |

| Andersson, 2021 | Are Urogenital Symptoms Caused by Sexually Transmitted Infections and Colonizing Bacteria? | Journal of Lower Genital Tract Disease | 10.1097/LGT.00000000000000608 | Population (did not report data from PrEP users) |
|------------------|--|---|-------------------------------|--|
| Ando, 2021 | High prevalence of circulating dual-class resistant Mycoplasma genitalium in asymptomatic MSM in Tokyo, Japan | Jac-Antimicrobial Resistance | 10.1093/jacamr/dlab091 | Population (did not report data from PrEP users) |
| Andreeva, 2012 | [Diagnostic and treatment patterns in management of male patients with nongonococcal urethritis: results of Russian multicentral cross-sectional study] | Antibiotiki i khimioterapii{combining double inverted breve}a = Antibiotics and chemoterapy [sic] / Ministerstvo meditsinskoĭ i mikrobiologicheskoĭ promyshlennosti SSSR | NR | Population (did not report data from PrEP users) |
| Angela, 2021 | Multi-year prevalence and macrolide resistance of Mycoplasma genitalium in clinical samples from a southern Italian hospital | European Journal of Clinical Microbiology and Infectious Diseases | 10.1007/s10096-020-04068-3 | Population (did not report data from PrEP users) |
| Ansejo, 2018 | Mycoplasma genitalium in Spain: prevalence of genital infection and frequency of resistance to macrolides | Enfermedades Infecciosas y Microbiologia Clinica | 10.1016/j.eimc.2017.01.006 | Population (did not report data from PrEP users) |
| Arda, 2018 | Chronic Bacterial Prostatitis in a Turkish Population: The Microbiological Etiology and Distribution | Journal of Academic Research in Medicine-Jarem | 10.5152/jarem.2018.2000 | Population (did not report data from PrEP users) |
| Ashshi, 2015 | Prevalence of 7 sexually transmitted organisms by multiplex real-time PCR in Fallopian tube specimens collected from Saudi women with and without ectopic pregnancy | BMC Infectious Diseases | 10.1186/s12879-015-1313-1 | Population (did not report data from PrEP users) |
| Averbach, 2013 | Mycoplasma genitalium and preterm delivery at an urban community health center | International Journal of Gynecology and Obstetrics | 10.1016/j.ijgo.2013.06.005 | Population (did not report data from PrEP users) |
| Bachmann, 2020 | Prevalence of mycoplasma genitalium infection, antimicrobial resistance mutations, and symptom resolution following treatment of urethritis | Clinical Infectious Diseases | 10.1093/cid/ciaa293 | Population (did not report data from PrEP users) |
| Bai, 2021 | Sexually transmitted infections and semen quality from subfertile men with and without leukocytospermia | Reproductive Biology and Endocrinology | 10.1186/s12958-021-00769-2 | Population (did not report data from PrEP users) |
| Bainbridge, 2021 | High Prevalence of Urogenital and Rectal Mycoplasma genitalium in U.S. MSM with a History of STIs in the Last Year | Open Forum Infectious Diseases | 10.1093/ofid/ofab466.163 | Population (did not report data from PrEP users) |
| Bajrovic, 2017 | Mycoplasma genitalium prevalence and variability based on gender, race and sexual preference in patients attending the Oakland county health department disease clinic | Open Forum Infectious Diseases | 10.1093/ofid/ofx163.506 | Population (did not report data from PrEP users) |
| Balkus, 2016 | Periodic Presumptive Treatment for Vaginal Infections May Reduce the Incidence of Sexually Transmitted Bacterial Infections | Journal of Infectious Diseases | 10.1093/infdis/jiw043 | Population (did not report data from PrEP users) |
| Balle, 2021 | Hormonal contraception and risk of STIs and bacterial vaginosis in South African adolescents: Secondary analysis of a randomised trial | Sexually Transmitted Infections | 10.1136/sextrans-2020-054483 | Population (did not report data from PrEP users) |

| Barbee, 2016 | An estimate of the proportion of symptomatic gonococcal, chlamydial and non-gonococcal non-chlamydial urethritis attributable to oral sex among men who have sex with men: a case-control study | Sexually Transmitted Infections | 10.1136/sextrans-2015-052214 | Population (did not report data from PrEP users) |
|---------------------------|---|--|--------------------------------|--|
| Barbee, 2019 | Rectal and pharyngeal M. Genitalium among men who have sex with men (MSM): Results from a longitudinal cohort study | Sexually Transmitted Infections | 10.1136/sextrans-2019-sti.648 | Population (did not report data from PrEP users) |
| Barberia, 2017 | Mycoplasma genitalium Macrolide and Fluoroquinolone Resistance: Prevalence and Risk Factors Among a 2013-2014 Cohort of Patients in Barcelona, Spain | Sexually Transmitted Diseases | 10.1097/olq.00000000000000631 | Population (did not report data from PrEP users) |
| Barnabas, 2018 | Converging epidemics of sexually transmitted infections and bacterial vaginosis in southern African female adolescents at risk of HIV | International Journal of STD and AIDS | 10.1177/0956462417740487 | Population (did not report data from PrEP users) |
| Basu, 2017 | High macrolide resistance in mycoplasma genitalium strains causing infection in Auckland, New Zealand | Journal of Clinical Microbiology | 10.1128/JCM.00370-17 | Population (did not report data from PrEP users) |
| Batteiger, 2018 | Prevalence of rectal chlamydia trachomatis (CT) and mycoplasma genitalium (mg) in a cohort of men with and without nongonococcal urethritis (ngu) | Sexually Transmitted Diseases | NR | Population (did not report data from PrEP users) |
| Batteiger, 2019 | Detection of rectal chlamydia trachomatis in heterosexual men who report cunnilingus | Sexually Transmitted Diseases | 10.1097/OLQ.00000000000000998 | Population (did not report data from PrEP users) |
| Bayette, 2013 | Prevalence of Chlamydia trachomatis, Neisseria gonorrhoeae and Mycoplasma genitalium infections in the emergency department | Pathologie Biologie | 10.1016/j.patbio.2012.04.001 | Population (did not report data from PrEP users) |
| Bayigga, 2020 | Diverse vaginal microbiome was associated with pro-inflammatory vaginal milieu among pregnant women in Uganda | Human Microbiome Journal | 10.1016/j.humic.2020.100076 | Population (did not report data from PrEP users) |
| Beesham, 2021 | High prevalence of curable sexually transmitted infections among HIV- uninfected women planning for pregnancy in Kwazulunatal, South Africa | Sexually Transmitted Infections | 10.1136/sextrans-2021-sti.228 | Population (did not report data from PrEP users) |
| Beesley, 2022 | Testing for Mycoplasma genitalium in pelvic inflammatory disease: A clinical audit | Australian and New Zealand Journal of Obstetrics and Gynaecology | 10.1111/ajo.13609 | Population (did not report data from PrEP users) |
| Begnis, 2021 | Prevalence and risk factors of Mycoplasma genitalium infection in patients attending a sexually transmitted infection clinic in Reunion Island: a cross-sectional study (2017–2018) | BMC Infectious Diseases | 10.1186/s12879-021-06193-6 | Population (did not report data from PrEP users) |
| Bellinato, 2021 | Clinical profile and co-infections of urethritis in males | Italian Journal of Dermatology and Venereology | 10.23736/S2784-8671.20.06773-5 | Full text not found |
| Belokrinitsakaya, 2013 | Preconception screening for sexually transmitted infections in young healthy women: Cross-sectional study | Giornale Italiano di Ostetricia e Ginecologia | NR | Full text not found |
| Bercot, 2019 | High prevalence and antibiotic resistance of m genitalium infections in MSM on prep | Topics in Antiviral Medicine | NR | Duplicate data |
| Berle, 2012 | Chlamydia trachomatis, Mycoplasma genitalium and Ureaplasma urealyticum in clinical and non-clinical settings, Arkhangelsk Oblast, Russia | International Journal of STD and AIDS | 10.1258/ijsa.2012.011410 | Population (did not report data from PrEP users) |

| Bernier, 2020 | HIV and other sexually transmitted infections among female sex workers in Moscow (Russia): Prevalence and associated risk factors | Sexually Transmitted Infections | 10.1136/sextrans-2019-054299 | Population (did not report data from PrEP users) |
|------------------|---|---|------------------------------------|--|
| Bertolotti, 2016 | IST-04 - Impact of Mycoplasma genitalium in an overseas free and anonymous screening center in light of other sexually transmitted diseases: A cross-sectional study | Medecine et Maladies Infectieuses | 10.1016/S0399-077X(16)30435-8 | Population (did not report data from PrEP users) |
| Bhargava, 2021 | Etiology of cervicitis-are there new agents in play? | Sexually Transmitted Infections | 10.1136/sextrans-2021-sti.408 | Population (did not report data from PrEP users) |
| Bjartling, 2012 | Mycoplasma genitalium in cervicitis and pelvic inflammatory disease among women at a gynecologic outpatient service | American Journal of Obstetrics and Gynecology | 10.1016/j.ajog.2012.02.036 | Population (did not report data from PrEP users) |
| Bjartling, 2013 | Mycoplasma genitalium and chlamydia trachomatis in laparoscopically diagnosed pelvic inflammatory disease | Sexually Transmitted Infections | 10.1136/sextrans-2013-051184.0045 | Population (did not report data from PrEP users) |
| Bjessessor, 2016 | The contribution of Mycoplasma genitalium to the aetiology of sexually acquired infectious proctitis in men who have sex with men | Clinical Microbiology and Infection | 10.1016/j.cmi.2015.11.016 | Population (did not report data from PrEP users) |
| Björnelius, 2017 | Mycoplasma genitalium macrolide resistance in Stockholm, Sweden | Sexually Transmitted Infections | 10.1136/sextrans-2016-052688 | Population (did not report data from PrEP users) |
| Black, 2008 | The detection of urethritis pathogens among patients with the male urethritis syndrome, genital ulcer syndrome and HIV voluntary counselling and testing clients: should South Africa's syndromic management approach be revised? | Sex Transm Infect | 10.1136/sti.2007.028464 | Population (did not report data from PrEP users) |
| Blanco, 2022 | Prevalence of Mycoplasma genitalium and other sexually transmitted pathogens in male urethritis in a sexual health centre in New Caledonia | Int J STD AIDS | 10.1177/09564624221103808 | Population (did not report data from PrEP users) |
| Blockl, 2018 | Mycoplasma genitalium: Prevalence, Coinfections and Rate of Therapy Success after First-Line Treatment in an infectious Focal Medical Practice in Berlin | Journal Der Deutschen Dermatologischen Gesellschaft | NR | Population (did not report data from PrEP users) |
| Blockl, 2019 | PREVALENCE AND CLINICAL FEATURES OF MYCOPLASMA GENITALIUM IN PATIENTS ATTENDING A STI OUTPATIENT CLINIC IN BERLIN: 2013-2017 | Sexually Transmitted Infections | 10.1136/sextrans-2019-sti.681 | Population (did not report data from PrEP users) |
| Bonafede, 2016 | Evidence of low rates of mycoplasma genitalium assessment among commercially insured women with an sti-related diagnosis | Sexually Transmitted Diseases | 10.1097/01.olq.0000503358.65329.6f | Population (did not report data from PrEP users) |
| Borgobna, 2018 | Vaginal metabolomic signatures distinguish chlamydia mono-infected, chlamydia trachomatis/mycoplasma genitalium co-infected and uninfected women | American Journal of Obstetrics and Gynecology | 10.1016/j.ajog.2018.10.088 | Population (did not report data from PrEP users) |
| Borgobna, 2020 | The association of Chlamydia trachomatis and Mycoplasma genitalium infection with the vaginal metabolome | Scientific reports | 10.1038/s41598-020-60179-z | Population (did not report data from PrEP users) |
| Braam, 2017 | High prevalence of the A2058T macrolide resistance-associated mutation in Mycoplasma genitalium strains from the Netherlands | Journal of Antimicrobial Chemotherapy | 10.1093/jac/dkw584 | Population (did not report data from PrEP users) |

| Braam, 2020 | Evaluating the prevalence and risk factors for macrolide resistance in Mycoplasma genitalium using a newly developed qPCR assay | PLoS One | 10.1371/journal.pone.0240836 | Population (did not report data from PrEP users) |
|-------------------------|--|---------------------------------------|----------------------------------|--|
| Braam, 2022 | Macrolide-Resistant Mycoplasma genitalium Impairs Clinical Improvement of Male Urethritis After Empirical Treatment | Sexually Transmitted Diseases | 10.1097/olq.000000000001591 | Population (did not report data from PrEP users) |
| Bradshaw, 2013 | Prevalent and Incident Bacterial Vaginosis Are Associated with Sexual and Contraceptive Behaviours in Young Australian Women | PLoS ONE | 10.1371/journal.pone.0057688 | Population (did not report data from PrEP users) |
| Bras-Cachinho, 2021 | Mycoplasma genitalium: Prevalence of macrolide and fluoroquinolone resistance at the University Hospital of Tours, and check of the S-DiaMGRes® (Diagenode Diagnostics) assay | Annales de biologie clinique | 10.1684/abc.2021.1633 | Full text not found |
| Brehony, 2021 | Evaluation of molecular testing for Mycoplasma genitalium for symptomatic women | Irish Journal of Medical Science | 10.1007/s11845-021-02782-1 | Population (did not report data from PrEP users) |
| Broad, 2017 | PREVALENCE AND RISK FACTORS ASSOCIATED WITH CHLAMYDIA TRACHOMATIS (CT), MYCOPLASMA GENITALIUM (MG) AND NEISSERIA GONORRHOEAE (NG): CROSS-SECTIONAL STUDY IN THREE SEXUAL HEALTH CLINICS | Sexually Transmitted Infections | 10.1136/sextrans-2017-053232.248 | Population (did not report data from PrEP users) |
| Broad, 2021 | High prevalence of coinfection of azithromycin-resistant Mycoplasma genitalium with other STIs: A prospective observational study of London-based symptomatic and STI-contact clinic attendees | Sexually Transmitted Infections | 10.1136/sextrans-2019-054356 | Population (did not report data from PrEP users) |
| Brosh-Nissimov, 2018 | Management of sexually transmissible infections in the era of multiplexed molecular diagnostics: A primary care survey | Sexual Health | 10.1071/SH17190 | Population (did not report data from PrEP users) |
| Bruisten, 2019 | Mycoplasma genitalium in clients visiting two Dutch STI clinics: Very high prevalence and resistance to azithromycin | Sexually Transmitted Infections | 10.1136/sextrans-2019-sti.678 | Population (did not report data from PrEP users) |
| Cabecinha, 2017 | Finding sexual partners online: Prevalence and associations with sexual behaviour, STI diagnoses and other sexual health outcomes in the British population | Sexually Transmitted Infections | 10.1136/sextrans-2016-052994 | Population (did not report data from PrEP users) |
| Calas, 2021 | Prevalence of urogenital, anal, and pharyngeal infections with Chlamydia trachomatis, Neisseria gonorrhoeae, and Mycoplasma genitalium: a cross-sectional study in Reunion island | BMC Infectious Diseases | 10.1186/s12879-021-05801-9 | Population (did not report data from PrEP users) |
| Cameron, 2018 | Epstein-Barr Virus, High-Risk Human Papillomavirus and Abnormal Cervical Cytology in a Prospective Cohort of African Female Sex Workers | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000000857 | Population (did not report data from PrEP users) |
| Camporiondo, 2016 | Detection of HPV and co-infecting pathogens in healthy Italian women by multiplex real-time PCR | Infezioni in Medicina | NR | Population (did not report data from PrEP users) |
| Camus, 2021 | Acceptability and efficacy of vaginal self-sampling for genital infection and bacterial vaginosis: A cross-sectional study | PLoS ONE | 10.1371/journal.pone.0260021 | Population (did not report data from PrEP users) |
| Carina, 2015 | Detection of Mycoplasma genitalium and Chlamydia trachomatis in three different self-collected genital specimens in women | International Journal of STD and AIDS | 10.1177/0956462415601768 | Population (did not report data from PrEP users) |

| Carne, 2013 | Prevalence, clinical features and quantification of genital non-viral infections | International Journal of STD and AIDS | 10.1177/0956462412472306 | Population (did not report data from PrEP users) |
|------------------------|--|---|------------------------------------|--|
| Caruso, 2021 | Current and Future Trends in the Laboratory Diagnosis of Sexually Transmitted Infections | International Journal of Environmental Research and Public Health | 10.3390/ijerph18031038 | Population (did not report data from PrEP users) |
| Casas, 2013 | Hallazgos de Micoplasma hominis y Ureaplasma urealyticum en mujeres con infecciones urogenitales | Arch. méd. Camaguey | NR | Population (did not report data from PrEP users) |
| Casillas-Vega, 2016 | Sexually transmitted pathogens, coinfections and risk factors in patients attending obstetrics and gynecology clinics in Jalisco, Mexico | Salud publica de Mexico | NR | Population (did not report data from PrEP users) |
| Casillas-Vega, 2017 | Causative agents, diseases, epidemiology and diagnosis of sexually transmitted infections | Reviews in Medical Microbiology | 10.1097/mrm.00000000000000089 | Population (did not report data from PrEP users) |
| Chakezha, 2017 | Demographic and clinical profiles of women with bacterial vaginosis and sexually transmitted infections: Implications for the management of vaginal discharge syndrome in South Africa | Sexually Transmitted Infections | 10.1136/sextrans-2017-053264.453 | Population (did not report data from PrEP users) |
| Chambers, 2016 | Exposures associated with nongonococcal urethritis (NGU) in men who have sex with women only (MSW) and men who have sex with men only (MSM) | Sexually Transmitted Diseases | 10.1097/01.olq.0000503358.65329.6f | Population (did not report data from PrEP users) |
| Che, 2022 | Mycoplasma genitalium and Chlamydia trachomatis infection among women in Southwest China: a retrospective study | Epidemiology and Infection | 10.1017/S0950268822001066 | Population (did not report data from PrEP users) |
| Chernesky, 2017 | Urinary Meatal Swabbing Detects More Men Infected with Mycoplasma genitalium and Four Other Sexually Transmitted Infections Than First Catch Urine | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000000618 | Population (did not report data from PrEP users) |
| Chernesky, 2019 | Mycoplasma genitalium, Chlamydia trachomatis, and Neisseria gonorrhoeae Detected With Aptima Assays Performed on Self- Obtained Vaginal Swabs and Urine Collected at Home and in a Clinic | Sexually Transmitted Diseases | 10.1097/olq.000000000001004 | Population (did not report data from PrEP users) |
| Chesnay, 2020 | Contribution of a molecular test for the diagnosis of genital infection with Trichomonas vaginalis and Mycoplasma genitalium | Annales De Biologie Clinique | 10.1684/abc.2020.1589 | Population (did not report data from PrEP users) |
| Chirenje, 2018 | The Etiology of Vaginal Discharge Syndrome in Zimbabwe: Results from the Zimbabwe STI Etiology Study | Sex Transm Dis | 10.1097/olq.0000000000000771 | Population (did not report data from PrEP users) |
| Chitneni, 2020 | Partner notification and treatment outcomes among South African adolescents and young adults diagnosed with a sexually transmitted infection via laboratory-based screening | International Journal of STD and AIDS | 10.1177/0956462420915395 | Population (did not report data from PrEP users) |
| Cho, 2016 | Prevalence of chlamydia trachomatis, neisseria gonorrhoeae, mycoplasma genitalium, ureaplasma urealyticum in chronic prostatitis category Illa and IIIb patients using polymerase chain reaction | International Journal of Urology | 10.1111/iju.13149 | Population (did not report data from PrEP users) |
| Choi, 2013 | Prevalence and associated factors for four sexually transmissible microorganisms in middle-aged men receiving general prostate health checkups: A polymerase chain reaction-based study in Korea | Korean Journal of Urology | 10.4111/kju.2013.54.1.53 | Population (did not report data from PrEP users) |
| Chow, 2014 | Testing commercial sex workers for sexually transmitted infections in Victoria, Australia: An evaluation of the impact of reducing the frequency of testing | PLoS ONE | 10.1371/journal.pone.0103081 | Population (did not report data from PrEP users) |

| Chra, 2018 | Prevalence of Mycoplasma genitalium and other sexually-transmitted pathogens among high-risk individuals in Greece | GERMS | 10.18683/germs.2018.1128 | Population (did not report data from PrEP users) |
|-----------------|--|---|-------------------------------|--|
| Clarivet, 2014 | Prevalence of Chlamydia trachomatis, Neisseria gonorrhoeae and Mycoplasma genitalium in asymptomatic patients under 30 years of age screened in a French sexually transmitted infections clinic | European Journal of Dermatology | 10.1684/ejd.2014.2413 | Population (did not report data from PrEP users) |
| Clifton, 2018 | STI Risk Perception in the British Population and How It Relates to Sexual Behaviour and STI Healthcare Use: Findings From a Cross- sectional Survey (Natsal-3) | EClinicalMedicine | 10.1016/j.eclinm.2018.08.001 | Population (did not report data from PrEP users) |
| Compain, 2019 | Low prevalence of common sexually transmitted infections contrasting with high prevalence of mycoplasma asymptomatic genital carriage: A community-based cross-sectional survey in adult women living in N'Djamena, Chad | Open Microbiology Journal | 10.2174/1874285801913010222 | Population (did not report data from PrEP users) |
| Contini, 2018 | Investigation on silent bacterial infections in specimens from pregnant women affected by spontaneous miscarriage | Journal of Cellular Physiology | 10.1002/jcp.26952 | Population (did not report data from PrEP users) |
| Coorevits, 2018 | Identifying a consensus sample type to test for Chlamydia trachomatis, Neisseria gonorrhoeae, Mycoplasma genitalium, Trichomonas vaginalis and human papillomavirus | Clinical Microbiology and Infection | 10.1016/j.cmi.2018.03.013 | Population (did not report data from PrEP users) |
| Coorevits, 2018 | Macrolide resistance in Mycoplasma genitalium from female sex workers in Belgium | Journal of Global Antimicrobial Resistance | 10.1016/j.jgar.2017.09.018 | Population (did not report data from PrEP users) |
| Cosentino, 2012 | Use of nucleic acid amplification testing for diagnosis of anorectal sexually transmitted infections | Journal of Clinical Microbiology | 10.1128/JCM.00185-12 | Population (did not report data from PrEP users) |
| Cowley, 2021 | Prevalence of and risk factors for curable sexually transmitted infections on Bubaque Island, Guinea Bissau | Sexually Transmitted Infections | 10.1136/sextrans-2019-054351 | Population (did not report data from PrEP users) |
| Cox, 2016 | Mycoplasma hominis and Gardnerella vaginalis display a significant synergistic relationship in bacterial vaginosis | European Journal of Clinical Microbiology and Infectious Diseases | 10.1007/s10096-015-2564-x | Population (did not report data from PrEP users) |
| Cox, 2016 | The common vaginal commensal bacterium Ureaplasma parvum is associated with chorioamnionitis in extreme preterm labor | Journal of Maternal-Fetal and Neonatal Medicine | 10.3109/14767058.2016.1140734 | Population (did not report data from PrEP users) |
| Cox, 2016 | Ureaplasma parvum and Mycoplasma genitalium are found to be significantly associated with microscopy-confirmed urethritis in a routine genitourinary medicine setting | International Journal of STD and AIDS | 10.1177/0956462415597620 | Population (did not report data from PrEP users) |
| Cox, 2017 | Gardnerella vaginalis and Mollicute detection in rectal swabs from men who have sex with men | Int J STD AIDS | 10.1177/0956462416665060 | Population (did not report data from PrEP users) |
| Creswell, 2012 | HIV and STI control in El Salvador: Results from an integrated behavioural survey among men who have sex with men | Sexually Transmitted Infections | 10.1136/sextrans-2012-050521 | Population (did not report data from PrEP users) |
| Crowell, 2020 | Anorectal and Urogenital Mycoplasma genitalium in Nigerian Men Who Have Sex With Men and Transgender Women: Prevalence, Incidence, and Association With HIV | Sexually Transmitted Diseases | 10.1097/olq.000000000001105 | Population (did not report data from PrEP users) |

| Cusini, 2021 | Trend of main STIs during COVID-19 pandemic in Milan, Italy | Sex Transm Infect | 10.1136/sextrans-2020-054608 | Population (did not report data from PrEP users) |
|------------------------|---|---|-----------------------------------|---|
| Dabee, 2019 | Defining characteristics of genital health in South African adolescent girls and young women at high risk for HIV infection | PLoS One | 10.1371/journal.pone.0213975 | Population (did not report data from PrEP users) |
| Daley, 2014 | Mycoplasma genitalium and its resistance to azithromycin in incarcerated men from Far North Queensland | Sexual Health | 10.1071/SH14147 | Population (did not report data from PrEP users) |
| Dao, 2020 | Risk factors for symptoms of infection and microbial carriage among French medical students abroad | International Journal of Infectious Diseases | 10.1016/j.ijid.2020.08.075 | Population (did not report data from PrEP users) |
| Datcu, 2013 | Vaginal microbiome in women from Greenland assessed by microscopy and quantitative PCR | BMC Infectious Diseases | 10.1186/1471-2334-13-480 | Population (did not report data from PrEP users) |
| Dave, 2012 | Women's health study of Mycoplasma genitalium: A feasibility study | Sexually Transmitted Infections | 10.1136/sextrans-2012-050601c.41 | Population (did not report data from PrEP users) |
| Dave, 2013 | Mycoplasma genitalium prevalence and risk factors among young sexually active women in the general population and attending sexually transmitted infection clinics in London, UK | Sexually Transmitted Infections | 10.1136/sextrans-2013-051184.0522 | Population (did not report data from PrEP users) |
| Davis, 2019 | Does voluntary medical male circumcision protect against sexually transmitted infections among men and women in real-world scale-up settings? Findings of a household survey in KwaZulu-Natal, South Africa | Bmj Global Health | 10.1136/bmjgh-2019-001389 | Population (did not report data from PrEP users) |
| Day, 2022 | Detection of markers predictive of macrolide and fluoroquinolone resistance in Mycoplasma genitalium from patients attending sexual health services | Sex Transm Infect | 10.1136/sextrans-2020-054897 | Population (did not report data from PrEP users) |
| De Baetselier, 2018 | High Level of macrolide resistance of mycoplasma genitalium found among MSM at high risk for HIV in a belgian PrEP demonstration project | AIDS Research and Human Retroviruses | 10.1089/aid.2018.5000.abstracts | Population (duplicated) |
| De Baetselier, 2019 | Prevalence of STIS among msm initiating prep in West-Africa (COHMSM-prep ANRS 12369-expertise France) | Sexually Transmitted Infections | 10.1136/sextrans-2019-sti.617 | Population (did not report data from PrEP users) |
| De Baetselier, 2021 | An alarming high prevalence of resistance-associated mutations to macrolides and fluoroquinolones in Mycoplasma genitalium in Belgium: Results from samples collected between 2015 and 2018 | Sexually Transmitted Infections | 10.1136/sextrans-2020-054511 | Outcome (report results in number of samples, not patients) |
| de Jong, 2016 | Large two-centre study into the prevalence of Mycoplasma genitalium and Trichomonas vaginalis in the Netherlands | International Journal of STD and AIDS | 10.1177/0956462415596496 | Population (did not report data from PrEP users) |
| de La Cruz, 2015 | The prevalence of mycoplasma genitalium in women with interstitial cystitis or chronic irritative urinary symptoms | Neurourology and Urodynamics | 10.1002/nau.22738 | Population (did not report data from PrEP users) |
| de Souza, 2021 | Main etiological agents identified in 170 men with urethritis attended at the Fundação Alfredo da Matta, Manaus, Amazonas, Brazil | Anais Brasileiros de Dermatologia | 10.1016/j.abd.2020.07.007 | Population (did not report data from PrEP users) |

| de Walque, 2012 | Incentivising safe sex: A randomised trial of conditional cash transfers for HIV and sexually transmitted infection prevention in rural Tanzania | BMJ Open | 10.1136/bmjopen-2011-000747 | Population (did not report data from PrEP users) |
|----------------------|--|--|------------------------------------|--|
| Deborde, 2019 | High prevalence of Mycoplasma genitalium infection and macrolide resistance in patients enrolled in HIV pre-exposure prophylaxis program | Medecine et Maladies Infectieuses | 10.1016/j.medmal.2019.03.007 | Population (duplicated) |
| Deguchi, 2015 | Drug resistance-associated mutations in mycoplasma genitalium in female sex workers, Japan | Emerging Infectious Diseases | 10.3201/eid2106.142013 | Population (did not report data from PrEP users) |
| Dehon, 2014 | Mycoplasma genitalium infection is associated with microscopic signs of cervical inflammation in liquid cytology specimens | Journal of Clinical Microbiology | 10.1128/JCM.00159-14 | Population (did not report data from PrEP users) |
| del Prete, 2017 | Simultaneous detection and identification of STI pathogens by multiplex Real-Time PCR in genital tract specimens in a selected area of Apulia, a region of Southern Italy | Infection | 10.1007/s15010-017-1002-7 | Population (did not report data from PrEP users) |
| des Marais, 2014 | Home-based self-collection for the detection of sexually transmitted infections in high-risk women in North Carolina | Sexually Transmitted Diseases | NR | Population (did not report data from PrEP users) |
| des Marais, 2018 | Home Self-Collection by Mail to Test for Human Papillomavirus and Sexually Transmitted Infections | Obstetrics and Gynecology | 10.1097/AOG.0000000000002964 | Population (did not report data from PrEP users) |
| Desdorf, 2021 | Mycoplasma genitalium prevalence and macrolide resistance- associated mutations and coinfection with Chlamydia trachomatis in Southern Jutland, Denmark | APMIS | 10.1111/apm.13174 | Population (did not report data from PrEP users) |
| Dhawan, 2020 | High prevalence of Mycoplasma genitalium in men who have sex with men: A cross-sectional study | Indian Journal of Dermatology, Venereology and Leprology | 10.4103/ijdvl.IJDVL_494_18 | Population (did not report data from PrEP users) |
| Dionne-Odom, 2018 | High prevalence of multidrug-resistant mycoplasma genitalium in human immunodeficiency virus-infected men who have sex with men in Alabama | Clinical Infectious Diseases | 10.1093/cid/cix853 | Population (did not report data from PrEP users) |
| Dirks, 2017 | High mycoplasma genitalium prevalence in chlamydia trachomatis positive patients | Sexually Transmitted Infections | 10.1136/sextrans-2017-053264.335 | Population (did not report data from PrEP users) |
| Djomand, 2016 | Prevalence and Correlates of Genital Infections among Newly Diagnosed Human Immunodeficiency Virus-Infected Adults Entering Human Immunodeficiency Virus Care in Windhoek, Namibia | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000000513 | Population (did not report data from PrEP users) |
| Donders, 2016 | Screening for abnormal vaginal microflora by self-assessed vaginal pH does not enable detection of sexually transmitted infections in Ugandan women | Diagnostic Microbiology and Infectious Disease | 10.1016/j.diagmicrobio.2015.12.018 | Population (did not report data from PrEP users) |
| Donders, 2017 | Mycoplasma/Ureaplasma infection in pregnancy: To screen or not to screen | Journal of Perinatal Medicine | 10.1515/jpm-2016-0111 | Population (did not report data from PrEP users) |
| Downey, 2015 | Epidemiology of sexually transmitted infections in rural Haitian men | International Journal of STD and AIDS | 10.1177/0956462414551236 | Population (did not report data from PrEP users) |
| Drago, 2020 | Common bacterial urogenital infections: a study on their aetiology and prevalence in a sexually transmitted infections centre | Journal of the European Academy of Dermatology and Venereology | 10.1111/jdv.16504 | Population (did not report data from PrEP users) |

| Duba, 2017 | Detection of genital mycoplasmas in women visiting the infertility clinic of an academic hospital, pretoria, South Africa | Sexually Transmitted Infections | 10.1136/sextrans-2017-053264.160 | Population (did not report data from PrEP users) |
|--------------------------|---|---|------------------------------------|--|
| Dubbink, 2016 | Microbiological characteristics of chlamydia trachomatis and neisseria gonorrhoeae infections in South African women | Journal of Clinical Microbiology | 10.1128/JCM.02848-15 | Population (did not report data from PrEP users) |
| Dukers-Muijrers, 2015 | What is needed to guide testing for anorectal and pharyngeal Chlamydia trachomatis and Neisseria gonorrhoeae in women and men? Evidence and opinion | BMC Infectious Diseases | 10.1186/s12879-015-1280-6 | Population (did not report data from PrEP users) |
| Dumke, 2016 | Emergence of Mycoplasma genitalium strains showing mutations associated with macrolide and fluoroquinolone resistance in the region Dresden, Germany | Diagnostic Microbiology and Infectious Disease | 10.1016/j.diagmicrobio.2016.07.005 | Population (did not report data from PrEP users) |
| Duron, 2018 | Prevalence and risk factors of sexually transmitted infections among French service members | PLoS ONE | 10.1371/journal.pone.0195158 | Population (did not report data from PrEP users) |
| Ebel, 2015 | Prevalence of Mycoplasma genitalium in France and comparison with Chlamydia trachomatis and Neisseria gonorrhoeae using transcriptionmediated amplification assays | International Journal of STD and AIDS | 10.1177/0956462415601768 | Population (did not report data from PrEP users) |
| Edlund, 2012 | The spread of Mycoplasma genitalium among men who have sex with men | International Journal of STD and AIDS | 10.1258/ijsa.2009.009411. | Population (did not report data from PrEP users) |
| Edouard, 2017 | Mycoplasma genitalium, an agent of reemerging sexually transmitted infections | APMIS | 10.1111/apm.12731 | Population (did not report data from PrEP users) |
| Ekiel, 2013 | Urogenital Mycoplasmas and Human Papilloma Virus in Hemodialysed Women | Scientific World Journal | 10.1155/2013/659204 | Population (did not report data from PrEP users) |
| Ekiel, 2016 | Prevalence of Urogenital Mycoplasmas Among Men with NGU in Upper Silesia, Poland. Preliminary Study | Pol J Microbiol | 10.5604/17331331.1197326 | Population (did not report data from PrEP users) |
| El Beayni, 2021 | Molecular prevalence of eight different sexually transmitted infections in a lebanese major tertiary care center: Impact on public health | International Journal of Molecular Epidemiology and Genetics | NR | Population (did not report data from PrEP users) |
| Esen, 2017 | Ureaplasma urealyticum: Presence among Sexually Transmitted Diseases | Jpn J Infect Dis | 10.7883/yoken.JJID.2015.258 | Population (did not report data from PrEP users) |
| Ezeanya-Bakpa, 2021 | Sequence analysis reveals asymptomatic infection with Mycoplasma hominis and Ureaplasma urealyticum possibly leads to infertility in females: A cross-sectional study | International Journal of Reproductive Biomedicine | 10.18502/ijrm.v19i11.9910 | Population (did not report data from PrEP users) |
| Ezeanya-Bakpa, 2022 | Phylogeny-based identification of Mycoplasma genitalium in a Nigerian population of apparently healthy sexually active female students | Pan African Medical Journal | 10.11604/pamj.2022.41.71.19631 | Population (did not report data from PrEP users) |
| Fasciana, 2021 | Socio-demographic characteristics and sexual behavioral factors of patients with sexually transmitted infections attending a hospital in southern Italy | International Journal of Environmental Research and Public Health | 10.3390/ijerph18094722 | Population (did not report data from PrEP users) |
| Feodorova, 2019 | Enhanced prevalence of chlamydia trachomatis DNA in clinical samples of patients with STIS co-infection | Sexually Transmitted Infections | 10.1136/sextrans-2019-sti.562 | Population (did not report data from PrEP users) |

| Fernández- Huerta, 2020 | Mycoplasma genitalium and fluoroquinolone resistance detection using a novel qPCR assay in Barcelona, Spain | Enfermedades Infecciosas y Microbiologia Clinica | 10.1016/j.eimc.2019.10.003 | Population (did not report data from PrEP users) |
|----------------------------------|---|--|----------------------------------|--|
| Fernández- Huerta, 2020 | Prevalence of Mycoplasma genitalium and macrolide resistance among asymptomatic people visiting a point of care service for rapid STI screening: A cross-sectional study | Sexually Transmitted Infections | 10.1136/sextrans-2019-054124 | Population (did not report data from PrEP users) |
| Ferré, 2019 | Prevalence of human papillomavirus, human immunodeficiency virus, and other sexually transmitted infections among men who have sex with men in Togo: A national cross-sectional survey | Clinical Infectious Diseases | 10.1093/cid/ciy1012 | Population (did not report data from PrEP users) |
| Ferreux, 2018 | Prevalence of Mycoplasma genitalium among infertile men, and sperm donors consulting in a French center for Assisted Reproduction | Human Reproduction | 10.1093/humrep/33.Supplement_1.1 | Population (did not report data from PrEP users) |
| Field, 2012 | Testing for sexually transmitted infections in a population-based sexual health survey: Development of an acceptable ethical approach | Journal of Medical Ethics | 10.1136/medethics-2011-100068 | Population (did not report data from PrEP users) |
| Fifer, 2021 | Frequency and Correlates of Mycoplasma genitalium Antimicrobial Resistance Mutations and Their Association With Treatment Outcomes: Findings From a National Sentinel Surveillance Pilot in England | Sexually transmitted diseases | 10.1097/OLQ.000000000001493 | Population (did not report data from PrEP users) |
| Foronda-García- Hidalgo, 2019 | Prevalence among males from the general population of agents responsible of not ulcerative genital tract infections, assisted in specialized care | Revista Espanola de Quimioterapia | NR | Population (did not report data from PrEP users) |
| Forslund, 2017 | Mycoplasma genitalium and macrolide resistance-associated mutations in the Skåne Region of Southern Sweden 2015 | Acta Dermato-Venereologica | 10.2340/00015555-2746 | Population (did not report data from PrEP users) |
| Foschi, 2018 | Sexually transmitted rectal infections in a cohort of 'men having sex with men' | Journal of Medical Microbiology | 10.1099/jmm.0.000781 | Population (did not report data from PrEP users) |
| Fragoso, 2019 | Sexually transmitted diseases clinic in a Portuguese Infectious Diseases unit | HIV Medicine | 10.1111/hiv.12815 | Population (did not report data from PrEP users) |
| Francis, 2019 | Results from a cross-sectional sexual and reproductive health study among school girls in Tanzania: High prevalence of bacterial vaginosis | Sexually Transmitted Infections | 10.1136/sextrans-2018-053680 | Population (did not report data from PrEP users) |
| Frolound, 2018 | The bacterial microbiota in first-void urine from men with and without idiopathic urethritis | Plos One | 10.1371/journal.pone.0201380 | Population (did not report data from PrEP users) |
| Frolound, 2019 | Detection of ureaplasmas and bacterial vaginosis associated bacteria and their association with non-gonococcal urethritis in men | Plos One | 10.1371/journal.pone.0214425 | Population (did not report data from PrEP users) |
| Frolova, 2013 | Preconception risk factors in young healthy women: Cross-sectional study | BJOG: An International Journal of Obstetrics and Gynaecology | 10.1111/1471-0528.12294 | Population (did not report data from PrEP users) |
| Gabster, 2019 | High prevalence of cervico-vaginal infections among female adolescents in four urban regions of Panama | Sexually Transmitted Infections | 10.1136/sextrans-2019-sti.178 | Population (did not report data from PrEP users) |

| García- González, 2017 | Prevalence of sexually transmitted infections in symptomatic and asymptomatic patients from Yucatan | Revista del Laboratorio Clinico | 10.1016/j.labcli.2017.02.003 | Population (did not report data from PrEP users) |
|---------------------------|---|--|---------------------------------|--|
| Gaydos, 2019 | Molecular Testing for Mycoplasma genitalium in the United States: Results from the AMES Prospective Multicenter Clinical Study | Journal of Clinical Microbiology | 10.1128/jcm.01125-19 | Population (did not report data from PrEP users) |
| Gesink-Law, 2010 | MYCOPLASMA GENITALIUM IN GREENLAND: PREVALENCE, MACROLIDE RESISTANCE, ETHICAL CONSIDERATIONS, AND POLICY IMPLICATIONS | International Journal of Circumpolar Health | NR | Population (did not report data from PrEP users) |
| Gesink, 2012 | Mycoplasma genitalium presence, resistance and epidemiology in Greenland | International journal of circumpolar health | NR | Population (did not report data from PrEP users) |
| Gesink, 2016 | Mycoplasma genitalium in Toronto, Ont: Estimates of prevalence and macrolide resistance | Canadian Family Physician | NR | Population (did not report data from PrEP users) |
| Getman, 2016 | Mycoplasma genitalium prevalence, coinfection, and macrolide antibiotic resistance frequency in a multicenter clinical study cohort in the United States | Journal of Clinical Microbiology | 10.1128/JCM.01053-16 | Population (did not report data from PrEP users) |
| Getman, 2022 | Distribution of Macrolide Resistant Mycoplasma genitalium in Urogenital Tract Specimens from Women Enrolled in a US Clinical Study Cohort | Clinical Infectious Diseases | 10.1093/cid/ciac602 | Population (did not report data from PrEP users) |
| Gohil, 2021 | MYCOPLASMA GENITALIUM: THE MOST PREVALENT STI IN SASKATCHEWAN, CANADA, HAS A HIGH PREVALENCE OF RESISTANCE TO MACROLIDES AND FLUOROQUINOLONES | Sexually Transmitted Infections | 10.1136/sextrans-2021-sti.305 | Population (did not report data from PrEP users) |
| Goller, 2017 | Characteristics of pelvic inflammatory disease where no sexually transmitted infection is identified: A cross-sectional analysis of routinely collected sexual health clinic data | Sexually Transmitted Infections | 10.1136/sextrans-2016-052553 | Population (did not report data from PrEP users) |
| Goller, 2019 | Trends in diagnosis of pelvic inflammatory disease in an Australian sexual health clinic, 2002-16: Before and after clinical audit feedback | Sexual Health | 10.1071/SH18119 | Population (did not report data from PrEP users) |
| Gomih-Alakija, 2014 | Clinical characteristics associated with mycoplasma genitalium among female sex workers in nairobi, Kenya | Journal of Clinical Microbiology | 10.1128/JCM.00850-14 | Population (did not report data from PrEP users) |
| Gonah, 2017 | Mycoplasma genitalium-testing and treating in a level 2 primary care service | Sexually Transmitted Infections | 10.1136/sextrans-2017-053232.67 | Population (did not report data from PrEP users) |
| Gong, 2019 | Coping with Risk: Negative Shocks, Transactional Sex, and the Limitations of Conditional Cash Transfers | Journal of Health Economics | 10.1016/j.jhealeco.2019.06.006 | Population (did not report data from PrEP users) |
| Gottesman, 2017 | Prevalence of Mycoplasma genitalium in men with urethritis and in high risk asymptomatic males in Tel Aviv: a prospective study | International Journal of STD and AIDS | 10.1177/0956462416630675 | Population (did not report data from PrEP users) |
| Gragg, 2021 | Mycoplasma genitalium Infection in Young Women Without Urogenital Symptoms Presenting to a Community-Based Emergency Department in Birmingham, Alabama | Sexually transmitted diseases | 10.1097/OLQ.0000000000001227 | Population (did not report data from PrEP users) |
| Gratrix, 2017 | Prevalence and antibiotic resistance of Mycoplasma genitalium among STI clinic attendees in Western Canada: A cross-sectional analysis | BMJ Open | 10.1136/bmjopen-2017-016300 | Population (did not report data from PrEP users) |

| Gravitt, 2016 | Prevalence of sexually transmitted infections and coinfection in a population-based sample of women attending cervical cancer screening in New Mexico, United States of America | Open Forum Infectious Diseases | 10.1093/ofid/ofw172.1003 | Population (did not report data from PrEP users) |
|----------------|---|---|----------------------------------|--|
| Guiraud, 2022 | Molecular Typing Reveals Distinct Mycoplasma genitalium Transmission Networks among a Cohort of Men Who Have Sex with Men and a Cohort of Women in France | Microorganisms | 10.3390/microorganisms10081587 | Population (did not report data from PrEP users) |
| Gumede, 2017 | Predictors of sexually transmitted coinfections in women presenting with bacterial vaginosis to primary healthcare facilities in South Africa | Sexually Transmitted Infections | 10.1136/sextrans-2017-053264.370 | Population (did not report data from PrEP users) |
| Gundevia, 2015 | Positivity at test of cure following first-line treatment for genital Mycoplasma genitalium: Follow-up of a clinical cohort | Sexually Transmitted Infections | 10.1136/sextrans-2014-051616 | Population (did not report data from PrEP users) |
| Guschin, 2022 | Sexually transmitted co-infections in men who have sex with men | Klinicheskaya Dermatologiya i Venerologiya | 10.17116/klinderma202221041502 | Population (did not report data from PrEP users) |
| Hagemann, 2014 | Sexually transmitted infections among women attending a Norwegian Sexual Assault Centre | Sexually Transmitted Infections | 10.1136/sextrans-2013-051328 | Population (did not report data from PrEP users) |
| Haggerty, 2014 | Pelvic inflammatory disease: Clinical trends and improving imprecision | Sexually Transmitted Diseases | NR | Population (did not report data from PrEP users) |
| Haggerty, 2020 | Presence and Concentrations of Select Bacterial Vaginosis- Associated Bacteria Are Associated with Increased Risk of Pelvic Inflammatory Disease | Sexually Transmitted Diseases | 10.1097/OLQ.000000000001164 | Population (did not report data from PrEP users) |
| Hahn, 2021 | Testing as prevention of resistance in bacteria causing sexually transmitted infections—a population-based model for germany | Antibiotics | 10.3390/antibiotics10080929 | Population (did not report data from PrEP users) |
| Ham, 2015 | HIV and STIs among transgendered populations: Four country survey from central America | Topics in Antiviral Medicine | NR | Population (did not report data from PrEP users) |
| Hamill, 2021 | Ugandan men with urethritis, what can diagnostic certainty tell us? | Sexually Transmitted Infections | 10.1136/sextrans-2021-sti.323 | Population (did not report data from PrEP users) |
| Hamill, 2022 | High burden of untreated syphilis, drug resistant Neisseria gonorrhoeae, and other sexually transmitted infections in men with urethral discharge syndrome in Kampala, Uganda | BMC Infect Dis | 10.1186/s12879-022-07431-1 | Population (did not report data from PrEP users) |
| Hammer, 2021 | Burden of Mycoplasma genitalium and Bacterial Coinfections in a Population-Based Sample in New Mexico | Sexually transmitted diseases | 10.1097/OLQ.000000000001472 | Population (did not report data from PrEP users) |
| Han, 2015 | Unusually low prevalence of mycoplasma genitalium and trichomonas vaginalis in urine samples from Chinese women attending a centre of prenatal diagnosis | Sexually Transmitted Infections | 10.1136/sextrans-2015-052270.389 | Population (did not report data from PrEP users) |
| Han, 2021 | Rectal mycoplasma genitalium in patients attending sexually transmitted disease clinics in China: An infection that cannot be ignored | Infection and Drug Resistance | 10.2147/IDR.S314775 | Population (did not report data from PrEP users) |
| Hanna, 2020 | Molecular epidemiology and socio-demographic risk factors of sexually transmitted infections among women in Lebanon | BMC Infectious Diseases | 10.1186/s12879-020-05066-8 | Population (did not report data from PrEP users) |

| Harling, 2020 | Effect of weighting for sampling and non-response on estimates of STI prevalence in the third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3) | Sexually Transmitted Infections | 10.1136/sextrans-2019-054342 | Population (did not report data from PrEP users) |
|------------------------|---|---------------------------------------|----------------------------------|--|
| Harrison, 2019 | Impact of mass drug administration of azithromycin for trachoma elimination on prevalence and azithromycin resistance of genital Mycoplasma genitalium infection | Sexually Transmitted Infections | 10.1136/sextrans-2018-053938 | Population (did not report data from PrEP users) |
| Harrison, 2019 | Mycoplasma genitalium Coinfection in Women With Chlamydia trachomatis Infection | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000001028 | Population (did not report data from PrEP users) |
| Hart, 2020 | Mycoplasma genitalium in Singapore is associated with Chlamydia trachomatis infection and displays high macrolide and Fluoroquinolone resistance rates | BMC Infectious Diseases | 10.1186/s12879-020-05019-1 | Population (did not report data from PrEP users) |
| Hay, 2015 | Prevalence and macrolide resistance of mycoplasma genitalium in South African women | Sexually Transmitted Diseases | 10.1097/OLQ.00000000000000246 | Population (did not report data from PrEP users) |
| Hay, 2016 | Which sexually active young female students are most at risk of pelvic inflammatory disease? A prospective study | Sex Transm Infect | 10.1136/sextrans-2015-052063 | Population (did not report data from PrEP users) |
| Henning, 2014 | Asymptomatic Mycoplasma genitalium infection amongst marginalised young people accessing a youth health service in Melbourne | International Journal of STD and AIDS | 10.1177/0956462413502317 | Population (did not report data from PrEP users) |
| Henning, 2021 | Homelessness, sex and a tale of two sexually transmitted infections | International Journal of STD and AIDS | 10.1177/0956462420958904 | Population (did not report data from PrEP users) |
| Hernandez, 2011 | High incidence of HIV and low HIV prevention coverage among men who have sex with men in Managua, Nicaragua | Sexually Transmitted Infections | 10.1136/sextrans-2011-050108.112 | Population (did not report data from PrEP users) |
| Hetem, 2021 | High prevalence and resistance rates of Mycoplasma genitalium among patients visiting two sexually transmitted infection clinics in the Netherlands | International Journal of STD and AIDS | 10.1177/0956462421999287 | Population (did not report data from PrEP users) |
| Hilmarsdóttir, 2020 | Prevalence of mycoplasma genitalium and antibiotic resistance- associated mutations in patients at a sexually transmitted infection clinic in Iceland, and comparison of the s-diamgtv and aptima mycoplasma genitalium assays for diagnosis | Journal of Clinical Microbiology | 10.1128/JCM.01084-20 | Population (did not report data from PrEP users) |
| Hoffman, 2019 | Provision of Sexually Transmitted Infection Services in a Mobile Clinic Reveals High Unmet Need in Remote Areas of South Africa: A Cross- sectional Study | Sexually Transmitted Diseases | 10.1097/OLQ.00000000000000931 | Population (did not report data from PrEP users) |
| Hokynar, 2018 | Prevalence of Mycoplasma genitalium and mutations associated with macrolide and fluoroquinolone resistance in Finland | International Journal of STD and AIDS | 10.1177/0956462418764482 | Population (did not report data from PrEP users) |
| Homfray, 2015 | Male circumcision and STI acquisition in Britain: Evidence from a national probability sample survey | PLoS ONE | 10.1371/journal.pone.0130396 | Population (did not report data from PrEP users) |
| Horseman, 2021 | Prevalence and Epidemiology of Mycoplasma genitalium in a Pacific- Region Military Population | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000001393 | Population (did not report data from PrEP users) |

| Howard, 2022 | AUDIT OF MYCOPLASMA GENITALIUM MANAGEMENT: CHALLENGES IN A LONDON CLINIC | Sexually Transmitted Infections | 10.1136/sextrans-BASHH-2022.113 | Population (did not report data from PrEP users) |
|---------------------|---|---|----------------------------------|---|
| Htun, 2022 | CHARACTERISTICS OF MYCOPLASMA GENITALIUM IN A UK SEXUAL HEALTH CLINIC | Sexually Transmitted Infections | 10.1136/sextrans-BASHH-2022.114 | Outcome (report results in number of samples, not patients) |
| Htun, 2022 | REVIEW OF MYCOPLASMA GENITALIUM POSITIVE CASES IN A UK SEXUAL HEALTH CLINIC | Sexually Transmitted Infections | 10.1136/sextrans-BASHH-2022.20 | Population (did not report the number of patients on PrEP) |
| Hu, 2022 | Prevalence of Mycoplasma Genitalium Infection and Resistance in Pregnant Women | American Journal of Obstetrics and Gynecology | 10.1016/j.ajog.2021.11.1283 | Population (did not report data from PrEP users) |
| Huppert, 2013 | Abnormal Vaginal pH and Mycoplasma genitalium Infection | Journal of Pediatric and Adolescent Gynecology | 10.1016/j.jpag.2012.09.005 | Population (did not report data from PrEP users) |
| Ikonomidis, 2016 | Prevalence of Chlamydia trachomatis, Ureaplasma spp., Mycoplasma genitalium and Mycoplasma hominis among outpatients in central Greece: Absence of tetracycline resistance gene tet(M) over a 4-year period study | New Microbes and New Infections | 10.1016/j.nmni.2015.11.005 | Population (did not report data from PrEP users) |
| Ito, 2012 | Prevalence of genital mycoplasmas and ureaplasmas in men younger than 40 years-of-age with acute epididymitis | International Journal of Urology | 10.1111/j.1442-2042.2011.02917.x | Population (did not report data from PrEP users) |
| Ito, 2014 | Prevalence of genital mycoplasmas in asymptomatic male partners of women diagnosed as having chlamydial infections | Journal of Infection and Chemotherapy | 10.1016/j.jiac.2013.07.011 | Population (did not report data from PrEP users) |
| Ito, 2016 | Male non-gonococcal urethritis: From microbiological etiologies to demographic and clinical features | Int J Urol | 10.1111/iju.13044 | Population (did not report data from PrEP users) |
| Jalal, 2013 | Molecular epidemiology of selected sexually transmitted infections | International Journal of Molecular Epidemiology and Genetics | NR | Population (did not report data from PrEP users) |
| Jary, 2021 | Prevalence of cervical HPV infection, sexually transmitted infections and associated antimicrobial resistance in women attending cervical cancer screening in Mali | International Journal of Infectious Diseases | 10.1016/j.ijid.2021.06.024 | Population (did not report data from PrEP users) |
| Jenniskens, 2017 | Routine testing of Mycoplasma genitalium and Trichomonas vaginalis | Infectious Diseases | 10.1080/23744235.2017.1290271 | Population (did not report data from PrEP users) |
| Jensen, 2013 | Chlamydia trachomatis, Mycoplasma genitalium and Ureaplasma urealyticum among students in northern Norway | Journal of the European Academy of Dermatology and Venereology | 10.1111/j.1468-3083.2012.04528.x | Population (did not report data from PrEP users) |
| Jiang, 2015 | The prevalence of mycoplasma genitalium and chlamydia trachomatis at various anatomical sites of men who have sex with men in five cities of china | Sexually Transmitted Infections | 10.1136/sextrans-2015-052270.93 | Population (did not report data from PrEP users) |
| Jin, 2021 | Human papillomavirus prevalence in urine samples of asymptomatic male sexual partners of women with sexually transmitted diseases | International Journal of Environmental Research and Public Health | 10.3390/ijerph182111706 | Population (did not report data from PrEP users) |

| Jobe, 2014 | Epidemiology of sexually transmitted infections in rural southwestern Haiti: The grand'anse women's health study | American Journal of Tropical Medicine and Hygiene | 10.4269/ajtmh.13-0762 | Population (did not report data from PrEP |
|----------------|---|---|---------------------------------|--|
| | Train. The grand arise women's health study | Woodonie and Hygiene | | users) |
| Johnston, 2012 | High prevalence of Mycoplasma genitalium among female sex workers in honduras: Implications for the spread of HIV and other sexually transmitted infections | International Journal of STD and AIDS | 10.1258/ijsa.2009.009446 | Population (did not report data from PrEP users) |
| Jonduo, 2022 | Mycoplasma genitalium macrolide and fluoroquinolone resistance in pregnant women in Papua New Guinea | Sexually Transmitted Infections | 10.1136/sextrans-2022-055552 | Population (did not report data from PrEP users) |
| Jordan, 2019 | Prevalence and etiology of post-azithromycin persistent non- gonococcal urethritis (NGU) symptoms in men | Sexually Transmitted Infections | 10.1136/sextrans-2019-sti.849 | Population (did not report data from PrEP users) |
| Jordan, 2020 | Aetiology and prevalence of mixed-infections and mono-infections in non-gonococcal urethritis in men: A case-control study | Sexually Transmitted Infections | 10.1136/sextrans-2019-054121 | Population (did not report data from PrEP users) |
| Juliana, 2020 | The prevalence of chlamydia trachomatis and three other non-viral sexually transmitted infections among pregnant women in pemba island tanzania | Pathogens | 10.3390/pathogens9080625 | Population (did not report data from PrEP users) |
| Juliana, 2021 | The Natural Course of Chlamydia trachomatis, Neisseria gonorrhoeae, Trichomonas vaginalis, and Mycoplasma genitalium in Pregnant and Post-Delivery Women in Pemba Island, Tanzania | Microorganisms | 10.3390/microorganisms9061180 | Population (did not report data from PrEP users) |
| Juliana, 2021 | Vaginal microbiota characteristics and genital infections among pregnant women in Pemba Island, Tanzania | Sexually Transmitted Infections | 10.1136/sextrans-2021-sti.179 | Population (did not report data from PrEP users) |
| Justel, 2015 | Vertical transmission of bacterial eye infections, Angola, 2011-2012 | Emerg Infect Dis | 10.3201/eid2103.140312 | Population (did not report data from PrEP users) |
| Kaida, 2016 | High burden of asymptomatic genital tract infections among sexually active South African youth: considerations for HIV prevention programs | AIDS Research and Human Retroviruses | 10.1089/aid.2016.5000.abstracts | Population (did not report data from PrEP users) |
| Kaida, 2018 | A high burden of asymptomatic genital tract infections undermines the syndromic management approach among adolescents and young adults in South Africa: Implications for HIV prevention efforts | BMC Infectious Diseases | 10.1186/s12879-018-3380-6 | Population (did not report data from PrEP users) |
| Karim, 2021 | Bacterial sexually transmitted infections and syndromic approach: a study conducted on women at Moroccan University Hospital | GERMS | 10.18683/germs.2021.1289 | Population (did not report data from PrEP users) |
| Kazemian, 2022 | The prevalence of gonococcal and non-gonococcal infections in women referred to obstetrics and gynecology clinics | Infezioni in Medicina | 10.53854/liim-3002-10 | Population (did not report data from PrEP users) |
| Kenyon, 2021 | The Population-Level Effect of Screening for Mycoplasma genitalium on Antimicrobial Resistance: A Quasi-Experimental Study | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000001404 | Outcome |
| Kharsany, 2020 | Population prevalence of sexually transmitted infections in a high HIV burden district in KwaZulu-Natal, South Africa: Implications for HIV epidemic control | International Journal of Infectious Diseases | 10.1016/j.ijid.2020.06.046 | Population (did not report data from PrEP users) |
| Khatib, 2015 | Prevalence of Trichomonas vaginalis, Mycoplasma genitalium and Ureaplasma urealyticum in men with urethritis attending an urban sexual health clinic | International Journal of STD and AIDS | 10.1177/0956462414539464 | Population (did not report data from PrEP users) |

| Khattab, 2016 | Study of the prevalence and association of ocular chlamydial conjunctivitis in women with genital infection by Chlamydia trachomatis, Mycoplasma genitalium and Candida albicans attending outpatient clinic | International Journal of Ophthalmology | 10.18240/ijo.2016.08.15 | Population (did not report data from PrEP users) |
|---------------------|--|---|--------------------------------|--|
| Khosropour, 2014 | Suboptimal adherence to doxycycline and treatment outcomes among men with non-gonococcal urethritis: A prospective cohort study | Sexually Transmitted Infections | 10.1136/sextrans-2013-051174 | Population (did not report data from PrEP users) |
| Khosropour, 2020 | High Prevalence of Vaginal and Rectal Mycoplasma genitalium Macrolide Resistance among Female Sexually Transmitted Disease Clinic Patients in Seattle, Washington | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000001148 | Population (did not report data from PrEP users) |
| Khryanin, 2011 | The detection rate of chlamydia trachomatis and mycoplasma genitalium infections in std clinics in novosibirsk, Russian federation | Sexually Transmitted Infections | 10.1136/sextrans-2011-050108.5 | Population (did not report data from PrEP users) |
| Khryanin, 2012 | Detection rates of Mycoplasma genitalium and Chlamydia trachomatis infections in Novosibirsk, Siberia, in 2010-2011 | Sex Transm Infect | 10.1136/sextrans-2012-050596 | Population (did not report data from PrEP users) |
| Kim, 2011 | The prevalence and clinical significance of urethritis and cervicitis in asymptomatic people by use of multiplex polymerase chain reaction | Korean Journal of Urology | 10.4111/kju.2011.52.10.703 | Population (did not report data from PrEP users) |
| Kim, 2013 | Epidemiological trends of sexually transmitted infections among women in cheonan, south korea, 2006-2012 | Journal of Microbiology and Biotechnology | 10.4014/jmb.1306.06055 | Population (did not report data from PrEP users) |
| Kim, 2013 | The prevalence of sexually transmitted infections detected by nucleic acid amplification tests in symptomatic patients and asymptomatic volunteers | International Journal of Antimicrobial Agents | 10.1016/S0924-8579(13)70455-2 | Population (did not report data from PrEP users) |
| Kim, 2014 | Prevalence of sexually transmitted infections among healthy Korean women: Implications of multiplex PCR pathogen detection on antibiotic therapy | Journal of Infection and Chemotherapy | 10.1016/j.jiac.2013.08.005 | Population (did not report data from PrEP users) |
| Kim, 2017 | Effects of infections with five sexually transmitted pathogens on sperm quality | Clinical and Experimental Reproductive Medicine- Cerm | 10.5653/cerm.2017.44.4.207 | Population (did not report data from PrEP users) |
| Kim, 2017 | The prevalence of causative organisms of community-acquired urethritis in an age group at high risk for sexually transmitted infections in Korean Soldiers | Journal of the Royal Army Medical Corps | 10.1136/jramc-2015-000488 | Population (did not report data from PrEP users) |
| Kim, 2018 | Co-infection Of Ureaplasma urealyticum And Human Papilloma Virus In Asymptomatic Sexually Active Individuals | International Journal of Medical Sciences | 10.7150/ijms.26523 | Population (did not report data from PrEP users) |
| Kim, 2019 | Sexual behavior and sexually transmitted infection in the elderly population of south korea | Investigative and Clinical Urology | 10.4111/icu.2019.60.3.202 | Population (did not report data from PrEP users) |
| Kitaya, 2016 | Chronic Endometritis: Potential Cause of Infertility and Obstetric and Neonatal Complications | American Journal of Reproductive Immunology | 10.1111/aji.12438 | Population (did not report data from PrEP users) |
| Klavs, 2019 | Prevalence of chlamydia, Gonorrhoea, M. Genitalium and T. Vaginalis in the general population of Slovenia, 2016-2017 | Sexually Transmitted Infections | 10.1136/sextrans-2019-sti.472 | Population (did not report data from PrEP users) |

| Klavs, 2022 | Prevalence of sexually transmitted infections with Chlamydia trachomatis, Neisseria gonorrhoeae, Mycoplasma genitalium and Trichomonas vaginalis: findings from the National Survey of Sexual Lifestyles, Attitudes and Health, Slovenia, 2016 to 2017 | Euro surveillance : bulletin Europeen sur les maladies transmissibles = European communicable disease bulletin | 10.2807/1560- 7917.ES.2022.27.14.2100284 | Population (did not report data from PrEP users) |
|-----------------|--|--|---|--|
| Klein, 2019 | Relationship between the Cervical Microbiome, HIV Status, and Precancerous Lesions | Mbio | 10.1128/mBio.02785-18 | Population (did not report data from PrEP users) |
| Klein, 2020 | Mycoplasma co-infection is associated with cervical cancer risk | Cancers | 10.3390/cancers12051093 | Population (did not report data from PrEP users) |
| Klepac, 2021 | Prevalence of and risk factors for sexually transmitted infection with Chlamydia trachomatis to guide control measures: findings from the Slovenian National Survey of Sexual Lifestyles, Attitudes, and Health in 2016–2017 | Acta Dermatovenerologica Alpina, Pannonica et Adriatica | 10.15570/actaapa.2021.34 | Population (did not report data from PrEP users) |
| Kofler, 2020 | The role of hpv and non-hpv sexually transmitted infections in patients with oropharyngeal carcinoma: A case control study | Cancers | 10.3390/cancers12051192 | Population (did not report data from PrEP users) |
| Kogoj, 2018 | Epidemiology of Chlamydia trachomatis, Neisseria gonorrhoeae, and urogenital mycoplasma infections in central Slovenia | Clinical Chemistry and Laboratory Medicine | 10.1515/cclm-2018-0281 | Population (did not report data from PrEP users) |
| Korhonen, 2019 | The Prevalence of HSV, HHV-6, HPV and Mycoplasma genitalium in Chlamydia trachomatis positive and Chlamydia trachomatis Negative Urogenital Samples among Young Women in Finland | Pathogens | 10.3390/pathogens8040276 | Population (did not report data from PrEP users) |
| Kostera, 2020 | Demographics and population epidemiology of mycoplasma genitalium infection: Correlation to co-infection and prior STI history | Open Forum Infectious Diseases | 10.1093/ofid/ofaa439.1712 | Population (did not report data from PrEP users) |
| Kostera, 2021 | Prevalence and epidemiological factors associated with trichomonas vaginalis infection in a us multicenter STI clinical study | Sexually Transmitted Infections | 10.1136/sextrans-2021-sti.233 | Population (did not report data from PrEP users) |
| Kriesel, 2016 | Multiplex PCR testing for nine different sexually transmitted infections | Int J STD AIDS | 10.1177/0956462415615775 | Population (did not report data from PrEP users) |
| Krotik, 2021 | CHARACTERISTICS OF THE VAGINAL MICROBIOTA, CERVICAL AND UTERINE FLORA IN WOMEN WITH THE PAST HISTORY OF SEXUALLY TRANSMITTED INFECTIONS | Wiadomosci lekarskie (Warsaw, Poland : 1960) | 10.36740/wlek202104116 | Population (did not report data from PrEP users) |
| Kufa, 2018 | The demographic and clinical profiles of women presenting with vaginal discharge syndrome at primary care facilities in South Africa: Associations with age and implications for management | S. Afr. med. j. (Online) | NR | Population (did not report data from PrEP users) |
| Kularatne, 2022 | Etiological Surveillance of Male Urethritis Syndrome in South Africa: 2019 to 2020 | Sexually Transmitted Diseases | 10.1097/OLQ.000000000001647 | Population (did not report data from PrEP users) |
| Kumar, 2011 | Aetiology of urethral discharge syndrome and its association with sexual practices among males attending STI clinics in India | Sexually Transmitted Infections | 10.1136/sextrans-2011-050108.420 | Population (did not report data from PrEP users) |
| Kwan, 2022 | Frequency of sexually transmitted organisms in pelvic infections and their response to treatment | Medical Journal of Malaysia | NR | Population (did not report data from PrEP users) |

| Kye-Hyun, 2012 | Vaginal Candida and Microorganisms Related to Sexual Transmitted Diseases in Women with Symptoms of Vaginitis | Korean Journal of Clinical Microbiology | NR | Population (did not report data from PrEP users) |
|-----------------|--|---|-----------------------------------|---|
| Lallemand, 2015 | Prevalence of mycoplasma genitalium in patients visiting HIV counselling institutions in north-rhine-westphalia, Germany (STI-hit study) | Sexually Transmitted Infections | 10.1136/sextrans-2015-052270.391 | Population (did not report data from PrEP users) |
| Lapii, 2019 | Ultrastructural Analysis of Urethral Polyps against the Background of Urogenital Infection | Bull Exp Biol Med | 10.1007/s10517-019-04625-7 | Population (did not report data from PrEP users) |
| Latif, 2020 | Relationship between lead contaminations with the cervical inflammatory in iraqi women of baghdad | Biochemical and Cellular Archives | NR | Population (did not report data from PrEP users) |
| Latimer, 2019 | Clinical Features and Therapeutic Response in Women Meeting Criteria for Presumptive Treatment for Pelvic Inflammatory Disease Associated with Mycoplasma genitalium | Sexually Transmitted Diseases | 10.1097/OLQ.00000000000000924 | Population (did not report data from PrEP users) |
| Latimer, 2019 | Extragenital mycoplasma genitalium infections amongst men who have sex with men | Sexually Transmitted Infections | 10.1136/sextrans-2019-sti.115 | Outcome (report results in number of samples, not patients) |
| Latimer, 2021 | The clinical indications for testing women for Mycoplasma genitalium | Sexually Transmitted Infections | 10.1136/sextrans-2020-054818 | Population (did not report data from PrEP users) |
| Lau, 2021 | A cross-sectional study on the relationship between endocervical polymorphonuclear cell counts and chlamydial cervicitis in female patients in Hong Kong | Hong Kong Journal of Dermatology & Venereology | NR | Population (did not report data from PrEP users) |
| Le Roux, 2017 | PREVALENCE AND MOLECULAR ANALYSIS OF MYCOPLASMA GENITALIUM STRAINS ISOLATED FROM PREGNANT WOMEN AT AN ACADEMIC HOSPITAL IN PRETORIA, SOUTH AFRICA | Sexually Transmitted Infections | 10.1136/sextrans-2017-053264.145 | Population (did not report data from PrEP users) |
| Le Roux, 2017 | Quantitative Real-Time Polymerase Chain Reaction for the Diagnosis of Mycoplasma genitalium Infection in South African Men with and Without Symptoms of Urethritis | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000000540 | Population (did not report data from PrEP users) |
| Le Roy, 2016 | Fluoroquinolone-resistant mycoplasma genitalium, Southwestern France | Emerging Infectious Diseases | 10.3201/eid2209.160446 | Population (did not report data from PrEP users) |
| Le, 2017 | The detection of microorganisms related to urethritis from the oral cavity of male patients with urethritis | Journal of Infection and Chemotherapy | 10.1016/j.jiac.2017.06.011 | Population (did not report data from PrEP users) |
| Le, 2022 | Ureaplasma urealyticum and Mycoplasma genitalium detection and sperm quality: A cross-sectional study in Vietnam | International Journal of Reproductive BioMedicine | 10.18502/ijrm.v20i3.10710 | Population (did not report data from PrEP users) |
| Lee, 2016 | The evaluation and risk assessment of sexually transmitted disease in Korean adolescents at risk | International Journal of Infectious Diseases | 10.1016/j.ijid.2016.02.465 | Population (did not report data from PrEP users) |
| Lee, 2021 | Emergence of antibiotic-resistant Mycoplasma genitalium as the cause of non-gonococcal urethritis in male patients at a sexually transmitted infection clinic | Int J Antimicrob Agents | 10.1016/j.ijantimicag.2021.106510 | Population (did not report data from PrEP users) |
| Lee, 2022 | Performance of two commercial multiplex polymerase chain reaction assays for the etiological diagnosis of sexually transmitted infections among men who have sex with men | Journal of microbiology, immunology, and infection = Wei mian yu gan ran za zhi | 10.1016/j.jmii.2022.08.009 | Population (did not report data from PrEP users) |

| Lee, NR | Coinfections with multiple sexually transmitted pathogens in Republic of Korea, 2018-2020 | Journal of Clinical Laboratory Analysis | 10.1002/jcla.24682 | Population (did not report data from PrEP users) |
|----------------|--|--|-----------------------------------|--|
| Lefebvre, 2017 | Prevalence of mycoplasma genitalium infection and relationship with symptoms among adults attending a sexual health centre | Acta Dermato-Venereologica | 10.2340/00015555-2585 | Population (did not report data from PrEP users) |
| Leli, 2018 | Prevalence of cervical colonization by Ureaplasma parvum, Ureaplasma urealyticum, Mycoplasma hominis and Mycoplasma genitalium in childbearing age women by a commercially available multiplex real-time PCR: An Italian observational multicentre study | Journal of Microbiology, Immunology and Infection | 10.1016/j.jmii.2017.05.004 | Population (did not report data from PrEP users) |
| Leon, 2016 | Molecular detection of sexually transmitted agents in a symptomatic group of men and its relationship with sexual behavior | Revista Chilena De Infectologia | 10.4067/s0716-10182016000500003 | Population (did not report data from PrEP users) |
| Lewis, 2011 | Trends in the aetiology of sexually transmitted infections and HIV coinfections among STI patients attending alexandra health centre, Johannesburg, South Africa (2007-2010) | Sexually Transmitted Infections | 10.1136/sextrans-2011-050108.9 | Population (did not report data from PrEP users) |
| Lewis, 2012 | Prevalence and associations of genital ulcer and urethral pathogens in men presenting with genital ulcer syndrome to primary health care clinics in South Africa | Sexually Transmitted Diseases | 10.1097/OLQ.0b013e318269cf90 | Population (did not report data from PrEP users) |
| Lewis, 2013 | Trends and associations of Neisseria Gonorrhoeae infection in men and women with genital discharge syndromes in Johannesburg, South Africa | Sexually Transmitted Infections | 10.1136/sextrans-2013-051184.0739 | Population (did not report data from PrEP users) |
| Lewis, 2019 | Estimating population burden of pelvic inflammatory disease due to mycoplasma genitalium in England: An evidence synthesis | Sexually Transmitted Infections | 10.1136/sextrans-2019-sti.671 | Population (did not report data from PrEP users) |
| Lewis, 2020 | Incidence of pelvic inflammatory disease associated with mycoplasma genitalium infection: Evidence synthesis of cohort study data | Clinical Infectious Diseases | 10.1093/cid/ciaa419 | Population (did not report data from PrEP users) |
| Li, 2018 | THE HIGH MACROLIDE RESISTANCE IN GENITAL TRACT INFECTION OF CHINESE INFERTILE POPULATION SHOULD RECEIVE MORE ATTENTION | Fertility and Sterility | NR | Population (did not report data from PrEP users) |
| Li, 2020 | Mycoplasma genitalium in symptomatic male urethritis: Macrolide use is associated with increased resistance | Clinical Infectious Diseases | 10.1093/cid/ciz294 | Population (did not report data from PrEP users) |
| Li, 2020 | Mycoplasma genitalium incidence, treatment failure, and resistance: a retrospective survey of men of infertile couples from a hospital in China | Andrology | 10.1111/andr.12646 | Population (did not report data from PrEP users) |
| Li, NR | Rapid Detection of Antimicrobial Resistance in Mycoplasma genitalium by High-Resolution Melting Analysis with Unlabeled Probes | Microbiology Spectrum | 10.1128/spectrum.01014-22 | Population (did not report data from PrEP users) |
| Libois, 2015 | Prevalence of Mycoplasma genitalium in men with urethritis in a large hospital in Brussels, Belgium | International Journal of STD and AIDS | 10.1177/0956462415601768 | Population (did not report data from PrEP users) |
| Libois, 2018 | Prevalence of Mycoplasma genitalium in men with urethritis in a large public hospital in Brussels, Belgium: An observational, cross-sectional study | Plos One | 10.1371/journal.pone.0196217 | Population (did not report data from PrEP users) |

| Lillis, 2011 | Utility of Urine, Vaginal, Cervical, and Rectal Specimens for Detection of Mycoplasma genitalium in Women | Journal of Clinical Microbiology | 10.1128/jcm.00129-11 | Population (did not report data from PrEP users) |
|-------------------------|---|---|-------------------------------|--|
| Lillis, 2019 | Mycoplasma genitalium Infections in Women Attending a Sexually Transmitted Disease Clinic in New Orleans | Clinical Infectious Diseases | 10.1093/cid/ciy922 | Population (did not report data from PrEP users) |
| Lima, 2018 | Sexually Transmitted Infections Detected by Multiplex Real Time PCR in Asymptomatic Women and Association with Cervical Intraepithelial Neoplasia | Revista Brasileira De Ginecologia E Obstetricia | 10.1055/s-0038-1669994 | Population (did not report data from PrEP users) |
| Limin, 2012 | Clinical analysis of mvcoplasma infection and female associated diseases | Chinese Journal of Postgraduates of Medicine | NR | Full text not found |
| Liu, 2020 | HIV prevalence among 338,432 infertile individuals in Hunan, China, 2012-2018: A cross-sectional study | PLoS ONE | 10.1371/journal.pone.0238564 | Population (did not report data from PrEP users) |
| Liu, 2022 | Analysis of Ureaplasma urealyticum, Chlamydia trachomatis, Mycoplasma genitalium and Neisseria gonorrhoeae infections among obstetrics and gynecological outpatients in southwest China: a retrospective study | BMC Infectious Diseases | 10.1186/s12879-021-06966-z | Population (did not report data from PrEP users) |
| Ljubin-Sternak, 2014 | Mycoplasma genitalium – Sexually transmitted pathogen that cannot be ignored | Infektoloski Glasnik | NR | Population (did not report data from PrEP users) |
| Ljubin-Sternak, 2017 | Assessing the need for routine screening for mycoplasma genitalium in the low-risk female population: A prevalence and co-infection study on women from Croatia | International Journal of Preventive Medicine | 10.4103/ijpvm.IJPVM_309_16 | Population (did not report data from PrEP users) |
| Llangarí-Arizo, 2021 | Sexually transmitted infections and factors associated with risky sexual practices among female sex workers: A cross sectional study in a large Andean city | PLoS ONE | 10.1371/journal.pone.0250117 | Population (did not report data from PrEP users) |
| Lockhart, 2018 | Prospective Evaluation of Cervicovaginal Self- and Cervical Physician Collection for the Detection of Chlamydia trachomatis, Neisseria gonorrhoeae, Trichomonas vaginalis, and Mycoplasma genitalium Infections | Sexually Transmitted Diseases | 10.1097/OLQ.00000000000000778 | Population (did not report data from PrEP users) |
| Lockhart, 2019 | Prevalence and risk factors of trichomonas vaginalis among female sexual workers in Nairobi, Kenya | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000001002 | Population (did not report data from PrEP users) |
| Lokken, 2017 | Association of Recent Bacterial Vaginosis With Acquisition of Mycoplasma genitalium | Am J Epidemiol | 10.1093/aje/kwx043 | Population (did not report data from PrEP users) |
| Lopez-Arias, 2019 | Genital association of human papillomavirus with Mycoplasma and Ureaplasma spp. in Mexican women with precancerous lesions | International Journal of STD and AIDS | 10.1177/0956462419855508 | Population (did not report data from PrEP users) |
| López-Corbeto, 2020 | Pooling of urine samples for molecular detection of Chlamydia trachomatis, Neisseria gonorrhoeae and Mycoplasma genitalium as a screening strategy among young adults in Catalonia | Enfermedades Infecciosas y Microbiologia Clinica | 10.1016/j.eimc.2019.05.003 | Population (did not report data from PrEP users) |
| Lovett, 2022 | Cervicovaginal Microbiota Predicts Neisseria gonorrhoeae Clinical Presentation | Frontiers in Microbiology | 10.3389/fmicb.2021.790531 | Population (did not report data from PrEP users) |

| Lusk, 2011 | Mycoplasma genitalium is associated with cervicitis and HIV infection in an urban Australian STI clinic population | Sexually Transmitted Infections | 10.1136/sti.2010.045138 | Population (did not report data from PrEP users) |
|----------------------------|--|--|---------------------------------|--|
| Lusk, 2016 | Cervicitis aetiology and case definition: A study in Australian women attending sexually transmitted infection clinics | Sexually Transmitted Infections | 10.1136/sextrans-2015-052332 | Population (did not report data from PrEP users) |
| Lusk, 2017 | Cervicitis: a prospective observational study of empiric azithromycin treatment in women with cervicitis and non-specific cervicitis | International Journal of STD and AIDS | 10.1177/0956462416628319 | Population (did not report data from PrEP users) |
| Macones, 2012 | Discussion: 'Mycoplasma genitalium in cervicitis and pelvic inflammatory disease' by Bjartling et al | American Journal of Obstetrics and Gynecology | 10.1016/j.ajog.2012.04.020 | Population (did not report data from PrEP users) |
| Macones, 2012 | Mycoplasma genitalium in cervicitis and pelvic inflammatory disease: Bjartling et al | American Journal of Obstetrics and Gynecology | 10.1016/j.ajog.2012.04.013 | Population (did not report data from PrEP users) |
| Magaña- Contreras, 2015 | Prevalence of sexually transmitted pathogens associated with HPV infection in cervical samples in a Mexican population | Journal of Medical Virology | 10.1002/jmv.24278 | Population (did not report data from PrEP users) |
| Magdaleno, 2020 | Prevalencia de la infección por Mycoplasma genitalium en mujeres embarazadas | Acta bioquím. clín. latinoam | NR | Population (did not report data from PrEP users) |
| Mahlangu, 2019 | The Prevalence of Mycoplasma genitalium and Association With Human Immunodeficiency Virus Infection in Symptomatic Patients, Johannesburg, South Africa, 2007-2014 | Sexually Transmitted Diseases | 10.1097/olq.0000000000000984 | Population (did not report data from PrEP users) |
| Mahlangu, 2022 | Molecular Characterization and Detection of Macrolide and Fluoroquinolone Resistance Determinants in Mycoplasma genitalium in South Africa, 2015 to 2018 | Sexually Transmitted Diseases | 10.1097/olq.0000000000001631 | Population (did not report data from PrEP users) |
| Maina, 2021 | Diagnostic accuracy of the syndromic management of four stis among individuals seeking treatment at a health centre in nairobi, kenya: A cross-sectional study | Pan African Medical Journal | 10.11604/pamj.2021.40.138.25166 | Population (did not report data from PrEP users) |
| Malaguti, 2015 | Sensitive detection of thirteen bacterial vaginosis-associated agents using multiplex polymerase chain reaction | BioMed Research International | 10.1155/2015/645853 | Population (did not report data from PrEP users) |
| Manhart, 2013 | Bacterial vaginosis-associated bacteria in men: Association of Leptotrichia/Sneathia spp. with nongonococcal urethritis | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000000054 | Population (did not report data from PrEP users) |
| Manhart, 2013 | Mycoplasma Genitalium infection in sub-Saharan Africa: how big is the problem? | Sex Transm Dis | 10.1097/OLQ.0b013e3182924b3b | Population (did not report data from PrEP users) |
| Manhart, 2017 | Mycoplasma genitalium on the Loose: Time to Sound the Alarm | Sex Transm Dis | 10.1097/olq.0000000000000665 | Population (did not report data from PrEP users) |
| Manhart, 2020 | Characteristics of mycoplasma genitalium urogenital infections in a diverse patient sample from the United States: Results from the aptima mycoplasma genitalium evaluation study (AMES) | Journal of Clinical Microbiology | 10.1128/JCM.00165-20 | Population (did not report data from PrEP users) |
| Mansson, 2010 | High prevalence of HIV-1, HIV-2 and other sexually transmitted infections among women attending two sexual health clinics in Bissau, Guinea-Bissau, West Africa | International Journal of STD and AIDS | 10.1258/ijsa.2010.009584 | Population (did not report data from PrEP users) |

| Marlowe, 2019 | Trichomonas vaginalis detection in female specimens with cobas® TV/MG for use on the cobas® 6800/8800 systems | European Journal of Microbiology and Immunology | 10.1556/1886.2019.00004 | Population (did not report data from PrEP users) |
|----------------------|--|---|------------------------------|--|
| Martín-Saco, 2022 | Mycoplasma genitalium and sexually transmitted infections: evidences and figures in a tertiary hospital | Revista Espanola de Quimioterapia | 10.37201/req/091.2021 | Population (did not report data from PrEP users) |
| Marvast, 2017 | Relationship between Chlamydia trachomatis and Mycoplasma genitalium infection and pregnancy rate and outcome in Iranian infertile couples | Andrologia | 10.1111/and.12747 | Population (did not report data from PrEP users) |
| Mavedzenge, 2012 | The association between Mycoplasma genitalium and HIV-1 acquisition in African women | AIDS | 10.1097/QAD.0b013e32834ff690 | Population (did not report data from PrEP users) |
| Mawu, 2011 | Sexually transmissible infections among female sex workers in Manado, Indonesia, using a multiplex polymerase chain reaction-based reverse line blot assay | Sexual Health | 10.1071/SH10023 | Population (did not report data from PrEP users) |
| Mbah, 2022 | Association between Chlamydia trachomatis, Neisseria gonorrhea, Mycoplasma genitalium, and Trichomonas vaginalis and Secondary Infertility in Cameroon: A case-control study | PLoS ONE | 10.1371/journal.pone.0263186 | Population (did not report data from PrEP users) |
| McAuliffe, 2019 | Barriers to testing and management of Mycoplasma genitalium infections in primary care | International Journal of STD and AIDS | 10.1177/0956462419859757 | Population (did not report data from PrEP users) |
| McClellan, 2017 | Analytical Validation of an Analyte Specific Reagent (ASR) for Mycoplasma genitalium Detection and Point Prevalence Assessment | Journal of Molecular Diagnostics | NR | Population (did not report data from PrEP users) |
| McKechnie, 2011 | The prevalence of urogenital micro-organisms detected by a multiplex PCR-reverse line blot assay in women attending three sexual health clinics in Sydney, Australia | Journal of Medical Microbiology | 10.1099/jmm.0.029108-0 | Population (did not report data from PrEP users) |
| Mehta, 2012 | The effect of medical male circumcision on urogenital mycoplasma genitalium among men in Kisumu, Kenya | Sexually Transmitted Diseases | 10.1097/OLQ.0b013e318240189c | Population (did not report data from PrEP users) |
| Melendez, 2022 | Retrospective Analysis of Ugandan Men with Urethritis Reveals Mycoplasma genitalium and Associated Macrolide Resistance | Microbiol Spectrum | 10.1128/spectrum.02304-21 | Population (did not report data from PrEP users) |
| Menezes, 2022 | Prevalence and Factors Associated with Mycoplasma genitalium Infection in At-risk Adolescent Females | Journal of Pediatric and Adolescent Gynecology | 10.1016/j.jpag.2022.01.036 | Population (did not report data from PrEP users) |
| Mezzini, 2013 | Mycoplasma genitalium: Prevalence in men presenting with urethritis to a South Australian public sexual health clinic | Internal Medicine Journal | 10.1111/imj.12103 | Population (did not report data from PrEP users) |
| Mezzini, 2013 | Mycoplasma genitalium: prevalence in men presenting with urethritis to a South Australian public sexual health clinic (vol 43, pg 494, 2013) | Internal Medicine Journal | NR | Population (did not report data from PrEP users) |
| Mhlongo, 2010 | Etiology and STI/HIV coinfections among patients with urethral and vaginal discharge syndromes in South Africa | Sexually Transmitted Diseases | 10.1097/OLQ.0b013e3181d877b7 | Population (did not report data from PrEP users) |
| Mirnejad, 2011 | Simultaneous and rapid differential diagnosis of Mycoplasma genitalium and Ureaplasma urealyticum based on a polymerase chain reaction-restriction fragment length polymorphism | Indian Journal of Medical Microbiology | 10.4103/0255-0857.76521 | Population (did not report data from PrEP users) |

| Mlisana, 2012 | Symptomatic vaginal discharge is a poor predictor of sexually transmitted infections and genital tract inflammation in high-risk women in South Africa | Journal of Infectious Diseases | 10.1093/infdis/jis298 | Population (did not report data from PrEP users) |
|-----------------------|--|---|---------------------------------------|--|
| Mo, 2016 | Prevalence and correlates of Mycoplasma genitalium infection among prostatitis patients in Shanghai, China | Sexual Health | 10.1071/SH15155 | Population (did not report data from PrEP users) |
| Mobley, 2012 | Mycoplasma genitalium infection in women attending a sexually transmitted infection clinic: Diagnostic specimen type, coinfections, and predictors | Sexually Transmitted Diseases | 10.1097/OLQ.0b013e318255de03 | Population (did not report data from PrEP users) |
| Moghadam, 2014 | Isolation and molecular identification of mycoplasma genitalium from the secretion of genital tract in infertile male and female | Iranian Journal of Reproductive Medicine | NR | Population (did not report data from PrEP users) |
| Moi, 2017 | Urethral inflammatory response to ureaplasma is significantly lower than to Mycoplasma genitalium and Chlamydia trachomatis | International Journal of STD and AIDS | 10.1177/0956462416666482 | Population (did not report data from PrEP users) |
| Molin, 2016 | Is the risk for sexually transmissible infections (STI) lower among women with exclusively female sexual partners compared with women with male partners? A retrospective study based on attendees at a Norwegian STI clinic from 2004 to 2014 | Sexual Health | 10.1071/SH15193 | Population (did not report data from PrEP users) |
| Molina, 2021 | Incidence of HIV infection with daily or on-demand oral prep with TDF/FTC in france | Topics in Antiviral Medicine | NR | Population (did not report data from PrEP users) |
| Molina, 2022 | Daily and on-demand HIV pre-exposure prophylaxis with emtricitabine and tenofovir disoproxil (ANRS PREVENIR): a prospective observational cohort study | The Lancet HIV | 10.1016/S2352-3018(22)00133-3 | Outcome |
| Mondeja, 2018 | Mycoplasma genitalium infections in Cuba: surveillance of urogenital syndromes, 2014–2015 | International Journal of STD and AIDS | 10.1177/0956462418767186 | Population (did not report data from PrEP users) |
| Moore, 2021 | Mycoplasma genitalium and Bacterial Vaginosis-Associated Bacteria in a Non-Clinic-Based Sample of African American Women | Sexually transmitted diseases | 10.1097/OLQ.0000000000001275 | Population (did not report data from PrEP users) |
| Moran, 2022 | Evaluating specimen pooling for Neisseria gonorrhoeae, Chlamydia trachomatis, and Mycoplasma genitalium screening in asymptomatic men who have sex with men | Int J STD AIDS | 10.1177/09564624221100098 | Population (did not report data from PrEP users) |
| Moridi, 2021 | Prevalence determination of m. hominis and m. genitalium in the semen samples in the northeast of iran using culture and multiplex polymerase chain reaction | Archives of Razi Institute | 10.22092/ari.2019.125966.1338 | Population (did not report data from PrEP users) |
| Mortaki, 2020 | Prevalence of cervico-vaginal high-risk HPV types and other sexually transmitted pathogens in anogenital warts patients | Anticancer Research | 10.21873/anticanres.14183 | Full text not found |
| Mortamedifar, 2020 | The prevalence of bacteriospermia in infertile men and association with semen quality in southwestern Iran | Infectious Disorders - Drug Targets | 10.2174/187152651966618112318211 6 | Full text not found |
| Mounzer, 2021 | Are We Hitting the Target? HIV Pre-Exposure Prophylaxis from 2012 to 2020 in the OPERA Cohort | AIDS Patient Care and STDs | 10.1089/apc.2021.0064 | Outcome |
| Mousavi, 2014 | Detection of genital mycoplasmal infections among infertile females by multiplex PCR | Iranian Journal of Microbiology | NR | Population (did not report data from PrEP users) |

| Mueller, 2020 | Sexually transmitted coinfections in patients with anogenital warts – a retrospective analysis of 196 patients | JDDG - Journal of the German Society of Dermatology | 10.1111/ddg.14060 | Population (did not report data from PrEP users) |
|----------------------|--|---|-------------------------------|--|
| Müller, 2012 | Development of a rotor-gene real-time PCR assay for the detection and quantification of Mycoplasma genitalium | Journal of Microbiological Methods | 10.1016/j.mimet.2011.12.017 | Population (did not report data from PrEP users) |
| Muller, 2019 | Macrolide and fluoroquinolone resistance-associated mutations in Mycoplasma genitalium in Johannesburg, South Africa, 2007-2014 | BMC Infectious Diseases | 10.1186/s12879-019-3797-6 | Population (did not report data from PrEP users) |
| Mulligan, 2019 | Prevalence, Macrolide Resistance, and Fluoroquinolone Resistance in Mycoplasma genitalium in Men Who Have Sex with Men Attending an Sexually Transmitted Disease Clinic in Dublin, Ireland in 2017-2018 | Sexually Transmitted Diseases | 10.1097/OLQ.00000000000000940 | Population (did not report data from PrEP users) |
| Muñoz Santa, 2021 | Mycoplasma genitalium: Analysis of mutations associated with macrolide resistance in Lleida, Spain | Enfermedades Infecciosas y Microbiologia Clinica | 10.1016/j.eimc.2021.02.004 | Population (did not report data from PrEP users) |
| Muñoz Santa, 2022 | Mycoplasma genitalium: Analysis of mutations associated with macrolide resistance in Lleida, Spain | Enferm Infecc Microbiol Clin (Engl Ed) | 10.1016/j.eimce.2021.02.010 | Population (did not report the number of patients on PrEP) |
| Munson, 2016 | Clinical Laboratory Assessment of Mycoplasma genitalium Transcription-Mediated Amplification Using Primary Female Urogenital Specimens | Journal of Clinical Microbiology | 10.1128/jcm.02463-15 | Population (did not report data from PrEP users) |
| Munson, 2017 | Clinical laboratory assessments for Mycoplasma genitalium in a high- prevalence sexually-transmitted infection community reveal epidemiologic dichotomies with Trichomonas vaginalis | Expert Review of Anti- Infective Therapy | 10.1080/14787210.2017.1265887 | Population (did not report data from PrEP users) |
| Munson, 2017 | Expansion of comprehensive screening of male sexually transmitted infection clinic attendees with Mycoplasma genitalium and Trichomonas vaginalis molecular assessment: A retrospective analysis | Journal of Clinical Microbiology | 10.1128/JCM.01625-16 | Population (did not report data from PrEP users) |
| Munson, 2017 | Molecular Diagnostics Update for the Emerging (If Not Already Widespread) Sexually Transmitted Infection Agent Mycoplasma genitalium: Just About Ready for Prime Time | J Clin Microbiol | 10.1128/jcm.00818-17 | Population (did not report data from PrEP users) |
| Munson, 2020 | Comprehensive Molecular Screening in a Cohort of Young Men Who Have Sex With Men and Transgender Women: Effect of Additive Rectal Specimen Source Collection and Analyte Testing | Sex Transm Dis | 10.1097/olq.0000000000001244 | Population (did not report data from PrEP users) |
| Munson, 2021 | Molecular screening in a longitudinal cohort of young men who have sex with men and young transgender women: Associations with focus on the emerging sexually transmitted pathogen Mycoplasma genitalium | Sexually Transmitted Infections | 10.1136/sextrans-2020-054463 | Population (did not report data from PrEP users) |
| Murray, 2019 | The impact of sample storage on molecular-based detection of Mycoplasma genitalium | Journal of Applied Microbiology | 10.1111/jam.14359 | Population (did not report data from PrEP users) |
| Murray, 2022 | parC Variants in Mycoplasma genitalium: Trends over Time and Association with Moxifloxacin Failure | Antimicrob Agents Chemother | 10.1128/aac.00278-22 | Population (did not report data from PrEP users) |
| Muzny, 2011 | Sexually transmitted infections and risk behaviors among African American women who have sex with women: Does sex with men make a difference? | Sexually Transmitted Diseases | 10.1097/OLQ.0b013e31822e6179 | Population (did not report data from PrEP users) |

| Muzny, 2014 | Sexual partnership characteristics of African American women who have sex with women; impact on sexually transmitted infection risk | Sex Transm Dis | 10.1097/olq.000000000000194 | Population (did not report data from PrEP users) |
|--------------------------|---|--|------------------------------------|--|
| Mwasakifwa, 2020 | Proctitis in gay and bisexual men. Are microscopy and proctoscopy worthwhile? | Sexually Transmitted Infections | 10.1136/sextrans-2019-054197 | Outcome |
| NA, 2015 | STI and HIV World Congress 2015 | Sexually Transmitted Infections | NR | Population (did not report data from PrEP users) |
| NA, 2020 | BASHH Virtual Annual Conference | International Journal of STD and AIDS | NR | Population (did not report data from PrEP users) |
| Nakashima, 2014 | Prevalence of human papillomavirus infection in the oropharynx and urine among sexually active men: A comparative study of infection by papillomavirus and other organisms, including Neisseria gonorrhoeae, Chlamydia trachomatis, Mycoplasma spp., and Ureaplasma spp | BMC Infectious Diseases | 10.1186/1471-2334-14-43 | Population (did not report data from PrEP users) |
| Napierala, 2015 | Detection of Mycoplasma genitalium from male primary urine specimens: An epidemiologic dichotomy with Trichomonas vaginalis | Diagnostic Microbiology and Infectious Disease | 10.1016/j.diagmicrobio.2015.03.016 | Population (did not report data from PrEP users) |
| Napierala, 2015 | Mycoplasma genitalium is associated with increased genital HIV type 1 RNA in zimbabwean women | Journal of Infectious Diseases | 10.1093/infdis/jiu644 | Population (did not report data from PrEP users) |
| Nemirosky, 2021 | Macrolide resistance in Mycoplasma genitalium in Catalonia, Spain: a 1 year prospective study | Journal of Antimicrobial Chemotherapy | 10.1093/jac/dkab224 | Population (did not report data from PrEP users) |
| Ng, 2016 | Trichomonas vaginalis infection: How significant is it in men presenting with recurrent or persistent symptoms of urethritis? | International Journal of STD and AIDS | 10.1177/0956462415571372 | Population (did not report data from PrEP users) |
| Ng, 2020 | Molecular detection of mycoplasma genitalium in endocervical swabs and associated rates of macrolide and fluoroquinolone resistance in hong kong | Hong Kong Medical Journal | 10.12809/hkmj208507 | Population (did not report data from PrEP users) |
| Nguyen, 2022 | Investigating the microbial pathogens of sexually transmitted infections among heterosexual Vietnamese men with symptomatic urethritis | Aging Male | 10.1080/13685538.2022.2063272 | Population (did not report data from PrEP users) |
| Nijhuis, 2021 | Prevalence of Chlamydia trachomatis, Neisseria gonorrhoeae, Mycoplasma genitalium and Trichomonas vaginalis including relevant resistance-associated mutations in a single center in the Netherlands | European Journal of Clinical Microbiology and Infectious Diseases | 10.1007/s10096-020-04061-w | Population (did not report data from PrEP users) |
| Nilsen, 2011 | Low prevalence of Mycoplasma genitalium in patients examined for Chlamydia trachomatis | Tidsskrift for den Norske lægeforening : tidsskrift for praktisk medicin, ny række | NR | Population (did not report data from PrEP users) |
| Nodjikouambaye , 2019 | Accuracy of curable sexually transmitted infections and genital mycoplasmas screening by multiplex real-time PCR using a self-collected veil among adult women in Sub-Saharan Africa | Infectious Diseases in Obstetrics and Gynecology | 10.1155/2019/8639510 | Population (did not report data from PrEP users) |
| Nolskog, 2019 | STI with Mycoplasma genitalium—more common than Chlamydia trachomatis in patients attending youth clinics in Sweden | European Journal of Clinical Microbiology and Infectious Diseases | 10.1007/s10096-018-3395-3 | Population (did not report data from PrEP users) |
| NR, 2010 | Sexually transmitted infections | FMC Formacion Medica Continuada en Atencion Primaria | 10.1016/S1134-2072(10)70112-2 | Population (did not report data from PrEP users) |

| Nye, 2020 | Prevalence of Mycoplasma genitalium infection in women with bacterial vaginosis | BMC Women's Health | 10.1186/s12905-020-00926-6 | Population (did not report data from PrEP users) |
|---------------------|--|---|-------------------------------|--|
| Oakeshott, 2010 | Is Mycoplasma genitalium in women the "new chlamydia?" A community-based prospective cohort study | Clinical Infectious Diseases | 10.1086/656739 | Population (did not report data from PrEP users) |
| Obermeier, 2019 | Mycoplasma genitalium resistance against macrolide antibiotics in the Berlin MSM cohort tested with the Allplex MG & AziR Assay (SeeGene) | Hiv Medicine | NR | Population (did not report data from PrEP users) |
| Oh, 2021 | Mycoplasma genitalium and mycoplasma hominis infection in south korea during 2018-2020 | Iranian Journal of Microbiology | 10.18502/ijm.v13i5.7423 | Population (did not report data from PrEP users) |
| Oh, 2022 | Laboratory Investigation of Sexually Transmitted Infections in the Elderly Population of South Korea | Microbiology and Biotechnology Letters | 10.48022/mbl.2204.04006 | Population (did not report data from PrEP users) |
| Oliphant, 2013 | Cervicitis: Limited clinical utility for the detection of Mycoplasma genitalium in a cross-sectional study of women attending a New Zealand sexual health clinic | Sexual Health | 10.1071/SH12168 | Population (did not report data from PrEP users) |
| Oliphant, 2016 | Pelvic inflammatory disease associated with Chlamydia trachomatis but not Mycoplasma genitalium in New Zealand | Sexual Health | 10.1071/SH14238 | Population (did not report data from PrEP users) |
| Olson, 2021 | Mycoplasma genitalium infection in women reporting dysuria: A pilot study and review of the literature | Int J STD AIDS | 10.1177/09564624211030040 | Population (did not report data from PrEP users) |
| Ona, 2016 | Mycoplasma genitalium: An Overlooked Sexually Transmitted Pathogen in Women? | Infectious Diseases in Obstetrics and Gynecology | 10.1155/2016/4513089 | Population (did not report data from PrEP users) |
| Ondondo, 2010 | Differential association of ureaplasma species with non-gonococcal urethritis in heterosexual men | Sexually Transmitted Infections | 10.1136/sti.2009.040394 | Population (did not report data from PrEP users) |
| Ong, 2017 | Should female partners of men with non-gonococcal urethritis, negative for Chlamydia trachomatis and Mycoplasma genitalium, be informed and treated? Clinical outcomes from a partner study of heterosexual men with NGU | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000000546 | Population (did not report data from PrEP users) |
| Ong, 2018 | Clinical Characteristics of Anorectal Mycoplasma genitalium Infection and Microbial Cure in Men Who Have Sex with Men | Sexually Transmitted Diseases | 10.1097/OLQ.00000000000000793 | Population (did not report data from PrEP users) |
| Ong, 2019 | Clinical Characteristics of Mycoplasma genitalium and the Usefulness of Syndromic Management Among Women Living With Human Immunodeficiency Virus | Sex Transm Dis | 10.1097/olq.000000000001054 | Population (did not report data from PrEP users) |
| Ong, 2019 | Prevalence and Ántimicrobial Resistance of Mycoplasma genitalium Infection among Women Living with Human Immunodeficiency Virus in South Africa: A Prospective Cohort Study | Clinical Infectious Diseases | 10.1093/cid/ciz045 | Population (did not report data from PrEP users) |
| Opolskiene, 2021 | The use of vaginal wet smear: can we predict Mycoplasmas/Ureaplasmas? | Archives of Gynecology and Obstetrics | 10.1007/s00404-021-05976-1 | Population (did not report data from PrEP users) |

| Orzechowska, 2022 | Comparative Analysis of the Incidence of Selected Sexually Transmitted Bacterial Infections in Poland in 2010-2015: A Retrospective Cohort Study | Journal of Clinical Medicine | 10.3390/jcm11040998 | Population (did not report data from PrEP users) |
|-----------------------------|--|--|------------------------------|--|
| Otgonjargala, 2017 | Effect of Mycoplasma hominis and cytomegalovirus infection on pregnancy outcome: A prospective study of 200 Mongolian women and their newborns | PLoS ONE | 10.1371/journal.pone.0173283 | Population (did not report data from PrEP users) |
| Ouzounova- Raykova, 2011 | Detection of the sexually transmissible genital mycoplasmas by polymerase chain reaction in women | Sexual Health | 10.1071/SH11044 | Population (did not report data from PrEP users) |
| Ouzounova- Raykova, 2018 | GENITAL MYCOPLASMAS AND UREAPLASMAS AND ABNORMAL SEMEN QUALITY IN INFERTILE BULGARIAN MEN | Comptes Rendus De L Academie Bulgare Des Sciences | 10.7546/crabs.2018.07.15 | Full text not found |
| Pai, 2013 | Prevalence of sexually transmitted diseases among men who have sex with men in some cities of Jiangsu province | Chinese Journal of Dermatology | NR | Full text not found |
| Panos, 2018 | Prevalence studies of M. genitalium and other sexually transmitted pathogens in high risk individuals indicate the need for comprehensive investigation of STIs for accurate diagnosis and effective treatment | GERMS | 10.18683/germs.2018.1127 | Population (did not report data from PrEP users) |
| Papeš, 2017 | Detection of sexually transmitted pathogens in patients with chronic prostatitis/chronic pelvic pain: a prospective clinical study | International Journal of STD and AIDS | 10.1177/0956462417691440 | Population (did not report data from PrEP users) |
| Park, 2017 | Prevalence of and Risk Factors for Sexually Transmitted Infections among Korean Adolescents under Probation | Journal of Korean medical science | 10.3346/jkms.2017.32.11.1771 | Population (did not report data from PrEP users) |
| Park, 2020 | Prevalence and correlated factors of sexually transmitted infections among women attending a Korean sexual assault center | Journal of Forensic and Legal Medicine | 10.1016/j.jflm.2020.101935 | Population (did not report data from PrEP users) |
| Parmar, 2021 | High Prevalence of Macrolide and Fluoroquinolone Resistance- Mediating Mutations in Mycoplasma genitalium -Positive Urine Specimens from Saskatchewan | Sexually Transmitted Diseases | 10.1097/OLQ.000000000001402 | Population (did not report data from PrEP users) |
| Paulsen, 2016 | Prevalence of M. genitalium and U. urealyticum in urine tested for C. trachomatis | Tidsskrift for den Norske lægeforening : tidsskrift for praktisk medicin, ny række | 10.4045/tidsskr.14.1574 | Population (did not report data from PrEP users) |
| Payne, 2016 | Ureaplasma parvum genotype, combined vaginal colonisation with Candida albicans, and spontaneous preterm birth in an Australian cohort of pregnant women | BMC Pregnancy and Childbirth | 10.1186/s12884-016-1110-x | Population (did not report data from PrEP users) |
| Peacock, 2022 | Successful Identification of Mixed Vaginal Infections Requires Comprehensive Testing | Obstetrics and Gynecology | NR | Population (did not report data from PrEP users) |
| Pebdeni, 2022 | Bacteriospermia and its association with seminal fluid parameters and infertility in infertile men, Kerman, Iran: A cross-sectional study | International Journal of Reproductive BioMedicine | 10.18502/ijrm.v20i3.10712 | Population (did not report data from PrEP users) |
| Pecavar, 2021 | Pre-exposure prophylaxis for HIV with oral tenofovir disoproxil fumarate/emtricitabine in men who have sex with men: Slovenian national demonstration project | International Journal of STD and AIDS | 10.1177/09564624211019876 | Outcome |
| Peretz, 2020 | Mycoplasma and Ureaplasma carriage in pregnant women: The prevalence of transmission from mother to newborn | BMC Pregnancy and Childbirth | 10.1186/s12884-020-03147-9 | Population (did not report data from PrEP users) |

| Pereyre, 2017 | Mycoplasma genitalium and Trichomonas vaginalis in France: a point prevalence study in people screened for sexually transmitted diseases | Clinical Microbiology and Infection | 10.1016/j.cmi.2016.10.028 | Population (did not report data from PrEP users) |
|-----------------|---|---|------------------------------------|--|
| Pereyre, 2022 | Prevalence of macrolide and fluoroquinolone resistance-associated mutations in Mycoplasma genitalium in metropolitan and overseas France | Sexually Transmitted Infections | 10.1136/sextrans-2022-055466 | Population (did not report data from PrEP users) |
| Perin, 2021 | Maternal and Fetal Outcomes in an Observational Cohort of Women With Mycoplasma genitalium Infections | Sexually transmitted diseases | 10.1097/OLQ.000000000001569 | Population (did not report data from PrEP users) |
| Peters, 2021 | Lack of macrolide resistance in Mycoplasma genitalium infections in a cohort of pregnant women in South Africa | Sexually Transmitted Infections | 10.1136/sextrans-2020-054583 | Population (did not report data from PrEP users) |
| Petrov, 2021 | Distribution of Mycoplasma spp. and Ureaplasma spp. among pregnant women | Journal of IMAB - Annual Proceeding (Scientific Papers) | 10.5272/JIMAB.2021271.3630 | Population (did not report data from PrEP users) |
| Peuchant, 2012 | Prevalence and risk factors associated with Chlamydia trachomatis, Neisseria gonorrhoeae and Mycoplasma genitalium infections in French pregnant women | Clinical Microbiology and Infection | 10.1111/j.1469-0691.2012.03802.x | Population (did not report data from PrEP users) |
| Peuchant, 2015 | Screening for Chlamydia trachomatis, Neisseria gonorrhoeae, and Mycoplasma genitalium should it be integrated into routine pregnancy care in French young pregnant women? | Diagnostic Microbiology and Infectious Disease | 10.1016/j.diagmicrobio.2015.01.014 | Population (did not report data from PrEP users) |
| Philipova, 2017 | Mycoplasma genitalium: Prevalence and clinical significance in Sofia municipality | Problems of Infectious and Parasitic Diseases | NR | Population (did not report data from PrEP users) |
| Philipova, 2022 | Azithromycin treatment failure and macrolide resistance in Mycoplasma genitalium infections in Sofia, Bulgaria | Folia Med (Plovdiv) | 10.3897/folmed.64.e63624 | Population (did not report data from PrEP users) |
| Pietro, 2020 | The swiss STAR trial - An evaluation of target groups for sexually transmitted infection screening in the sub-sample of women | Swiss Medical Weekly | 10.4414/smw.2020.20393 | Population (did not report data from PrEP users) |
| Pintye, 2014 | Association between male circumcision and incidence of syphilis in men and women: a prospective study in HIV-1 serodiscordant heterosexual African couples | Lancet Global Health | 10.1016/s2214-109x(14)70315-8 | Population (did not report data from PrEP users) |
| Piscopo, 2020 | Increased prevalence of endocervical Mycoplasma and Ureaplasma colonization in infertile women with tubal factor | Jornal Brasileiro De Reproducao Assistida | 10.5935/1518-0557.20190078 | Population (did not report data from PrEP users) |
| Pitt, 2021 | Prevalence of Chlamydia trachomatis and Mycoplasma genitalium coinfections and M. genitalium antimicrobial resistance in rectal specimens | Sexually Transmitted Infections | 10.1136/sextrans-2020-054803 | Population (did not report data from PrEP users) |
| Pitt, 2022 | Antimicrobial resistance in bacterial sexually transmitted infections | Medicine (United Kingdom) | 10.1016/j.mpmed.2022.02.006 | Population (did not report data from PrEP users) |
| Plecko, 2014 | Unusually low prevalence of Mycoplasma genitalium in urine samples from infertile men and healthy controls: A prevalence study | BMJ Open | 10.1136/bmjopen-2014-005372 | Population (did not report data from PrEP users) |
| Plummer, 2021 | Are Mycoplasma hominis, Ureaplasma urealyticum and Ureaplasma parvum Associated with Specific Genital Symptoms and Clinical Signs in Nonpregnant Women? | Clinical Infectious Diseases | 10.1093/cid/ciab061 | Population (did not report data from PrEP users) |

| Pond, 2014 | High prevalence of antibiotic-resistant mycoplasma genitalium in nongonococcal urethritis: The need for routine testing and the inadequacy of current treatment options | Clinical Infectious Diseases | 10.1093/cid/cit752 | Population (did not report data from PrEP users) |
|-----------------------|--|---|-------------------------------|--|
| Qing, 2017 | Prevalence of Chlamydia trachomatis, Neisseria gonorrhoeae, Mycoplasma genitalium and Ureaplasma urealyticum infections using a novel isothermal simultaneous RNA amplification testing method in infertile males | Annals of Clinical Microbiology and Antimicrobials | 10.1186/s12941-017-0220-2 | Population (did not report data from PrEP users) |
| Quentin, 2012 | Microbiologic basis of diagnosis and treatment of pelvic inflammatory disease | Journal De Gynecologie Obstetrique Et Biologie De La Reproduction | 10.1016/j.jgyn.2012.09.015 | Population (did not report data from PrEP users) |
| Raffe, 2022 | Diagnostic tests for sexually transmitted infections | Medicine (United Kingdom) | 10.1016/j.mpmed.2022.01.004 | Population (did not report data from PrEP users) |
| Rahimkhani, 2018 | Detection of urinary Chlamydia trachomatis, Mycoplasma genitalium and human papilloma virus in the first trimester of pregnancy by PCR method | Annals of Clinical Microbiology and Antimicrobials | 10.1186/s12941-018-0276-7 | Population (did not report data from PrEP users) |
| Ramazanzadeh, 2016 | A Case–control Study on the Relationship between Mycoplasma genitalium Infection in Women with Normal Pregnancy and Spontaneous Abortion using Polymerase Chain Reaction | Osong Public Health and Research Perspectives | 10.1016/j.phrp.2016.07.001 | Population (did not report data from PrEP users) |
| Ramien, 2016 | Prevalence and Therapy Refractoriness of Mycoplasma-genitalium- infections in HIV-positive and HIV-negative Patients | Journal Der Deutschen Dermatologischen Gesellschaft | NR | Population (did not report data from PrEP users) |
| Randjelovic, 2018 | The Role of Polymorphonuclear Leukocyte Counts from Urethra, Cervix, and Vaginal Wet Mount in Diagnosis of Nongonococcal Lower Genital Tract Infection | Infectious Diseases in Obstetrics and Gynecology | 10.1155/2018/8236575 | Population (did not report data from PrEP users) |
| Rane, 2014 | Characteristics of acute nongonococcal urethritis in men differ by sexual preference | J Clin Microbiol | 10.1128/jcm.00899-14 | Population (did not report data from PrEP users) |
| Rawre, 2019 | Distribution of Chlamydia trachomatis omp A genotypes in patients attending a sexually transmitted disease outpatient clinic in New Delhi, India | Indian Journal of Medical Research | 10.4103/ijmr.IJMR_1171_17 | Population (did not report data from PrEP users) |
| Redelinghuys, 2015 | A cross-sectional study on the relationship of age, gestational age and HIV infection to bacterial vaginosis and genital mycoplasma infection | BMJ Open | 10.1136/bmjopen-2015-008530 | Population (did not report data from PrEP users) |
| Refaat, 2016 | The prevalence of Chlamydia trachomatis and Mycoplasma genitalium tubal infections and their effects on the expression of IL-6 and leukaemia inhibitory factor in Fallopian tubes with and without an ectopic pregnancy | Innate Immunity | 10.1177/1753425916662326 | Population (did not report data from PrEP users) |
| Reichert, 2019 | High seroprevalence of mycoplasma genitalium in the general adult population of Germany | Sexually Transmitted Infections | 10.1136/sextrans-2019-sti.679 | Population (did not report data from PrEP users) |
| Reinton, 2013 | Anatomic distribution of Neisseria gonorrhoeae, Chlamydia trachomatis and Mycoplasma genitalium infections in men who have sex with men | Sexual Health | 10.1071/SH12092 | Population (did not report data from PrEP users) |
| Reinton, 2015 | Analysis of direct-to-consumer marketed Chlamydia trachomatis diagnostic tests in Norway | Sexual Health | 10.1071/SH14216 | Population (did not report data from PrEP users) |

| Rekha, 2019 | Occurrence of Mycoplasma genitalium in the peritoneal fluid of fertile and infertile women with detailed analysis among infertile women | Microbial Pathogenesis | 10.1016/j.micpath.2019.02.006 | Population (did not report data from PrEP users) |
|----------------------|---|--|-------------------------------|--|
| Relich, 2018 | Clinical Evaluation of the Aptima Mycoplasma genitalium Assay Reveals the Prevalence of Mycoplasma genitalium Infection among Patients Tested for other Sexually Transmitted Pathogens in Indiana | Journal of Molecular Diagnostics | NR | Population (did not report data from PrEP users) |
| Ribeiro, 2019 | Pre-exposure prophylaxis counseling in a community sexual health clinic for men who have sex with men in Lisbon, Portugal | Acta Medica Portuguesa | 10.20344/amp.11474 | Population (did not report data from PrEP users) |
| Rietmeijer, 2018 | The Etiology of Male Urethral Discharge in Zimbabwe: Results from the Zimbabwe STI Etiology Study | Sex Transm Dis | 10.1097/olq.00000000000000696 | Population (did not report data from PrEP users) |
| Ring, 2022 | High Rates of Asymptomatic Mycoplasma genitalium Infections With High Proportion of Genotypic Resistance to First-Line Macrolide Treatment Among Men Who Have Sex With Men Enrolled in the Zurich Primary HIV Infection Study | Open Forum Infectious Diseases | 10.1093/ofid/ofac217 | Population (did not report data from PrEP users) |
| Rivaya, 2022 | Detection and Prevalence of Macrolide and Fluoroquinolone Resistance in Mycoplasma genitalium in Badalona, Spain | Antibiotics (Basel) | 10.3390/antibiotics11040485 | Population (did not report data from PrEP users) |
| Rodrigues, 2011 | Frequency of Chlamydia trachomatis, Neisseria gonorrhoeae, Mycoplasma genitalium, Mycoplasma hominis and Ureaplasma species in cervical samples | Journal of Obstetrics and Gynaecology | 10.3109/01443615.2010.548880 | Population (did not report data from PrEP users) |
| Rodrigues, 2019 | Sexually transmitted infections among HIV-infected and HIV- uninfected women in the Tapajós region, Amazon, Brazil: Self- collected vs. Clinician-collected samples | PLoS ONE | 10.1371/journal.pone.0215001 | Population (did not report data from PrEP users) |
| Rodríguez, 2015 | Estudio retrospectivo en el diagnóstico de Mycoplasma y Ureaplasma en muestra seminal de 89 pacientes en la Ciudad de México | Rev. Fac. Med. UNAM | NR | Population (did not report data from PrEP users) |
| Ronda, 2018 | Does the Sex Risk Quiz Predict Mycoplasma genitalium Infection in Urban Adolescents and Young Adult Women? | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000000874 | Population (did not report data from PrEP users) |
| Rowlands, 2017 | Microbial invasion of the amniotic cavity in midtrimester pregnancies using molecular microbiology | American Journal of Obstetrics and Gynecology | 10.1016/j.ajog.2017.02.051 | Population (did not report data from PrEP users) |
| Rowlinson, 2021 | Incidence of Nongonococcal Urethritis in Men Who Have Sex With Women and Associated Risk Factors | Sexually transmitted diseases | 10.1097/OLQ.000000000001314 | Population (did not report data from PrEP users) |
| Roxby, 2019 | Mycoplasma genitalium infection among HIV-infected pregnant African women and implications for mother-to-child transmission of HIV | AIDS | 10.1097/QAD.0000000000002335 | Population (did not report data from PrEP users) |
| Roy, 2021 | Association of Chlamydia trachomatis, Neisseria gonorrhoeae, Mycoplasma genitalium and Ureaplasma species infection and organism load with cervicitis in north Indian population | Lett Appl Microbiol | 10.1111/lam.13520 | Population (did not report data from PrEP users) |
| Rumyantseva, 2015 | Evaluation of the new AmpliSens multiplex real-time PCR assay for simultaneous detection of Neisseria gonorrhoeae, Chlamydia trachomatis, Mycoplasma genitalium, and Trichomonas vaginalis | APMIS | 10.1111/apm.12430 | Population (did not report data from PrEP users) |

| Sadrpour, 2013 | Detection of Chlamydia trachomatis and Mycoplasma genitalium in semen samples of infertile men using multiplex PCR | Tehran University Medical Journal | NR | Population (did not report data from PrEP users) |
|-------------------------------|---|--|------------------------------------|--|
| Saigal, 2016 | Genital Mycoplasma and Chlamydia trachomatis infections in patients with genital tract infections attending a tertiary care hospital of North India | Indian Journal of Pathology and Microbiology | 10.4103/0377-4929.182019 | Population (did not report data from PrEP users) |
| Salado- Rasmussen, 2022 | Clinical Importance of Superior Sensitivity of the Aptima TMA-Based Assays for Mycoplasma genitalium Detection | Journal of Clinical Microbiology | 10.1128/jcm.02369-21 | Population (did not report data from PrEP users) |
| Salado, 2014 | Mycoplasma genitalium testing pattern and macrolide resistance: A Danish nationwide retrospective survey | Clinical Infectious Diseases | 10.1093/cid/ciu217 | Population (did not report data from PrEP users) |
| Saldanha, 2020 | STIs in adolescents: Chlamydia, gonorrhea, mycoplasma genitalium, and HPV | Current Problems in Pediatric and Adolescent Health Care | 10.1016/j.cppeds.2020.100835 | Population (did not report data from PrEP users) |
| Sameni, 2022 | Evaluation of Ureaplasma urealyticum, Chlamydia trachomatis, Mycoplasma genitalium and Neisseria gonorrhoeae in infertile women compared to pregnant women | Journal of Obstetrics and Gynaecology | 10.1080/01443615.2022.2035328 | Population (did not report data from PrEP users) |
| Samra, 2011 | Direct simultaneous detection of 6 sexually transmitted pathogens from clinical specimens by multiplex polymerase chain reaction and auto-capillary electrophoresis | Diagnostic Microbiology and Infectious Disease | 10.1016/j.diagmicrobio.2010.12.001 | Population (did not report data from PrEP users) |
| Sanchez-Garcia, 2021 | Molecular epidemiology of bacterial vaginosis and its association with genital micro-organisms in asymptomatic women | Journal of Medical Microbiology | 10.1099/JMM.0.001044 | Population (did not report data from PrEP users) |
| Santa, 2022 | Report of sexually transmitted infections prevalence in asymptomatic pregnant women under 25 years old in Lleida, Spain | Revista Espanola de Quimioterapia | 10.37201/req/100.2021 | Population (did not report data from PrEP users) |
| Sarier, 2019 | Prevalence of polymicrobial infection in urethritis | Journal of Urological Surgery | 10.4274/jus.galenos.2019.2405 | Population (did not report data from PrEP users) |
| Saunders, 2013 | Factors associated with asymptomatic non-chlamydial non- gonococcal urethritis in heterosexual men: Findings from a case- control study | International Journal of STD and AIDS | 10.1177/0956462413477554 | Population (did not report data from PrEP users) |
| Scaglione, 2022 | Molecular Epidemiology of Genital Infections in Campania Region: A Retrospective Study | Diagnostics | 10.3390/diagnostics12081798 | Population (did not report data from PrEP users) |
| Schmidt, 2020 | The swiss STAR trial - An evaluation of target groups for sexually transmitted infection screening in the sub-sample of men | Swiss Medical Weekly | 10.4414/smw.2020.20392 | Population (did not report data from PrEP users) |
| Scoullar, 2021 | Mycoplasma genitalium and Other Reproductive Tract Infections in Pregnant Women, Papua New Guinea, 2015-2017 | Emerg Infect Dis | 10.3201/eid2703.201783 | Population (did not report data from PrEP users) |
| Se-Jin, 2013 | Comparison of the Anyplex II STI-7 and Seeplex STD6 ACE Detection Kits for the Detection of Sexually Transmitted Infections | Journal of Laboratory Medicine and Quality Assurance | NR | Population (did not report data from PrEP users) |
| Sellami, 2014 | Molecular detection of Chlamydia trachomatis and other sexually transmitted bacteria in semen of male partners of infertile couples in | PLoS ONE | 10.1371/journal.pone.0098903 | Population (did not report data from PrEP users) |

| | Tunisia: The effect on semen parameters and spermatozoa apoptosis markers | | | |
|----------------------|---|--|----------------------------------|--|
| Seña, 2012 | Chlamydia trachomatis, Mycoplasma genitalium, and Trichomonas vaginalis Infections in Men With Nongonococcal Urethritis: Predictors and Persistence After Therapy | Journal of Infectious Diseases | 10.1093/infdis/jis356 | Population (did not report data from PrEP users) |
| Seña, 2017 | A silent epidemic: The prevalence, incidence and persistence of mycoplasma genitalium in young asymptomatic women in the United States | Sexually Transmitted Infections | 10.1136/sextrans-2017-053264.182 | Population (did not report data from PrEP users) |
| Seña, 2018 | A silent epidemic: The prevalence, incidence and persistence of mycoplasma genitalium among young, asymptomatic high-risk women in the United States | Clinical Infectious Diseases | 10.1093/cid/ciy025 | Population (did not report data from PrEP users) |
| Seo, 2014 | Prevalence of trichomonas vaginalis by PCR in men attending a primary care urology clinic in South Korea | Korean Journal of Parasitology | 10.3347/kjp.2014.52.5.551 | Population (did not report data from PrEP users) |
| Shah, 2014 | Performance and comparison of self-reported STI symptoms among high-risk populations – MSM, sex workers, persons living with HIV/AIDS – in El Salvador | International Journal of STD and AIDS | 10.1177/0956462414526860 | Population (did not report data from PrEP users) |
| Shigehara, 2011 | Prevalence of genital Mycoplasma, Ureaplasma, Gardnerella, and human papillomavirus in Japanese men with urethritis, and risk factors for detection of urethral human papillomavirus infection | Journal of Infection and Chemotherapy | 10.1007/s10156-010-0203-0 | Population (did not report data from PrEP users) |
| Shilling, 2021 | Chlamydia trachomatis and Mycoplasma genitalium prevalence and associated factors among women presenting to a pregnancy termination and contraception clinic, 2009-2019 | Sexually Transmitted Infections | 10.1136/sextrans-2020-054695 | Population (did not report data from PrEP users) |
| Shimada, 2014 | Bacterial loads of Ureaplasma urealyticum contribute to development of urethritis in men | International Journal of Std & Aids | 10.1177/0956462413504556 | Population (did not report data from PrEP users) |
| Shipitsyna, 2013 | Sexual behaviours, knowledge and attitudes regarding safe sex, and prevalence of non-viral sexually transmitted infections among attendees of youth clinics in St. Petersburg, Russia | Journal of the European Academy of Dermatology and Venereology | 10.1111/j.1468-3083.2012.04512.x | Population (did not report data from PrEP users) |
| Shipitsyna, 2020 | Bacterial vaginosis-associated vaginal microbiota is an age- independent risk factor for Chlamydia trachomatis, Mycoplasma genitalium and Trichomonas vaginalis infections in low-risk women, St. Petersburg, Russia | Eur J Clin Microbiol Infect Dis | 10.1007/s10096-020-03831-w | Population (did not report data from PrEP users) |
| Short, 2010 | Mycoplasma genitalium among young, urban pregnant women | Infectious Diseases in Obstetrics and Gynecology | 10.1155/2010/984760 | Population (did not report data from PrEP users) |
| Short, 2010 | The demographic, sexual health and behavioural correlates of Mycoplasma genitalium infection among women with clinically suspected pelvic inflammatory disease | Sexually Transmitted Infections | 10.1136/sti.2009.037721 | Population (did not report data from PrEP users) |
| Siahkali, 2018 | Identification of herpes simplex virus, chlamydia trachomatis, and mycoplasma genitalium in infertile seminal fluid samples using multiplex-PCR in Kerman province, Iran (2016) | Iranian Journal of Obstetrics, Gynecology and Infertility | 10.22038/ijogi.2018.10714 | Population (did not report data from PrEP users) |
| Sienkiewicz, 2021 | Incidence and laboratory diagnosis of sexually-transmitted infections among university students in a high-prevalence community | Journal of American college health : J of ACH | 10.1080/07448481.2021.1899185 | Population (did not report data from PrEP users) |
| Silva, 2018 | Genital mycoplasmas and ureaplasmas in cervicovaginal self- collected samples of reproductive-age women: prevalence and risk factors | International Journal of STD and AIDS | 10.1177/0956462418774209 | Population (did not report data from PrEP users) |

| Silveira, 2020 | Prevalence and risk factors associated with Chlamydia trachomatis, Neisseria gonorrhoeae, and Mycoplasma genitalium among women in Pelotas, Southern Brazil | International Journal of STD and AIDS | 10.1177/0956462419898982 | Population (did not report data from PrEP users) |
|------------------------------|---|---|-------------------------------|--|
| Smaoui, 2019 | Human miscarriage and infection in tunisia: Role of mycoplasma hominis and high waddlia seroprevalence | Journal of Infection in Developing Countries | 10.3855/jidc.9829 | Population (did not report data from PrEP users) |
| Smieszek, 2015 | Improving our Understanding of Mycoplasma Genitalium Epidemiology: A Re-Analysis of Two Cohort Studies | International Journal of Epidemiology | NR | Population (did not report data from PrEP users) |
| Smieszek, 2016 | Apparently-different clearance rates from cohort studies of Mycoplasma genitalium are consistent after accounting for incidence of infection, recurrent infection, and study design | PLoS ONE | 10.1371/journal.pone.0149087 | Population (did not report data from PrEP users) |
| Smolec, 2021 | Occurrence of urogenital mycoplasmas in men with the common genitourinary diseases | Brazilian Journal of Microbiology | 10.1007/s42770-021-00620-1 | Population (did not report data from PrEP users) |
| Smullin, 2020 | Prevalence and incidence of Mycoplasma genitalium in a cohort of HIV-infected and HIV-uninfected pregnant women in Cape Town, South Africa | Sexually Transmitted Infections | 10.1136/sextrans-2019-054255 | Population (did not report data from PrEP users) |
| Soni, 2010 | The prevalence of urethral and rectal Mycoplasma genitalium and its associations in men who have sex with men attending a genitourinary medicine clinic | Sexually Transmitted Infections | 10.1136/sti.2009.038190 | Population (did not report data from PrEP users) |
| Sonmez, 2018 | Evaluation of symptomatic patients with resistant discharge | Acta Dermatovenerologica Croatica | NR | Population (did not report data from PrEP users) |
| Sonnenberg, 2015 | Epidemiology of Mycoplasma genitalium in British men and women aged 16-44 years: Evidence from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3) | International Journal of Epidemiology | 10.1093/ije/dyv194 | Population (did not report data from PrEP users) |
| Souza, 2013 | Short report: Simultaneous detection of seven sexually transmitted agents in human immunodeficiency virus-infected Brazilian women by multiplex polymerase chain reaction | American Journal of Tropical Medicine and Hygiene | 10.4269/ajtmh.13-0315 | Population (did not report data from PrEP users) |
| Spiller, 2020 | Mycoplasma genitalium prevalence in Welsh sexual health patients: Low antimicrobial resistance markers and no association of symptoms to bacterial load | Microbial Pathogenesis | 10.1016/j.micpath.2019.103872 | Population (did not report data from PrEP users) |
| Spornraft- Ragaller, 2020 | Prevalence and antibiotic resistance of rectal Mollicutes in HIV- infected men who have sex with men at the University Hospital of Dresden, Germany | Infection | 10.1007/s15010-019-01386-3 | Population (did not report data from PrEP users) |
| Spornraft- Ragaller, 2021 | Antimicrobial resistance of Mycoplasma genitalium and treatment outcome in men attending a STI and HIV center in Dresden | Infection | NR | Population (did not report data from PrEP users) |
| Srinivasan, 2021 | Urethral Microbiota in Men: Association of Haemophilus influenzae and Mycoplasma penetrans With Nongonococcal Urethritis | Clinical infectious diseases : an official publication of the Infectious Diseases Society of America | 10.1093/cid/ciaa1123 | Population (did not report data from PrEP users) |
| Stafford, 2021 | Retrospective analysis of infection and antimicrobial resistance patterns of Mycoplasma genitalium among pregnant women in the southwestern USA | BMJ Open | 10.1136/bmjopen-2021-050475 | Population (did not report data from PrEP users) |

| Stephen, 2019 | Molecular Diagnosis of Sexually Transmitted Infections (STI) in Symptomatic Women of Puducherry by a Commercial Real Time Multiplex PCR, FTD Urethritis Plus - A Preliminary Report | Journal of Pure and Applied Microbiology | 10.22207/jpam.13.3.55 | Population (did not report data from PrEP users) |
|--------------------------|---|--|------------------------------------|--|
| Stewart, 2020 | Should we routinely test for Mycoplasma genitalium when testing for other sexually transmitted infections? | Medical Journal of Australia | 10.5694/mja2.50399 | Population (did not report data from PrEP users) |
| Sturt, 2021 | Association of Female Genital Schistosomiasis with the Cervicovaginal Microbiota and Sexually Transmitted Infections in Zambian Women | Open Forum Infectious Diseases | 10.1093/ofid/ofab438 | Population (did not report data from PrEP users) |
| Suehiro, 2019 | Association of human papillomavirus and bacterial vaginosis with increased risk of high-grade squamous intraepithelial cervical lesions | International Journal of Gynecological Cancer | 10.1136/ijgc-2018-000076 | Population (did not report data from PrEP users) |
| Suehiro, 2021 | High molecular prevalence of hpv and other sexually transmitted infections in a population of asymptomatic women who work or study at a brazilian university | Revista do Instituto de Medicina Tropical de Sao Paulo | 10.1590/s1678-9946202163001 | Population (did not report data from PrEP users) |
| Sutton, 2018 | Cost-effectiveness of microscopy of urethral smears for asymptomatic Mycoplasma genitalium urethritis in men in England | International Journal of STD and AIDS | 10.1177/0956462417717651 | Population (did not report data from PrEP users) |
| Svenstrup, 2014 | A cross-sectional study of Mycoplasma genitalium infection and correlates in women undergoing population-based screening or clinic-based testing for Chlamydia infection in London | Bmj Open | 10.1136/bmjopen-2013-003947 | Population (did not report data from PrEP users) |
| Sweeney, 2019 | Levels of mycoplasma genitalium antimicrobial resistance differ by both region and gender in the state of Queensland, Australia: Implications for treatment guidelines | Journal of Clinical Microbiology | 10.1128/JCM.01555-18 | Population (did not report data from PrEP users) |
| Sweeney, 2022 | Factors associated with pelvic inflammatory disease: A case series analysis of family planning clinic data | Womens Health (Lond) | 10.1177/17455057221112263 | Population (did not report data from PrEP users) |
| Tabrizi, 2016 | Evaluation of the Hologic Panther Transcription-Mediated Amplification Assay for Detection of Mycoplasma genitalium | Journal of Clinical Microbiology | 10.1128/jcm.01038-16 | Population (did not report data from PrEP users) |
| Tagg, 2013 | Fluoroquinolone and macrolide resistance-associated mutations in Mycoplasma genitalium | Journal of Clinical Microbiology | 10.1128/JCM.00495-13 | Population (did not report data from PrEP users) |
| Taher, 2020 | A real-time polymerase chain reactionassay for the simultaneous detection of sexually transmitted pathogens in women | Indian Journal of Public Health Research and Development | 10.37506/v11/i2/2020/ijphrd/195218 | Full text not found |
| Taku, 2021 | Detection of sexually transmitted pathogens and co-infection with human papillomavirus in women residing in rural Eastern Cape, South Africa | PeerJ | 10.7717/peerj.10793 | Population (did not report data from PrEP users) |
| Takuva, 2014 | Etiology and antimicrobial susceptibility of pathogens responsible for urethral discharge among men in harare, zimbabwe | Sexually Transmitted Diseases | 10.1097/OLQ.00000000000000204 | Population (did not report data from PrEP users) |
| Tandon, 2022 | Cross sectional study to evaluate microbiological spectrum of RTI/STI and co-infections among women with cervicitis or cervico-vaginitis from a community clinic in Mumbai | Indian Journal of Medical Microbiology | 10.1016/j.ijmmb.2021.10.003 | Population (did not report data from PrEP users) |
| Taylor-Robinson, 2004 | Mycoplasma genitalium in chronic non-gonococcal urethritis | International Journal of STD and AIDS | 10.1258/095646204322637209 | Population (did not report data from PrEP users) |

| Taylor, 2011 | Microbial correlates of delayed care for pelvic inflammatory disease | Sexually Transmitted Diseases | 10.1097/OLQ.0b013e3181ffa7c7 | Population (did not report data from PrEP users) |
|----------------|---|---|-------------------------------|--|
| Taylor, 2018 | Risk factors for Mycoplasma genitalium endometritis and incident infection: A secondary data analysis of the T cell Response Against Chlamydia (TRAC) Study | Sexually Transmitted Infections | 10.1136/sextrans-2017-053376 | Population (did not report data from PrEP users) |
| Thurman, 2010 | Mycoplasma genitalium symptoms, concordance and treatment in high-risk sexual dyads | International Journal of STD and AIDS | 10.1258/ijsa.2009.008485 | Population (did not report data from PrEP users) |
| Ting, 2013 | High-risk human papillomavirus messenger RNA testing in physician- And self-collected specimens for cervical lesion detection in high-risk women, Kenya | Sexually Transmitted Diseases | 10.1097/OLQ.0b013e31828e5a91 | Population (did not report data from PrEP users) |
| Tjagur, 2018 | Prevalence of Mycoplasma genitalium and other sexually transmitted infections causing urethritis among high-risk heterosexual male patients in Estonia | Infectious Diseases | 10.1080/23744235.2017.1366044 | Population (did not report data from PrEP users) |
| Tjagur, 2020 | Profile of sexually transmitted infections causing urethritis and a related inflammatory reaction in urine among heterosexual males: A flow-cytometry study | PLoS One | 10.1371/journal.pone.0242227 | Population (did not report data from PrEP users) |
| Tjagur, 2021 | Mycoplasma genitalium Provokes Seminal Inflammation among Infertile Males | Int J Mol Sci | 10.3390/ijms222413467 | Population (did not report data from PrEP users) |
| Tobian, 2014 | Male circumcision and mycoplasma genitalium infection in female partners: A randomised trial in rakai, uganda | Sexually Transmitted Infections | 10.1136/sextrans-2013-051293 | Population (did not report data from PrEP users) |
| Toh, 2022 | Evaluation of Clinical, Gram Stain, and Microbiological Cure Outcomes in Men Receiving Azithromycin for Acute Nongonococcal Urethritis: Discordant Cures Are Associated with Mycoplasma genitalium Infection | Sexually Transmitted Diseases | 10.1097/OLQ.000000000001509 | Population (did not report data from PrEP users) |
| Tomusiak, 2013 | Bacterial infections of the lower genital tract in fertile and infertile women from the south-eastern Poland | Ginekologia Polska | NR | Population (did not report data from PrEP users) |
| Tomusiak, 2013 | Bacterial infections of the lower genital tract in fertile and infertile women from the southeastern Poland | Ginekologia Polska | NR | Population (did not report data from PrEP users) |
| Torrone, 2021 | Prevalence of Urogenital Mycoplasma genitalium Infection, United States, 2017 to 2018 | Sexually transmitted diseases | 10.1097/OLQ.000000000001394 | Population (did not report data from PrEP users) |
| Tovo, 2021 | Molecular epidemiology of human papillomaviruses, neisseria gonorrhoeae, chlamydia trachomatis and mycoplasma genitalium among female sex workers in burkina faso: Prevalence, coinfections and drug resistance genes | Tropical Medicine and Infectious Disease | 10.3390/tropicalmed6020090 | Population (did not report data from PrEP users) |
| Trent, 2018 | Clinical and sexual risk correlates of Mycoplasma genitalium in urban pregnant and non-pregnant young women: Cross-sectional outcomes using the baseline data from the Women's BioHealth Study | Sexually Transmitted Infections | 10.1136/sextrans-2017-053367 | Population (did not report data from PrEP users) |
| Trent, 2020 | Clearance of mycoplasma genitalium and trichomonas vaginalis among adolescents and young adults with pelvic inflammatory disease: Results from the tech-N study | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000001221 | Population (did not report data from PrEP users) |

| Treviño, 2021 | Mycoplasma genitalium in Primary Care: Prevalence and azithromycin resistance in Santiago de Compostela Health Care Area | Revista Espanola de Quimioterapia | 10.37201/req/052.2021 | Population (did not report data from PrEP users) |
|-----------------------|--|--|--------------------------------|--|
| Trevis, 2018 | Mycoplasma genitalium in the Far North Queensland backpacker population: An observational study of prevalence and azithromycin resistance | PLoS ONE | 10.1371/journal.pone.0202428 | Population (did not report data from PrEP users) |
| Tucker, 2018 | Mycoplasma genitalium: an important sexually transmitted infection comes into focus | Sexually transmitted infections | 10.1136/sextrans-2017-053517 | Population (did not report data from PrEP users) |
| Twin, 2011 | Comparison of two Mycoplasma genitalium real-time PCR detection methodologies | Journal of Clinical Microbiology | 10.1128/JCM.02328-10 | Population (did not report data from PrEP users) |
| Tyulenev, 2020 | Sexually transmitted infections in asymptomatic men who have sex with men | Klinicheskaya Dermatologiya i Venerologiya | 10.17116/klinderma202019061802 | Full text not found |
| Upton, 2018 | Diagnosis of Chlamydia trachomatis, Neisseria gonorrhoeae, Trichomonas vaginalis and Mycoplasma genitalium: An observational study of testing patterns, prevalence and co-infection rates in northern New Zealand | Sexual Health | 10.1071/SH17110 | Population (did not report data from PrEP users) |
| Van Der Pol, 2020 | A profile of the cobas® TV/ MG test for the detection of Trichomonas vaginalis and Mycoplasma genitalium | Expert Review of Molecular Diagnostics | 10.1080/14737159.2020.1714440 | Population (did not report data from PrEP users) |
| Van Der Pol, 2020 | Mycoplasma genitalium detection in urogenital specimens from symptomatic and asymptomatic men and women by use of the cobas TV/MG test | Journal of Clinical Microbiology | 10.1128/JCM.02124-19 | Population (did not report data from PrEP users) |
| Van Der Pol, 2021 | Trichomonas vaginalis Detection in Urogenital Specimens from Symptomatic and Asymptomatic Men and Women by Use of the cobas TV/MG Test | J Clin Microbiol | 10.1128/jcm.00264-21 | Population (did not report data from PrEP users) |
| Van Der Veer, 2016 | Trichomonas vaginalis and Mycoplasma genitalium: Age-specific prevalence and disease burden in men attenDing a sexually transmitted infections clinic in Amsterdam, the Netherlands | Sexually Transmitted Infections | 10.1136/sextrans-2015-052118 | Population (did not report data from PrEP users) |
| Van Dijck, 2022 | Gonococcal bacterial load in PrEP users with Mycoplasma genitalium coinfection | International Journal of STD and AIDS | 10.1177/09564624211048678 | Outcome |
| Van Praet, 2019 | Prevalence and macrolide resistance of mycoplasma genitalium after initiation of HIV preexposure prophylaxis | Open Forum Infectious Diseases | 10.1093/ofid/ofz359.063 | Duplicate data |
| Vandepitte, 2012 | Clinical characteristics associated with mycoplasma genitalium infection among women at high risk of HIV and other STI in Uganda | Sexually Transmitted Diseases | 10.1097/OLQ.0b013e31824b1cf3 | Population (did not report data from PrEP users) |
| Vandepitte, 2012 | Prevalence and correlates of mycoplasma genitalium infection among female sex workers in Kampala, Uganda | Journal of Infectious Diseases | 10.1093/infdis/jir733 | Population (did not report data from PrEP users) |
| Vandepitte, 2013 | Alcohol use, mycoplasma genitalium, and other STIs associated with HIV incidence among women at high risk in Kampala, Uganda | Journal of Acquired Immune Deficiency Syndromes | 10.1097/QAI.0b013e3182777167 | Population (did not report data from PrEP users) |
| Vandepitte, 2013 | Natural history of mycoplasma genitalium infection in a cohort of female sex workers in Kampala, Uganda | Sexually Transmitted Diseases | 10.1097/OLQ.0b013e31828bfccf | Population (did not report data from PrEP users) |

| Vandepitte, 2014 | Association between Mycoplasma genitalium infection and HIV acquisition among female sex workers in Uganda: Evidence from a nested case-control study | Sexually Transmitted Infections | 10.1136/sextrans-2013-051467 | Population (did not report data from PrEP users) |
|------------------|--|--|-------------------------------|--|
| Varma, 2021 | Low Awareness of Mycoplasma genitalium in Men Who Have Sex With Men in Sydney, Australia | Sexually transmitted diseases | 10.1097/OLQ.0000000000001487 | Outcome |
| Vazquez, 2020 | Pelvic Inflammatory Disease Due to Mycoplasma genitalium: A Character in Search of an Author | Clinical Infectious Diseases | 10.1093/cid/ciaa506 | Population (did not report data from PrEP users) |
| Veiga, 2020 | Colonisation of the male reproductive tract in asymptomatic infertile men: Effects on semen quality | Andrologia | 10.1111/and.13637 | Population (did not report data from PrEP users) |
| Vica, 2015 | DETERMINATION OF SEXUALLY TRANSMITTED DISEASES FREQUENCY BY SIMULTANEOUS DETECTION OF SIX PATHOGENS USING PCR METHODS | Journal of Environmental Protection and Ecology | NR | Population (did not report data from PrEP users) |
| Vielot, 2015 | The role of chlamydia trachomatis in high-risk human papillomavirus persistence among female sex workers in Nairobi, Kenya | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000000287 | Population (did not report data from PrEP users) |
| Vives, 2021 | Epidemiological, clinical and laboratory differences between male urethral infections due to Haemophilus spp. and those due to Neisseria gonorrhoeae, Chlamydia trachomatis, Mycoplasma genitalium and Ureaplasma urealyticum: A descriptive study | Archivio Italiano Di Urologia E Andrologia | 10.4081/aiua.2021.4.468 | Population (did not report data from PrEP users) |
| Vodstrcil, 2022 | Combination Therapy for Mycoplasma genitalium, and New Insights Into the Utility of parC Mutant Detection to Improve Cure | Clinical Infectious Diseases | 10.1093/cid/ciab1058 | Population (did not report data from PrEP users) |
| Walker, 2011 | The difference in determinants of Chlamydia trachomatis and Mycoplasma genitalium in a sample of young Australian women' | BMC Infectious Diseases | 10.1186/1471-2334-11-35 | Population (did not report data from PrEP users) |
| Walker, 2013 | Mycoplasma genitalium Incidence, Organism Load, and treatment failure in a cohort of young australian women | Clinical Infectious Diseases | 10.1093/cid/cis1210 | Population (did not report data from PrEP users) |
| Wallis, 2019 | Mycoplasma genitalium testing in clinical practice: Prevalence and resistance rates in a south London sexual health clinic | Sexually Transmitted Infections | 10.1136/sextrans-2019-sti.686 | Population (did not report data from PrEP users) |
| Wang, 2012 | The prevalence of six species of Mycoplasmataceae in an HIV/AIDS population in Jiangsu Province, China | International Journal of STD and AIDS | 10.1258/ijsa.2009.009396 | Population (did not report data from PrEP users) |
| Wang, 2018 | Loop-mediated isothermal amplification on crude DNA as a point-of- care test for the diagnosis of mycoplasma-related vaginitis during early pregnancy | Lab Medicine | 10.1093/labmed/lmx063 | Population (did not report data from PrEP users) |
| Wang, 2019 | Association between asymptomatic sexually transmitted infections and high-risk human papillomavirus in cervical lesions | Journal of International Medical Research | 10.1177/0300060519865633 | Population (did not report data from PrEP users) |
| Wang, 2020 | Prevalence of co-infections with other sexually transmitted infections in patients newly diagnosed with anogenital warts in Guangzhou, China | International Journal of STD and AIDS | 10.1177/0956462419890496 | Population (did not report data from PrEP users) |
| Wang, 2022 | Mycoplasma genitalium Infection Is Not Associated With Genital Tract Inflammation Among Adolescent and Young Adult Women in Baltimore, Maryland | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000001524 | Full text not found |

| Wendt, 2019 | Prospective evaluation study on the benefit of the simultaneous detection of seven sexually transmitted pathogens for the clinical management of patients suffering from sexually transmitted diseases | Journal of Laboratory Medicine | 10.1515/labmed-2018-0322 | Population (did not report data from PrEP users) |
|----------------------|--|---|-------------------------------|--|
| Wesbonk, 2014 | Prevalence and determinants of sexually transmitted infections in women at risk undergoing abortion in a swiss primary care setting | Praxis | 10.1024/1661-8157/a001724 | Population (did not report data from PrEP users) |
| Wetmore, 2011 | Demographic, behavioral, and clinical characteristics of men with nongonococcal urethritis differ by etiology: A case-comparison study | Sexually Transmitted Diseases | 10.1097/OLQ.0b013e3182040de9 | Population (did not report data from PrEP users) |
| Wiringa, 2020 | Trichomonas vaginalis, endometritis and sequelae among women with clinically suspected pelvic inflammatory disease | Sexually Transmitted Infections | 10.1136/sextrans-2019-054079 | Population (did not report data from PrEP users) |
| Wohlmeister, 2016 | Association of human papillomavirus and Chlamydia trachomatis with intraepithelial alterations in cervix samples | Memorias do Instituto Oswaldo Cruz | 10.1590/0074-02760150330 | Population (did not report data from PrEP users) |
| Woo-Jin, 2013 | PCR-based Investigation of Infection Patterns in Patients with Pelvic Inflammatory Diseases in Jeju | Laboratory Medicine Online | NR | Population (did not report data from PrEP users) |
| Wood, 2020 | Sequence variation and immunogenicity of the Mycoplasma genitalium MgpB and MgpC adherence proteins during persistent infection of men with non-gonococcal urethritis | PLoS ONE | 10.1371/journal.pone.0240626 | Population (did not report data from PrEP users) |
| Wood, 2021 | Vaginal Mycoplasmataceae colonization and association with immune mediators in pregnancy | Journal of Maternal-Fetal and Neonatal Medicine | 10.1080/14767058.2019.1663820 | Population (did not report data from PrEP users) |
| Woodward, 2021 | Using multiplex nucleic acid amplification tests in the diagnosis and screening for trichomonas vaginalis and mycoplasma genitalium | International Journal of STD and AIDS | 10.1177/0956462420987415 | Population (did not report data from PrEP users) |
| Wu, 2013 | Mycoplasmas infection in male HIV/AIDS patients in Jiangsu, China | Microbial Pathogenesis | 10.1016/j.micpath.2013.06.003 | Population (did not report data from PrEP users) |
| Xiang, 2012 | Risk factors for Mycoplasma genitalium infection among female sex workers: a cross-sectional study in two cities in southwest China | BMC public health | NR | Population (did not report data from PrEP users) |
| Xiao, 2019 | Mycoplasma genitalium infections with macrolide and fluoroquinolone resistance-Associated mutations in heterosexual african American couples in Alabama | Sexually Transmitted Diseases | 10.1097/OLQ.0000000000000891 | Population (did not report data from PrEP users) |
| Xie, 2021 | Investigation of the association between ten pathogens causing sexually transmitted diseases and high-risk human papilloma virus infection in shanghai | Molecular and Clinical Oncology | 10.3892/mco.2021.2294 | Population (did not report data from PrEP users) |
| Xiu, 2019 | Simultaneous detection of eleven sexually transmitted agents using multiplexed PCR coupled with MALDI-TOF analysis | Infection and Drug Resistance | 10.2147/idr.S219580 | Population (did not report data from PrEP users) |
| Yagur, 2021 | Characteristics of pelvic inflammatory disease caused by sexually transmitted disease – An epidemiologic study | Journal of Gynecology Obstetrics and Human Reproduction | 10.1016/j.jogoh.2021.102176 | Population (did not report data from PrEP users) |
| Yeganeh, 2013 | A survey on the prevalence of chlamydia trachomatis and mycoplasma genitalium infections in symptomatic and asymptomatic men referring to urology clinic of Labbafinejad Hospital, Tehran, Iran | Iranian Red Crescent Medical Journal | 10.5812/ircmj.8600 | Population (did not report data from PrEP users) |

| Yew, 2011 | Letters to the editor induced macrolide resistance in mycoplasma genitalium isolates from patients with recurrent nongonococcal urethritis | Journal of Clinical Microbiology | 10.1128/JCM.02475-10 | Population (did not report data from PrEP users) |
|----------------|--|---|-------------------------------|--|
| Yin, 2013 | Association of sexually transmitted infections with high-risk human papillomavirus types: a survey with 802 female sex workers in china | Sex Transm Dis | 10.1097/OLQ.0b013e31828b32b8 | Population (did not report data from PrEP users) |
| Yow, 2014 | Detection of infectious organisms in archival prostate cancer tissues | BMC Cancer | 10.1186/1471-2407-14-579 | Population (did not report data from PrEP users) |
| Zahirnia, 2018 | Frequency of chlamydia trachomatis, mycoplasma genitalium, and ureaplasma urealyticum isolated from vaginal samples of women in Kerman, Iran | Archives of Clinical Infectious Diseases | 10.5812/archcid.65334 | Population (did not report data from PrEP users) |
| Zanotta, 2019 | Emerging role for Ureaplasma parvum serovar 3: Active infection in women with silent high-risk human papillomavirus and in women with idiopathic infertility | Journal of Cellular Physiology | 10.1002/jcp.28423 | Population (did not report data from PrEP users) |
| Zanotta, 2019 | Merkel Cell Polyomavirus Is Associated with Anal Infections in Men Who Have Sex with Men | Microorganisms | 10.3390/microorganisms7020054 | Population (did not report data from PrEP users) |
| Ze-Chen, 2018 | Impact of Mycoplasma genitalium infection on the semen quality of infertile males | National Journal of Andrology | NR | Full text not found |
| Zhang, 2021 | Prevalence and correlates of Mycoplasma genitalium infection among patients attending a sexually transmitted infection clinic in Guangdong, China: a cross-sectional study | BMC Infectious Diseases | 10.1186/s12879-021-06349-4 | Population (did not report data from PrEP users) |
| Zhao, 2019 | Mycoplasma Genitalium and Mycoplasma Hominis are prevalent and correlated with HIV risk in MSM: A cross-sectional study in Shenyang, China | BMC Infectious Diseases | 10.1186/s12879-019-4138-5 | Population (did not report data from PrEP users) |
| Zheng, 2014 | An epidemiological study of mycoplasma genitalium infections among males attending a sexually transmitted disease clinic in Guangxi, China | Japanese Journal of Infectious Diseases | 10.7883/yoken.67.17 | Population (did not report data from PrEP users) |
| Zheng, 2014 | The prevalence of urethral and rectal Mycoplasma genitalium among men who have sex with men in China, a cross-sectional study | BMC public health | 10.1186/1471-2458-14-195 | Population (did not report data from PrEP users) |
| Zhou, 2022 | Single gene targeted nanopore sequencing enables simultaneous identification and antimicrobial resistance detection of sexually transmitted infections | PLoS ONE | 10.1371/journal.pone.0262242 | Population (did not report data from PrEP users) |
| Zimba, 2011 | Aetiology of sexually transmitted infections in Maputo, Mozambique | Journal of Infection in Developing Countries | NR | Population (did not report data from PrEP users) |