Supplementary Table: Characteristics of Women who did not return for followup in comparison with women who returned for $3^{\rm rd}$ trimester study visit

Variable	Participants Returned	Participants Lost to	P Value
variable	Keturneu	Followup	r value
	N=462	N=290	
Age, mean (SD)	23.8 (5.1)	23.4 (5.3)	0.244
<20 years n (%)	106 (22.9)	74 (25.5)	
≥20 years n (%)	356 (77.1)	216 (74.5)	0.483
Relationship n (%)			
Living with Partner	60 (13.0)	38 (13.1)	1.00
Not Living with Partner	402 (87.0)	252 (86.9)	
Partner >5 years older n (%)			
Yes	194 (42.0)	137 (47.2)	0.258
No	268 (58.0)	153 (52.8)	
Bacterial Vaginosis n (%)			
Pos	158 (34.2)	122 (42.1)	0.063
Neg	304 (65.8)	168 (57.9)	
C. trachomatis n (%)			
Pos	50 (10.8)	23 (7.9)	0.207
Neg	412 (89.2)	267 (92.1)	
N. gonorrhoea n (%)			
Pos	32 (6.9)	11 (3.8)	0.077
Neg	430 (93.1)	279 (96.2)	
T. vaginalis n (%)			
Pos	87 (18.8)	28 (9.7)	<0.001
Neg	375 (81.2)	262 (90.3)	
Symptomatic and Received Treatment			
Yes	192 (41.6)	120 (41.4)	0.820
No	270 (58.4)	170 (58.6)	