

Supplementary material.**Characteristics of users attending to DrasExp during the study period: comparison between recruited and non-recruited individuals.**

| Characteristic | Recruited individuals No.; % (95% CI) | Non-recruited individuals No.; % (95% CI) | P value* |
|---------------------------------|--|--|----------|
| Total | 890 | 299 | |
| Age (years) ^a | | | NS |
| - <25 | 208; 23.4 (20.6-26.3) | 71; 23.7 (19.0-29.0) | |
| - 26-35 | 361; 40.6 (37.3-43.9) | 117; 39.1 (33.6-44.9) | |
| - 36-45 | 207; 23.3 (20.5-26.2) | 71; 23.7 (19.0-29.0) | |
| - >45 | 114; 12.8 (10.7-15.2) | 40; 13.4 (9.7-17.8) | |
| Sexual conduct | | | |
| - Women | 222; 24.9 (22.1-27.9) | 99; 33.1 (27.8-38.8) | 0.006 |
| - MSW | 179; 20.1 (17.5-22.9) | 82; 27.4 (22.4-32.9) | 0.008 |
| - MSM | 489; 54.9 (51.6-58.2) | 118; 39.5 (33.9-45.3) | <0.001 |
| Origin | | | NS |
| - Spanish | 527; 59.2 (55.9-62.5) | 170; 56.9 (51.0-62.5) | |
| - Non-Spanish | 363; 40.8 (37.5-44.1) | 129; 43.1 (37.5-49.0) | |
| Sexual partners (last 3 months) | | | NS |
| - 1-5 | 636; 71.5 (68.4-74.4) | 230; 76.9 (71.7-81.6) | |
| - 6-20 | 213; 23.9 (21.2-26.9) | 55; 18.4 (14.2-23.3) | |
| - >20 | 41; 4.6 (3.3-6.2) | 14; 4.7 (2.6-7.7) | |
| HIV history ^a | | | NS |
| - No | 811; 91.1 (89.1-92.9) | 281; 94.0 (90.7-96.4) | |
| - Yes | 79; 8.9 (7.1-10.9) | 18; 6.0 (3.6-9.3) | |
| Syphilis history ^a | | | 0.002 |
| - No | 720; 80.9 (78.2-83.4) | 265; 88.6 (84.5-92.0) | |
| - Yes | 170; 19.1 (16.6-21.8) | 34; 11.4 (8.0-15.5) | |

Abbreviations: MSM, men who have sex with men; MSW, men who have sex with women; HIV, Human Immunodeficiency Virus; CI, confidence interval; NS, not significant.

^aDue to ethical limitations, data is limited to what has been collected exclusively from the questionnaire, without taking the current STI screening results into account.

*Chi-squared (χ^2) tests.